






2022 PRODUCT CATALOG





WHO WE ARE

Our customers must have peace-of-mind when donning their armor systems — there can be no doubt.

Armor Express was founded in 2005 with one purpose in mind: to enable those that protect us every day to come home safely. We pride ourselves on designing, manufacturing, and supplying ballistic protective solutions for organizations of any size, from small teams to organization-wide deployments, with high-quality, high-performance solutions to meet their mission requirements.

LIFE-SAVING SYSTEMS >



Armor Express is focused on the health and wellbeing of our customers and their families before, during, and long after our armor has done it's job. Lt. Brian Murphy (Ret.), a former Armor Express save himself, leads our SAVES Program and serves as the first point of contact for any who have faced death in the name of protecting the peace while wearing our products.

We continue to adapt this program to ensure it is meeting the evolving needs of the community as it grows. With each SAVE, we learn more about officer and family needs, and how we can be a conduit for healing.

THE SAFEST SOLUTIONS THE INDUSTRY HAS COME TO TRUST.

KEY PARTNERSHIPS >

Our key partnerships provide significant insight into what our customers need, their current challenges, and offer an opportunity to connect on the solutions we are creating to ensure success in the field:







Major County Sheriffs of America



Ohio Tactical Officers Association



Texas Tactical Police Officers Association

NAVIGATING OUR CATALOG ►

INTRODUCTION SECTION | This section will guide you in the selection process, helping you understand the steps you need to take to buy the right protective body armor solution.

HERO PAGES | These pages represent our showcase products for each category. Detailed information on each hero product is presented in an easy-to-follow fashion.

COMPARISON CHART | See how each product in its respective category stacks up based on key attributes, features, and options.

ICONS | We use icons and other visual callouts to showcase significant product attributes or features.



How concealed is this carrier when worn under normal clothing.



How comfortable is this carrier to wear in comparison to the other carriers in our lineup.



Cost Within Category

How does the price of the carrier stack up against other products in this category.



Armor Coverage

How much surface area of my body is covered in respect to the product category.



Durability

How robust is the product and resistant to wear



Breathability

The level of thermal management one should expect from this product.



Modularity

To what capacity does the carrier offer additional options and compatibility with armor accessories.



Designed for Shared Use

Product was designed with a wide range of adjustability to be shared between teammates.



Uniform Blend

How well the product blends with the user's duty wear.



Maximum Armor Coverage

The additional protective coverage achievable through options and accessories.



STEP 1: SELECT THE RIGHT CONCEALABLE CARRIER

Key Attributes:













CONCEALMENT COMFORT

COST WITHIN ARMOR COVERAGE DURABILITY

Standard Features: Techinical specifications and included addons

Configurations: Alternate specs available

Accessories: Upgrade your carrier from a selection of compatible accessories

Color Options: Ensure the right carrier color options are available to match your departmental requirements












STEP 2: CHOOSE THE RIGHT BASE LEVEL OF PROTECTION

NIJ STANDARDS 0101.06 LEVELS IIA, II AND IIIA (HANDGUN THREAT)					
LEVEL	BULLET CALIBER AND TYPE	BULLET WT. (GRAINS)	NEW ARMOR VELOCITY (FT/S)	CONDITIONED ARMOR (FT/S)	
IIA	9mm FMJ RN	124	1225	1165	
IIA	40 S&W FMJ FN	180	1155	1065	
	9mm FMJ RN	124	1305	1245	
II II	.357 Mag JSP	158	1430	1340	
IIIA	.357 Sig FMJ FN	125	1470	1410	
	.44 Mag SJHP	240	1430	1340	

NIJ STANDARDS FOR S	NIJ STANDARDS FOR STAB LEVELS 1, 2, AND 3 (STAB/SPIKE THREAT)				
PROTECTION LEVEL	"E1" STRIKE ENERGY J I (FT∙ LBF)	"E2" OVERTEST STRIKE Energy J I (FT· LBF)			
Level 1	24 ± 0.50 17.7 ± 0.36	36 ± 0.60 26.6 ± 0.44			
Level 2	33 ± 0.60 24.3 ± 0.44	50 ± 0.70 36.9 ± 0.51			
Level 3	43 ± 0.60 31.7 ± 0.44	65 ± 0.80 47.9 ± 0.59			

AVAILABLE NIJ CERTIFIED BALLISTIC & STAB/SPIKE ARMOR LEVEL COMBOS						
LEVEL	BULLET CALIBER And Type	BULLET WT. (GRAINS)	NEW ARMOR VELOCITY (FT/S)	CONDITIONED ARMOR (FT/S)	"E1" STRIKE ENERGY J I (FT· LBF)	"E2" OVERTEST Strike Energy J I (FT• LBF)
IIA SPIKE 3	9mm FMJ RN	124	1225	1165	43 ± 0.60 31.7 ± 0.44	65 ± 0.80 47.9 ± 0.59
IIA SEINE S	40 S&W FMJ FN	180	1155	1065	43 ± 0.00 31.7 ± 0.44 65	0.00 ± 0.00 47.5 ± 0.55
II SPIKE 2	9mm FMJ RN	124	1305	1245	00 000 040 044 50 070 000 0	
II OFINE 2	.357 Mag JSP	158	1430	1340	33 ± 0.60 24.3 ± 0.44	50 ± 0.70 36.9 ± 0.51
IIIV CDINE 3	.357 Sig FMJ FN	125	1470	1410	40 . 0.00 04.7 . 0.44 05 . 0.00 47.0	65 ± 0.80 47.9 ± 0.59
IIIA SPIKE 3	.44 Mag SJHP	240	1430	1340	43 ± 0.60 31.7 ± 0.44	05 ± 0.60 47.9 ± 0.59



STEP 3: SELECT THE RIGHT ADD-ON PRODUCTS

Additional Carrier Armor: Armor Inserts and Up-Armor (p. 51)

Rifle Plate Protection: Select Rifle Plate Inserts are available for concealed carry in a concealable plate pocket. See rifle plate section for all options (p. 52)

NIJ STANDARDS 0	101.06 LEVEL III (RIFLE THREAT)		
LEVEL	BULLET CALIBER AND TYPE	BULLET WT. (GRAINS)	CONDITIONED ARMOR (FT/S)
III	7.62 NATO FMJ	147	2780

This chart is limited to only showing level III due to limitations on certain weights and plate sizes compatible with concealable carriers. A full list of our plate selection for all carriers can be found on our website at ARMOREXPRESS.COM

PLATE CARRIER



RECOMMENDED ARMOR PACKAGES THINNEST, LIGHTEST Soft Armor Razor XT IIIA Ultra thin and lighthweight NIJ Certified level IIIA soft armor. THINNER AND LIGHTER Low weight and thin soft armor solution for comfort and extended Soft Armor Razor II or IIIA wear. Certified to NIJ level II or IIIA. THIN AND LIGHT Strong performance for the professional seeking NIJ Certified Soft Armor Quantum II or IIIA protection without the highest price tag. Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.

REVOLUTION



SOFT ARMOR

REAR VIEW



PATENTED EASY GRIP SIDE STRAPS

STANDARD FEATURES

- 1 DURABLE AND LIGHTWEIGHT MICROFIBER OUTER SHELL
- 2 MOISTURE-WICKING, ANTI-MICROBIAL INNER LINING
- 3 LOW-PROFILE PADDED SHOULDERS
- 4 INTERIOR SUSPENSION SYSTEM PREVENTS SAGGING OF THE ARMOR **PANELS**
- 5 FRONT-PLATE POCKET
- 6 PATENTED EASY GRIP SIDE STRAPS

COLOR OPTIONS



CONFIGURATIONS



GENDER NEUTRAL FIT



FEMALE FITTED

Narrower chest dimensions and integrated cup structure provide better fit and comfort for female officers

KEY ATTRIBUTES





COMFORT

ARMOR COVERAGE

ScentLok® Odor Control Technology**

OPTIONS / ACCESSORIES

- Thor Shield™ Stun Device Protection**
- Rear Plate Pocket*
- Front and Rear Tails

*See website for details on plate sizing compatibility

**Thor Shield™ and ScentLok® technology options cannot be combined

FLIP TO PAGE 10 FOR A COMPARISON OF ALL CONCEALABLE CARRIERS

SOFT ARMOR







ARMOR PACKAGE	Ē	
THIN, LIGHT, READY 1	O PERFORM	
Soft Armor	Razor II	Lowest weight and thinnest soft armor solution for maximum comfort and extended wear.
Find all of our soft armor solution	ons on page 50 of our catalo	og. Our rifle plate protection options start on page 52.




HIDDEN DEFENDER



STANDARD FEATURES

- 1 SLIM, LOW-PROFILE DESIGN MAKES IT VIRTUALLY UNDETECTABLE
- 2 LOW SHOW THROUGH IN KEY IMPRINT ZONES
- 3 ARMOR CUT TO PROTECT VITALS WHILE MINIMIZING WEIGHT
- 4 ARMOR DESIGNED AND TESTED TO MEET THE NATIONAL INSTITUTE OF JUSTICE (NIJ) BALLISTIC TESTING REQUIREMENTS
- 5 SUPERIOR THERMAL MANAGEMENT UTILIZING TWEAVE® FABRIC TECHNOLOGY
- 6 DESIGNED FOR ALL-DAY WEAR, FEATURING OUR RAZOR II LIGHWEIGHT ARMOR SYSTEM AND A SOFT, MOISTURE-WICKING CARRIER MATERIAL
- **7** SIDE-OPEN ZIPPER FOR EASY DONNING AND DOFFING
- 8 MACHINE WASHABLE CARRIER
- 9 GENDER NEUTRAL DESIGN



COLOR OPTIONS



FLIP TO PAGE 10 FOR A COMPARISON OF ALL CONCEALABLE CARRIERS

CONCEALED CARRIER COMPARISON CHART ►







		EQUINOX GC	REVOLUTION	T-SHIRT CARRIER	HIDDEN DEFENDER
Ø	CONCEALMENT	****	****	****	****
(A)	COMFORT	****	****	****	****
\$ COST W	(OUT OF 5)	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$
A	RMOR COVERAGE	****	****	****	****
$\widehat{\mathcal{D}}$	DURABILITY	****	****	****	****
Femal	e Fitted Configuration	/	✓		
	Soft Armor Cut	BRAVO	BRAVO	BRAV0	Ultra concealed
	Front Plate Pocket*	1	✓	✓	
	Rear Plate Pocket*	Optional	Optional		
Patente	ed EZ-Grip Side Straps	/	1		
	Shell/Liner	Polycotton shell Moisture-wicking, anti-microbial inner lining	Microfiber shell Moisture-wicking, anti-microbial inner lining	Performance T-Shirt material	Tweave® shell and liner
Low-Pro	file Padded Shoulders		✓		
Bemis No-Sew Lo	Bemis No-Sew Low-Profile Technology				1
ScentLok® Odor	ScentLok® Odor Control Technology**		Optional		Standard
Thor Shield® Stu	Thor Shield® Stun Device Protection**		Optional		
	Front and Rear Tails	Optional	Optional		
	Available Colors	Black, White, Navy, Tan	Black, White, Navy, Tan	Black, White	Black, White

^{*}See website for details on plate sizing compatibility

▶ DETAILED PRODUCT INFORMATION AVAILABLE AT **ARMOREXPRESS.COM**




TACTICAL

OUTER

CONCEALABLE ▶





	RECOMMENDED	ARMOR PACKAGES	5	
NEW >	THINNEST, LIGHTEST			
	Soft Armor	Razor XT IIIA	Ultra thin and lighthweight NIJ Certified level IIIA soft armor.	
	THINNER AND LIGHTE	R		
	Soft Armor	Razor II or IIIA	Low weight and thin soft armor solution for comfort and extended wear. Certified to NIJ level II or IIIA.	
	THIN AND LIGHT			
	Soft Armor	Quantum II or IIIA	Strong performance for the professional seeking NIJ Certified protection without the highest price tag.	
	Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.			

^{**}Thor Shield® and ScentLok® technology options cannot be combined

AE OUTER CARRIERS >

SELECTING THE RIGHT CARRIER

Key Attributes:















MODULARITY

CATEGORY

SHARED USE

Standard Features: Techinical specifications and included addons

Configurations: Alternate specs available

Accessories: Upgrade your carrier from a selection of compatible accessories

Color Options: Ensure the right carrier color options are available to match your departmental requirements




CHOOSING THE RIGHT BASE LEVEL OF PROTECTION

NIJ STANDARDS 0101.06 LEVELS IIA, II AND IIIA (HANDGUN THREAT)				
LEVEL	BULLET CALIBER AND TYPE	BULLET WT. (GRAINS)	NEW ARMOR Velocity (FT/S)	CONDITIONED ARMOR (FT/S)
IIA	9mm FMJ RN	124	1225	1165
IIA	40 S&W FMJ FN	180	1155	1065
	9mm FMJ RN	124	1305	1245
l II	.357 Mag JSP	158	1430	1340
ША	.357 Sig FMJ FN	125	1470	1410
IIIA	.44 Mag SJHP	240	1430	1340

NIJ STANDARDS FOR S	NIJ STANDARDS FOR STAB LEVELS 1, 2, AND 3 (STAB/SPIKE THREAT)				
PROTECTION LEVEL	"E1" STRIKE ENERGY J I (FT· LBF)	"E2" OVERTEST STRIKE Energy J I (FT• LBF)			
Level 1	24 ± 0.50 17.7 ± 0.36	36 ± 0.60 26.6 ± 0.44			
Level 2	33 ± 0.60 24.3 ± 0.44	50 ± 0.70 36.9 ± 0.51			
Level 3	43 ± 0.60 31.7 ± 0.44	65 ± 0.80 47.9 ± 0.59			

AVAILABLE NIJ CERTIFIED BALLISTIC & STAB/SPIKE ARMOR LEVEL COMBOS						
LEVEL	BULLET CALIBER And Type	BULLET WT. (GRAINS)	NEW ARMOR Velocity (FT/S)	CONDITIONED ARMOR (FT/S)	"E1" STRIKE ENERGY J∣(FT• LBF)	"E2" OVERTEST Strike Energy J I (FT• LBF)
IIA SPIKE 3	9mm FMJ RN	124	1225	1165	43 + 0.60 31.7 + 0.44	65 ± 0.80 47.9 ± 0.59
IIA OF INC O	40 S&W FMJ FN	180	1155	1065	43 ± 0.00 31.7 ± 0.44	03 ± 0.00 1 47 .9 ± 0.09
II SPIKF 2	9mm FMJ RN	124	1305	1245	33 + 0.60 24.3 + 0.44 50 + 0.70 36.9 +	
II SFIRE Z	.357 Mag JSP	158	1430	1340	33 ± 0.00 24.3 ± 0.44	50 ± 0.70 36.9 ± 0.51
IIIA CDII/E O	.357 Sig FMJ FN	125	1470	1410	43 + 0.60 31.7 + 0.44	65 + 0.80 47.9 + 0.59
IIIA SPIKE 3	.44 Mag SJHP	240	1430	1340	43 ± 0.00 31.7 ± 0.44	00 ± 0.00 47.9 ± 0.09



SELECTING THE RIGHT ADD-ON PRODUCTS

Additional Carrier Armor: Side Soft Armor Protection, Side Hard Armor Protection, Deltoids, NextGen Accessories (Yoke, Throat, Groin, etc.), Armor Inserts (p. 58)

ID Placards: Standard sizes with choice of color and label (see www.armorexpress.com for full selection and detail)

Rifle Plate Protection: III (ICW or SA), III+ (ICW or SA), IV (ICW or SA), see rifle plate section for options (p. 52)

NIJ STANDARDS 01	NIJ STANDARDS 0101.06 LEVELS III AND IV (RIFLE THREAT)					
LEVEL	BULLET CALIBER AND TYPE	BULLET WT. (GRAINS)	CONDITIONED ARMOR (FT/S)			
III	7.62 NATO FMJ	147	2780			
IV	.30 Caliber M2 AP	166	2880			


Helmets: Level IIIA protection in an array of cuts and configurations, see helmet section for a full list of options (p. 62)

Shields: Level IIIA, or III protection in different shapes/colors and handle/viewport options, see shield section for a full list of options (p. 64)

Pouches: Standard MOLLE (p. 57) and/or Peraflex (p. 56)

2022 ARMOR EXPRESS CATALOG

M



RECOMMENDED ARMOR PACKAGES			
THINNEST, LIGHTES	т		
Soft Armor	Razor XT IIIA	Ultra thin and lighthweight NIJ Certified level IIIA soft armor with	
Hard Armor	SURGE III+ ICW	our lightest level III+ rifle plate protection.	
THINNER AND LIGHTER			
Soft Armor	Razor II or IIIA	Low weight and thin soft armor solution for comfort and extended	
Hard Armor	SURGE III ICW	wear. Certified to NIJ level II or IIIA.	
THIN AND LIGHT			
Soft Armor	Quantum II or IIIA	Strong performance for the professional seeking NIJ Certified	
Hard Armor	Level III, III+, or IV	protection without the highest price tag.	
Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.			



SOFT ARMOR

REAR VIEW

STANDARD FEATURES

- 1 LOOP AND EYELET BADGE 3"X3" ATTACHMENT POINT
- 2 FRONT ZIP, SIDE OPENING DESIGN
- 3 HEAVY DUTY OUTER SHELL
- 4 FRONT AND REAR PLATE POCKETS*
- 5 MESH IN KEY FRICTION ZONES
- 6 ZIPPER COVER WITH CAMERA MOUNT
- WIRE ROUTING PORTS
- 8 ZIPPERED NAPOLEON CHEST POCKETS
- 9 AMBIDEXTROUS UTILITY POCKETS
- ADJUSTABLE SHOULDERS WITH MIC TABS
- 11 REAR ADJUSTABLE CUMMERBUND WITH COMFORT STRETCH
- 12 REINFORCED DRAG HANDLE

*See website for details on plate sizing compatibility



KEY ATTRIBUTES



DURABILITY



CONFIGURATIONS



MOLLE



HALF MOLLE



SLICK

COLOR OPTIONS



Coyote

Tactical Grey



Spruce Green

OD Green





Range Red







UNIFORM BLEND MODULARITY






FRONT ZIP, SIDE OPENING DESIGN

CONFIGURATIONS

SLICK

SLICK W/ WESTERN POCKET

HALF MOLLE FRONT



RECOMMENDED ARMOR PACKAGES					
THINNEST, LIGHTES	THINNEST, LIGHTEST				
Soft Armor	Razor XT IIIA	Ultra thin and lighthweight NIJ Certified level IIIA soft armor with our			
Hard Armor	SURGE III+ ICW	lightest level III+ rifle plate protection.			
THINNER AND LIGHTER					
Soft Armor	Razor II or IIIA	Low weight and thin soft armor solution for comfort and extended			
Hard Armor	SURGE III ICW	wear. Certified to NIJ level II or IIIA.			
THIN AND LIGHT					
Soft Armor	Quantum II or IIIA	Strong performance for the professional seeking NIJ Certified protection without the highest price tag.			
Hard Armor	Level III, III+, or IV				
Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.					

TRAVERSE DRESS VEST



REAR VIEW

STANDARD FEATURES

- 1 LOOP AND EYELET BADGE 3"X3" ATTACHMENT POINT
- 2 FRONT ZIP, SIDE OPENING DESIGN
- 3 600 DENIER POLYESTER SHELL*
- 4 FRONT AND REAR PLATE POCKETS**
- 5 MESH IN KEY FRICTION ZONES
- 6 ZIPPER COVER WITH FAUX BUTTONS
- 7 AMBIDEXTROUS UTILITY POCKETS
- 8 ADJUSTABLE SHOULDERS WITH MIC TABS
- 9 DRESS POCKETS W/ FAUX BUTTON-DOWN FLAP AND PEN SLOT
- 10 REAR ADJUSTABLE CUMMERBUND WITH COMFORT STRETCH
- 11 CAMERA MOUNT ON LEFT YOKE***

*Spruce Green = 500 Denier Nylon Shell
See website for details on plate sizing compatibility *Call for alternative specs









HALF MOLLE W/ WESTERN POCKET

OPTIONS/ACCESSORIES

 Front and Rear Placard Attachment Points





DURABILITY UNIFORM BLEND

FRONT ZIP.

SIDE OPENING DESIGN



COLOR OPTIONS



















CONFIGURATIONS

MOLLE

LASER CUT

M



RECOMMENDED ARMOR PACKAGES				
THINNEST, LIGHTEST				
Soft Armor	Razor XT IIIA	Ultra thin and lighthweight NIJ Certified level IIIA soft armor with our		
Hard Armor	SURGE III+ ICW	lightest level III+ rifle plate protection.		
THINNER AND LIGHTER				
Soft Armor	Razor II or IIIA	Low weight and thin soft armor solution for comfort and extended		
Hard Armor	SURGE III ICW	wear. Certified to NIJ level II or IIIA.		
THIN AND LIGHT				
Soft Armor	Quantum II or IIIA	Strong performance for the professional seeking NIJ Certified		
Hard Armor	Level III, III+, or IV	protection without the highest price tag.		
Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.				

HARD CORE H3



SOFT ARMOR

REAR VIEW

STANDARD FEATURES

- QUAD VENTILATION LINER (QVL) SYSTEM
- 2 ADVANCED SHOULDER PADS (ASP) WITH ROUTING CHANNEL
- 3 FULLY ADJUSTABLE, STREAMLINED SHOULDER STRAP SYSTEM
- 4 EYELET BADGE ATTACHMENT POINT
- 5 UPPER ADMIN POCKET
- 6 ID PLACARD ATTACHMENT POINTS
- 7 TOP LOADING, EXTERIOR ACCESSIBLE FRONT AND REAR PLATE POCKETS*
- 8 FRONT KANGAROO POUCH
- 9 AMBIDEXTROUS UTILITY POCKETS
- 10 ADJUSTABLE CUMMERBUND WITH PULL TABS, SOFT ARMOR POCKETS, AND COMFORT STRETCH
- REINFORCED DRAG STRAP

COLOR OPTIONS

OD Green

MOLLE Configurations:

*See website for details on plate sizing compatibility



KEY ATTRIBUTES





DURABILITY BREATHEABILITY MODULARITY



Laser Cut Configurations:

OPTIONS/ACCESSORIES

- Upgraded Advanced Shoulder Pad (UASP) System Featuring 3D Foam Technology*
- Ballistic Shoulder Pad Inserts
- Removable Sling Catch
- NextGen Ballistic Yoke, Throat and Groin Protector
- Various Deltoid Protection Options
- COBRA® and Tubes® Adjustable Cummerbund Upgrades
- Cummerbund Soft Armor Inserts
- Peraflex System Pouches for Kangaroo and Cummerbund
- Zipper Kangaroo and Admin Pouch Accessory

*3D foam technology items not available in Tan 499



M



RECOMMENDED ARMOR PACKAGES THINNER, LIGHTER Quantum II or IIIA Soft Armor Strong performance for the professional seeking a cost effective option. NIJ Certified protection; IIIA soft armor complies with the NFPA 3000 guidelines. **Hard Armor** Level III, III+, or IV **COST EFFECTIVE SOLUTION Soft Armor** FMS II or IIIA Great value with a lower weight and durable steel plates. All components are NIJ Certified protection. Level IIIA soft armor complies with the NFPA 3000 guidelines. **Hard Armor** Steel Level III Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.

HARD CORE FE



STANDARD FEATURES

- 1 AN EFFECTIVE BALLISTIC PROTECTION VEST DESIGNED FOR SHARED USE
- 2 EXTENDED CUMMERBUND OFFERS 10 INCHES OF ADDITIONAL ADJUSTMENT PER SIZE
- 3 TOP LOADING, EXTERIOR ACCESSIBLE FRONT AND REAR RIFLE PLATE POCKETS*
- 4 EASY DONNING VIA MULTI-POINT FIT ADJUSTMENT SYSTEM
- 5 EYELET BADGE ATTACHMENT POINT
- 6 PADDED SHOULDERS AND DUAL RADIO MICROPHONE
- 7 SHEARS/KNIFE/FLASHLIGHT POCKET
- 8 INTEGRATED TRIPLE BOX STITCHED DRAG STRAP

*See website for details on plate



KEY ATTRIBUTES





COST WITHIN DURABILITY DESIGNED FOR CATEGORY



CONFIGURATIONS



MOLLE



SLICK



REFLECTIVE MATERIAL MOLLE



REFLECTIVE MATERIAL SLICK

COLOR OPTIONS

MOLLE and Slick Configurations:









Range Red

Reflective Material Configurations:

OPTIONS/ACCESSORIES

- Cummerbund Soft Armor Inserts
- Side Plate Pouch (SPP) for Side Rifle Plate Protection

TACTICAL

OUTER CARRIER COMPARISON CHART ►



		OCS VEST	TRAVERSE DRESS	TRAVERSE	HARD CORE FE	HARD CORE PT	HARD CORE H3
***	BREATHABILITY	****	****	****	****	****	****
B	MODULARITY	****	****	****	****	****	****
\$ cost	WITHIN CATEGORY (OUT OF 5)	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$ \$	\$\$\$\$\$	\$\$\$\$\$
Į.	DESIGNED FOR SHARED USE	No	No	No	Yes	No	No
$\widehat{\mathcal{D}}$	DURABILITY	****	****	****	****	****	****
	UNIFORM BLEND	****	****	****	****	****	****
	Laser Cut Configuration						✓
	MOLLE Configuration	✓		✓	✓	✓	✓
Н	alf MOLLE Configuration		✓	✓			
	Slick Configuration	/	✓	✓	1		
	Soft Armor Cut	BRAVO	BRAVO	BRAVO	BRAVO	BRAVO	BRAVO
	Closure System	Side closure	Front zipper entry	Front zipper entry	Extended cummerbund closure	Cummerbund closure	Cummerbund closure
Fron	t and Rear Plate Pocket*	1	√	✓	1	✓	✓
Thermal I	Management Technology						Quad ventilation
	Front Admin Pocket					✓	✓
	Kangaroo Pockets (Accepts Peraflex Pouches)						1
Ambio	lextrouse Utility Pockets		✓	✓		✓	✓
Upgraded Cumme	erbunds (Tubes®, COBRA®)					Optional	Optional
	NextGen Accessories					Optional	Optional
Cun	nmerbund Soft Ballistics				Optional	Optional	Optional
	Available Colors	Black, Brown, Coyote, LAPD Navy, Range Red, Ranger, Tactical Grey, Tan 499, OD Green, Spruce Green	Black, LAPD Navy, OD Green, Brown, Tactical Grey, Spruce Green	Black, Brown, Coyote, LAPD Navy, Range Red, Ranger, Tactical Grey, Tan 499, Spruce Green	MOLLE and Slick Configurations: Black, LAPD Navy, Range Red, Coyote, Brown, Ranger, OD Green Reflective Material Configurations: Range Red, Black, LAPD Navy, Coyote	Black, Brown, Coyote, LAPD Navy, Ranger, Tactical Grey, Tan 499, OD Green, Spruce Green, MultiCam®	MOLLE Configurations: Black, Brown, Coyote, LAPD Navy, Ranger, Tactical Grey, Tan 499, OD Green, Spruce Green, MultiCam® Laser Cut Configurations: Black, Coyote, Ranger, Tactical Grey, OD Green, OCP

^{*}See website for details on plate sizing compatibility

▶ DETAILED PRODUCT INFORMATION AVAILABLE AT **ARMOREXPRESS.COM**



SELECTING THE RIGHT TACTICAL CARRIER

Key Attributes:







COST WITHIN









REATHEABILITY MODULARITY

Standard Features: Techinical Specifications and included addons

Configurations: Alternate specs available

Accessories: Upgrade your carrier from a selection of compatible accessories

Color Options: Ensure the right carrier color options are available to match your departmental requirements



























CHOOSING THE RIGHT BASE LEVEL OF PROTECTION

NIJ STANDARDS 0101.06 LEVELS IIA, II AND IIIA (HANDGUN THREAT)						
LEVEL	BULLET CALIBER AND TYPE	BULLET WT. (GRAINS)	NEW ARMOR VELOCITY (FT/S)	CONDITIONED ARMOR (FT/S)		
IIA	9mm FMJ RN	124	1225	1165		
IIA	40 S&W FMJ FN	180	1155	1065		
	9mm FMJ RN	124	1305	1245		
II II	.357 Mag JSP	158	1430	1340		
	.357 Sig FMJ FN	125	1470	1410		
IIIA	.44 Mag SJHP	240	1430	1340		

NIJ STANDARDS FOR STAB LEVELS 1, 2, AND 3 (STAB/SPIKE THREAT)						
PROTECTION LEVEL	"E1" STRIKE ENERGY J I (FT• LBF)	"E2" OVERTEST STRIKE Energy J I (FT• LBF)				
Level 1	24 ± 0.50 17.7 ± 0.36	36 ± 0.60 26.6 ± 0.44				
Level 2	33 ± 0.60 24.3 ± 0.44	50 ± 0.70 36.9 ± 0.51				
Level 3	43 ± 0.60 31.7 ± 0.44	65 ± 0.80 47.9 ± 0.59				

AVAILABLE NIJ CERTIFIED BALLISTIC & STAB/SPIKE ARMOR LEVEL COMBOS							
LEVEL	BULLET CALIBER AND TYPE	BULLET WT. (GRAINS)	NEW ARMOR VELOCITY (FT/S)	CONDITIONED ARMOR (FT/S)	"E1" STRIKE ENERGY J (FT· LBF)	"E2" OVERTEST STRIKE ENERGY J I (FT• LBF)	
IIA SPIKE 3	9mm FMJ RN	124	1225	1165	43 ± 0.60 31.7 ± 0.44	65 ± 0.80 47.9 ± 0.59	
IIA SPIRE S	40 S&W FMJ FN	180	1155	1065	45 ± 0.00 51.7 ± 0.44	00 ± 0.00 47.9 ± 0.09	
II SPIKF 2	9mm FMJ RN	124	1305	1245	33 + 0.60 24.3 + 0.44	50 + 0.70 36.9 + 0.51	
II OFINE Z	.357 Mag JSP	158	1430	1340	33 ± 0.00 24.3 ± 0.44	50 ± 0.70 36.9 ± 0.51	
IIIA SPIKE 3	.357 Sig FMJ FN	125	1470	1410	43 ± 0.60 31.7 ± 0.44	65 ± 0.80 47.9 ± 0.59	
IIIA SPINE 3	.44 Mag SJHP	240	1430	1340	43 ± 0.00 31.7 ± 0.44	05 ± 0.00 47.9 ± 0.59	

SOFT ARMOR TACTICAL ▶ CONCEALABLE



SELECTING THE RIGHT ADD-ON PRODUCTS

Additional Carrier Armor: Side Soft Armor Protection, Side Hard Armor Protection, Deltoids, NextGen Accessories (Yoke, Throat, Groin, etc.), Armor Inserts (p. 58)

ID Placards: Standard sizes with choice of color and label (see www.armorexpress.com for full selection and detail)

Rifle Plate Protection: III (ICW or SA), III+ (ICW or SA), IV (ICW or SA), see rifle plate section for options (p. 52)

NIJ STANDARDS 0101.06 LEVELS III AND IV (RIFLE THREAT)							
LEVEL	LEVEL BULLET CALIBER BULLET WT. CONDITIONED AND TYPE (GRAINS) ARMOR (FT/S)						
III	7.62 NATO FMJ	147	2780				
IV	IV .30 Caliber M2 AP 166 2880						

Helmets: Level IIIA protection in an array of cuts and configurations, see helmet section for a full list of options (p. 62)

Shields: Level IIIA, or III protection in different shapes/colors and handle/viewport options, see shield section for a full list of options (p. 64)

Pouches: Standard MOLLE (p. 57) and/or Peraflex (p. 56)

2022 ARMOR EXPRESS CATALOG

M





LIGHTHAWK XT 3.0



REAR VIEW

STANDARD FEATURES

- 1 SPEAR BALCS SOFT ARMOR CUT
- 2 DURABLE 500D NYLON OUTER SHELL
- 3 FRONT AND REAR 3D FOAM AIR CHANNELS FOR THERMAL MANAGEMENT
- 4 UPGRADED ADVANCED SHOULDER PADS (UASP) WITH 3D FOAM AND ROUTING CHANNEL
- 5 MIC TABS
- 6 ID PLACARD ATTACHMENT POINTS FRONT AND BACK
- 7 FULLY ADJUSTABLE, STREAMLINED SHOULDER STRAP SYSTEM
- 8 REMOVABLE SLING CATCH
- 9 TOP LOADING, EXTERIOR ACCESSIBLE FRONT AND REAR PLATE POCKETS*
- 10 HORIZONTAL CHEST UTILITY POCKET
- 11 ADJUSTABLE CUMMERBUND WITH PULL TABS, SOFT ARMOR POCKETS, AND COMFORT STRETCH
- 12 FRONT KANGAROO POUCH
- (13) AMBIDEXTROUS UTILITY POCKETS
- 14 REINFORCED DRAG STRAP



KEY ATTRIBUTES









Laser Cut Configurations:

DURABILITY ARMOR COVERAGE MODULARITY BREATHEABILITY

COLOR OPTIONS

MOLLE Configurations:













CONFIGURATIONS



LASER CUT



MOLLE

QUICK RELEASE VERSIONS AVAILABLE

OPTIONS/ACCESSORIES

- Ballistic Shoulder Pad Inserts
- Various Deltoid Protection Options
- NextGen Ballistic Yoke, Throat and Groin Protector
- Cummerbund Soft Armor Inserts
- COBRA® and Tubes® Adjustable Cummerbund Upgrades*
- Side Plate Pouch (SPP) for Side Rifle Plate Protection
- · Peraflex System Pouches for Kangaroo and Cummerbund
- Zipper Kangaroo Pouch Accessory

*Not available on Quick Release



NEXTGEN ACCESSORIES & STRUCTURED DELTOIDS

FLIP TO PAGE 30 FOR A COMPARISON OF ALL TACTICAL CARRIERS

RECOMMENDED ARMOR PACKAGES					
THINNEST, LIGHTEST					
Soft Armor	Razor XT IIIA	Ultra thin and lighthweight NIJ Certified level IIIA soft armor with our			
Hard Armor	SURGE III+ ICW	lightest level III+ rifle plate protection.			
THINNER AND LIGHTER					
Soft Armor	Razor II or IIIA	Low weight and thin soft armor solution for comfort and extended			
Hard Armor	SURGE III ICW	wear. Certified to NIJ level II or IIIA.			
THIN AND LIGHT					
Soft Armor	Quantum II or IIIA	Strong performance for the professional seeking NIJ Certified			
Hard Armor	Level III, III+, or IV	protection without the highest price tag.			
Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.					

SEE ARMOREXPRESS.COM

FOR PRODUCT SHOWCASE VIDEO

*See website for details on plate sizing compatibility







I.C.E. VENTILATION SYSTEM WITH EVAP TECHNOLOGY

OPTIONAL MULE BACK

OPTIONAL HOOK AND LOOP

MOLLE SPEED GRID

REAR VIEW

STANDARD FEATURES

- 1 FRONT AND REAR INTEGRATED I.C.E.™ VENTILATION SYSTEM WITH EVAP TECHNOLOGY™
- 2 MBAV BALLISTIC CUT
- 3 360 DEGREE RASCHEL MESH CONSTRUCTION
- 4 FULLY ADJUSTABLE, STREAMLINED SHOULDER STRAP
- 5 ADVANCED SHOULDER PADS (ASP) WITH ROUTING CHANNEL
- 6 MIC TABS
- 7 ID PLACARD ATTACHMENT POINTS FRONT AND BACK
- 8 TOP LOADING, EXTERIOR ACCESSIBLE FRONT AND REAR PLATE POCKETS*
- 9 COMMUNICATION WIRE PORTS
- 10 FIRSTSPEAR™ TUBES® CUMMERBUND
- 11 FRONT KANGAROO POUCH
- 12 REINFORCED DRAG STRAP





MULE BACKPACK ACCESSORY

HOOK AND LOOP MOLLE SPEED GRID ACCESSORY

KEY ATTRIBUTES

Tactical Grey



Coyote

SEE ARMOREXPRESS.COM

COLOR OPTIONS

OD Green





DURABILITY ARMOR COVERAGE MODULARITY BREATHEABILITY

OPTIONS/ACCESSORIES Hook & Loop MOLLE Speed

- Grid Accessory
- Mule Backpack Accessory
- Upgraded Advanced Shoulder Pad (UASP) System Featuring 3D Foam Technology
- Ballistic Shoulder Pad Inserts
- Removable Sling Catch
- Various Deltoid Protection Options
- NextGen Ballistic Yoke, Throat, and Upgraded Advanced ShoulderPad (UASP) System Featuring 3D Foam Technology
- NextGen Ballistic Groin Protector
- Cummerbund Soft Armor Inserts
- Side Plate Pouch (SPP) for Side Rifle Plate Protection
- Zipper Kangaroo Pouch Accessory
- Peraflex System Pouches for Kangaroo Pouch

FLIP TO PAGE 30 FOR A COMPARISON OF ALL TACTICAL CARRIERS

RECOMMENDED ARMOR PACKAGES

RECOMMENDED ANNON PACKAGES					
THINNEST, LIGHTEST					
Soft Armor	Razor XT IIIA	Ultra thin and lighthweight NIJ Certified level IIIA soft armor with our			
Hard Armor	SURGE III+ ICW	lightest level III+ rifle plate protection.			
THINNER AND LIGHTER					
Soft Armor	Razor II or IIIA	Low weight and thin soft armor solution for comfort and extended			
Hard Armor	SURGE III ICW	wear. Certified to NIJ level II or IIIA.			
THIN AND LIGHT					
Soft Armor	Soft Armor Quantum II or IIIA Strong performance for the professional seeking NIJ Certified				
Hard Armor	Level III, III+, or IV	protection without the highest price tag.			
Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.					







		HARD CORE PT	HARD CORE H3	SAU	TORC	RAVEN 2.0	LIGHTHAWK XT 3.0
***	BREATHABILITY	****	****	****	****	****	****
\$ COST V	(OUT OF 5)	\$ \$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$
	AXIMUM ARMOR COVERAGE	****	****	****	****	****	****
La	ser Cut Configuration		✓	✓			✓
	MOLLE Configuration	1	✓	✓	1	1	✓
	Soft Armor Cut	BRAVO	BRAVO	SAU	TORC	MBAV	BALCS
Front a	nd Rear Plate Pocket*	/	1	✓	1	/	1
Thermal Ma	nagement Technology		Quad Ventilation	Quad Ventilation		I.C.E.™ Ventilation System with EVAP Technology™	3D Foam Air Channels
	Front Admin Pocket		✓			✓	
	Kangaroo Pocket (Accepts Peraflex)	√	✓	✓	✓	√	✓
Ambidex	trouse Utility Pockets	1	✓				
Upgraded Cummerb	unds (Tubes®, COBRA®)	Optional	Optional				Optional
	NextGen Accessories	Optional	Optional	Optional		Optional	Optional
	TORC Accessories				Optional		
Cumm	erbund Soft Ballistics	Optional	Optional	Optional	Optional	Optional	Optional
	Available Colors	Black, Brown, Coyote, LAPD Navy, Ranger, Tactical Grey, Tan 499, OD Green, Spruce Green, MultiCam®	MOLLE Configurations: Black, Brown, Coyote, LAPD Navy, Ranger, Tactical Grey, Tan 499, OD Green, Spruce Green, MultiCam® Laser Cut Configurations: Black, Coyote, Ranger, Tactical Grey, OD Green, OCP	MOLLE Configurations: Black, LAPD Navy, Tactical Grey, Coyote, Ranger, MultiCam®, OD Green Laser Cut Configurations: Black, Tactical Grey, OCP, Coyote, Ranger, OD Green	Black, Coyote, LAPD Navy, Ranger, Tactical Grey, Tan 499, OD Green, MultiCam®	Black, LAPD Navy, MultiCam®, Ranger, OD Green, Coyote, Tactical Grey	MOLLE Configurations: Black, LAPD Navy, Coyote, Ranger, OD Green, Tactical Grey, MultiCam® Laser Cut Configurations: Black, Ranger, Coyote, Tactical Grey, OD Green, OCP

^{*}See website for details on plate sizing compatibility

More information at ARMOREXPRESS.COM or email CUSTOMERSERVICE@ARMOREXPRESS.COM

▶ DETAILED PRODUCT INFORMATION AVAILABLE AT **ARMOREXPRESS.COM**




TE RRIER > TACTICAL ▶

UTER ►

CONCEALABLE





RECOMMENDED ARMOR PACKAGES					
THINNEST, LIGHTEST					
Soft Armor	Razor XT IIIA	Ultra thin and lighthweight NIJ Certified level IIIA soft armor with ou			
Hard Armor	SURGE III+ ICW	lightest level III+ rifle plate protection.			
THINNER AND LIGHTER					
Soft Armor	Razor II or IIIA	Low weight and thin soft armor solution for comfort and extended			
Hard Armor	SURGE III ICW	wear. Certified to NIJ level II or IIIA.			
THIN AND LIGHT					
Soft Armor	Quantum II or IIIA	Strong performance for the professional seeking NIJ Certified			
Hard Armor	Level III, III+, or IV	protection without the highest price tag.			

SELECTING THE RIGHT PLATE CARRIER

Key Attributes:









MODULARITY

CATEGORY

Standard Features: Techinical Specifications and included addons

Configurations: Alternate specs available

Accessories: Upgrade your carrier from a selection of compatible accessories

Color Options: Ensure the right carrier color options are available to match your departmental requirements















Coyote












CHOOSING THE RIGHT BASE LEVEL OF PROTECTION

NIJ STANDARDS 0101.06 LEVELS IIA, II AND IIIA (HANDGUN THREAT)						
LEVEL	BULLET CALIBER AND TYPE	BULLET WT. (GRAINS)	NEW ARMOR VELOCITY (FT/S)	CONDITIONED ARMOR (FT/S)		
IIA	9mm FMJ RN	124	1225	1165		
IIA	40 S&W FMJ FN	180	1155	1065		
ll l	9mm FMJ RN	124	1305	1245		
II I	.357 Mag JSP	158	1430	1340		
IIIA	.357 Sig FMJ FN	125	1470	1410		
	.44 Mag SJHP	240	1430	1340		

NIJ STANDARDS FOR S	NIJ STANDARDS FOR STAB LEVELS 1, 2, AND 3 (STAB/SPIKE THREAT)								
PROTECTION LEVEL	"E1" STRIKE ENERGY J I (FT• LBF)	"E2" OVERTEST STRIKE Energy J I (FT- LBF)							
Level 1	24 ± 0.50 17.7 ± 0.36	36 ± 0.60 26.6 ± 0.44							
Level 2	33 ± 0.60 24.3 ± 0.44	50 ± 0.70 36.9 ± 0.51							
Level 3	43 ± 0.60 31.7 ± 0.44	65 ± 0.80 47.9 ± 0.59							

AVAILABLE NIJ CERTIF	TED BALLISTIC & STAB	/SPIKE ARMOR LE	EVEL COMBOS				
LEVEL	BULLET CALIBER And Type	BULLET WT. (GRAINS)	NEW ARMOR VELOCITY (FT/S)	CONDITIONED ARMOR (FT/S)	"E1" STRIKE ENERGY J∣(FT• LBF)	"E2" OVERTEST STRIKE ENERGY J I (FT• LBF)	
IIA SPIKE 3	9mm FMJ RN	124	1225	1165	43 + 0.60 31.7 + 0.44	65 ± 0.80 47.9 ± 0.59	
IIA SEINE S	40 S&W FMJ FN	180	1155	1065	43 ± 0.00 31.7 ± 0.44	0.00 1 47.9 ± 0.03	
II SPIKF 2	9mm FMJ RN	124	1305	1245	33 ± 0.60 24.3 ± 0.44	E0 . 0 70 20 0 . 0 E1	
II OFINE 2	.357 Mag JSP	158	1430	1340	33 ± 0.00 24.3 ± 0.44	50 ± 0.70 36.9 ± 0.51	
IIIA SPIKE 3	.357 Sig FMJ FN	125	1470	1410	43 + 0.60 31.7 + 0.44	65 ± 0.80 47.9 ± 0.59	
IIIA OFINE 3	.44 Mag SJHP	240	1430	1340	45 ± 0.00 51.7 ± 0.44	00 ± 0.00 47.9 ± 0.59	





CONCEALABLE



SELECTING THE RIGHT ADD-ON PRODUCTS

Additional Carrier Armor: Side Soft Armor Protection, Side Hard Armor Protection, Deltoids, NextGen Accessories, Armor Inserts (p. 58)

ID Placards: Standard sizes with choice of color and label (see www.armorexpress.com for full selection and detail)

Rifle Plate Protection: III (ICW or SA), III+ (ICW or SA), IV (ICW or SA), see rifle plate section for options (p. 52)

NIJ STANDARDS (IIJ STANDARDS 0101.06 LEVELS III AND IV (RIFLE THREAT)							
LEVEL	BULLET CALIBER AND TYPE	BULLET WT. (GRAINS)	CONDITIONED ARMOR (FT/S)					
III	7.62 NATO FMJ	147	2780					
IV	.30 Caliber M2 AP	166	2880					


Helmets: Level IIIA protection in an array of cuts and configurations, see helmet section for a full list of options (p. 62)

Shields: Level IIIA, or III protection in different shapes/colors and handle/viewport options, see shield section for a full list of options (p. 64)

Pouches: Standard MOLLE (p. 57) and/or Peraflex (p. 56)

2022 ARMOR EXPRESS CATALOG





WITH EVAP TECHNOLOGY



RECOMMENDED ARMOR PACKAGES

THIN, LIGHT, AND RIFLE THREAT REA

Optional Soft Armor	Razor II or Razor XT IIIA	Run
Hard Armor	Level III, III+, or IV	eith

n a stand alone (SA) plate or an in conjunction with (ICW) with ther a plate backer or your soft armor concealable/outer vest for top level rifle plate protection.

Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.



SOFT ARMOR

REAR VIEW

STANDARD FEATURES

- 1 FRONT AND REAR INTEGRATED I.C.E.™ VENTILATION SYSTEM WITH EVAP TECHNOLOGY™
- 2 PLATFORM FOR OPTIONAL CHEST RACKS
- 3 LOW-BULK SHOULDER CONSTRUCTION FOR OPTIMAL WEAPON COMPATIBILITY
- 4 FULLY ADJUSTABLE SHOULDERS
- 5 ID PLACARD ATTACHMENT POINTS FRONT AND BACK
- 6 EASY ACCESS BOTTOM LOADING PLATE POCKETS*
- 7 FIRSTSPEAR™ TUBES® CUMMERBUND
- 8 REINFORCED DRAG STRAP

*See website for details on plate sizing compatibility



KEY ATTRIBUTES



MODULARITY BREATHEABILITY

COLOR OPTIONS







Tactical Grey



NEW AETOS

CONFIGURATIONS




PERAFLEX SYSTEM CHEST RACK



M4 CHEST RACK

OPTIONS/ACCESSORIES

- M4 Chest Rack
- Peraflex System Chest Rack
- Peraflex System Pouches for optional Peraflex System Chest Rack
- Removable Sling Catch
- Cummerbund Soft Armor Inserts
- Side Plate Pouch (SPP) for Side Rifle Plate Protection



RECOMMENDED ARMOR PACKAGES THINNER AND LIGHTER Quantum II or IIIA Soft Armor Strong performance for the professional seeking a cost effective option. NIJ Certified protection; IIIA soft armor complies with the NFPA 3000 guidelines. Level III, III+, or IV **Hard Armor COST EFFECTIVE SOLUTION** FMS II or IIIA Soft Armor Great value with a lower weight and durable steel plates. All components are NIJ Certified protection. Level IIIA soft armor complies with the NFPA 3000 guidelines. **Hard Armor** Steel Level III Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.

RESPONDER 2.0 PC



REAR VIEW

STANDARD FEATURES

- 1 AN EFFECTIVE RIFLE LEVEL PROTECTION CARRIER DESIGNED FOR SHARED USE
- 2 SIMPLIFIED 2 SIZES FIT MOST DESIGN M-XL AND 2XL- 4XL
- 3 ADJUSTABLE SHOULDER STRAPS
- 4 TOP LOADING, EXTERIOR ACCESSIBLE FRONT AND REAR RIFLE PLATE POCKETS*
- 5 FRONT AND BACK ID PLACARD ATTACHMENT
- 6 ADJUSTABLE CUMMERBUND WITH PULL TABS AND COMFORT STRETCH
- 7 REINFORCED DRAG HANDLE

*See website for details on plate sizing compatibility

COLOR OPTIONS

Range Red

MOLLE Configurations:



KEY ATTRIBUTES





DURABILITY

COST WITHIN

Reflective Material Configurations:

DESIGNED FOR



CONFIGURATIONS



MOLLE




REFLECTIVE MATERIAL MOLLE



OPTIONS/ACCESSORIES

- Cummerbund Soft Armor Inserts
- Soft Armor Plate Backers
- Side Plate Pouch (SPP) For Side Rifle Plate Protection

PLATE CARRIER >



SAU PC



SOFT ARMOR

REAR VIEW

STANDARD FEATURES

- 1 QUAD VENTILATION LINER (QVL) SYSTEM
- 2 ADVANCED SHOULDER PADS (ASP) WITH ROUTING CHANNEL
- 3 FULLY ADJUSTABLE, STREAMLINED SHOULDER STRAP SYSTEM
- 4 REMOVABLE SLING CATCH
- 5 ID PLACARD ATTACHMENT POINTS
- 6 REMOVABLE CUMMERBUND WITH UTILITY WRAP AND GRIP
- 7 FRONT KANGAROO POUCH
- 8 BOTTOM LOADING PLATE POCKETS*
- 9 REINFORCED DRAG STRAP

*See website for details on plate sizing compatibility



KEY ATTRIBUTES



BREATHEABILITY MODULARITY

CONFIGURATIONS

LASER CUT



MOLLE

OPTIONS/ACCESSORIES

- Various Deltoid Protection Options
- Upgraded Advanced Shoulder Pad (UASP) System Featuring 3D Foam Technology
- Peraflex System Pouches
- Armor Wrap with Ballistic Inserts
- M4 Wrap
- Radio Wrap



COLOR OPTIONS

MOLLE Configurations:



OD Green












Laser Cut Configurations:







OD Green







RECOMMENDED ARMOR PACKAGES THIN, LIGHT, AND RIFLE THREAT READY **Optional Soft Armor** Razor II, or Razor XT IIIA Run a stand alone (SA) plate or an in conjunction with (ICW) with either a plate backer or your soft armor concealable/outer vest for top level rifle plate protection. Level III, III+, or IV **Hard Armor** Find all of our soft armor solutions on page 50 of our catalog. Our rifle plate protection options start on page 52.



			ASR FACTION PC	LCPC	RESPONDER 2.0	FEARLESS PC	AETOS PC	SAU
***		BREATHABILITY	****	****	****	****	****	****
8		MODULARITY	****	****	****	****	****	****
8	COST WI	THIN CATEGORY (OUT OF 5)	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$	\$\$\$\$\$
1		DESIGNED FOR SHARED USE	Yes	Yes	Yes	No	No	No
Ø		DURABILITY	****	****	****	****	****	★★★★ (Laser Cut) ★★★★ (MOLLE)
	Lase	er Cut Configuration		1		1	1	√
	IV	IOLLE Configuration	✓		✓			✓
		Sizing	One size fits most	One size fits most	Two sizes fit most	Alpha sized	Alpha sized	Alpha sized
		Closure System	Side buckle closure	Side buckle closure	Cummerbund closure	Cummerbund closure	Cummerbund closure	Cummerbund closure
Thermal Management Technology			3D foam air channels		3D foam air channels	I.C.E. TM Ventilation System with EVAP Technology TM	Quad Ventilation Liner System	
Kangaroo Pockets (Accepts Peraflex pouches)							✓	
ı	FirstSpear™ Tubes® Cummerbund					1	1	✓
		Peraflex Chest Rack epts Peraflex pouches)					Optional	
		M4 Chest Rack					Optional	
	Cummer	bund Soft Ballistics			Optional	Optional	Optional	Optional
		Available Colors	Black, Coyote, LAPD Navy, Range Red, Ranger	Black, Coyote, Ranger, Tactical Grey, OD Green, OCP	MOLLE Configurations: Black, Coyote, LAPD Navy, Range Red, Ranger Reflective Material Configurations: Range Red, Black, LAPD Navy, Coyote	Black, Coyote, Ranger, Tactical Grey, OD Green, OCP	Black, Coyote, Ranger, Tactical Grey, OD Green, OCP	MOLLE Configurations: Black, Coyote, LAPD Navy, Ranger, Tactical Grey, OD Green, Multicam® Laser Cut Configurations: Black, Coyote, Ranger, Tactical Grey, OD Green, OCP

^{*}See website for details on plate sizing compatibility

▶ DETAILED PRODUCT INFORMATION AVAILABLE AT **ARMOREXPRESS.COM**

PLATE CARRIER >

TACTICAL

CONCEALABLE





RECOMMENDED ARMOR PACKAGES							
THIN, LIGHT, AND RIFLE THREAT READY							
Optional Soft Armor	ponal Soft Armor Razor II, or Razor XT IIIA Run a stand alone (SA) plate or an in conjunction with (IC either a plate backer or your soft armor concealable/oute						
Hard Armor	Level III, III+, or IV	for top level rifle plate protection.					



STANDARD FEATURES

- CROWD CONTROL HANDLE
- 2 D-RING ATTACHMENT POINTS FOR SHORT OR LONG LEADS
- 3 3-DIMENSIONAL SPACER MESH LINING
- 4 FRONT AND SIDE ID BADGE ATTACHMENT POINTS
- **5** GPS TRACKING POCKET
- 6 DYNAMIC CUMMERBUND AND SHOULDER FIT ADJUSTMENTS
- BELLY AND CHEST COVERAGE



BOA™ Fit Adjustment System Hidden Adjustable Dynamic



AGILE CANINE VEST (ACV)

Designed based on feedback and testing by multiple agencies, the Agile Canine Vest or ACV is the most advanced K-9 carrier soft armor solution on the market. With groundbreaking features such as the hidden Dynamic Cummerbund, shoulder fit adjustments and covered zipper closure, the ACV is a streamlined package allowing the K-9 to be free in movement with minimal snag points, while offering the best armor options in ballistic and stab protection. Now available with the durable BOA® Fit System, which allows for instant micro-adjustments for a precise and custom fit. Patents pending.

CONFIGURATIONS

BOA™ Fit Adjustment System






STANDARD FEATURES

- 1 DUAL POINT CROWD CONTROL
- D-RING ATTACHMENT POINTS FOR SHORT OR LONG LEADS
- 3 3-DIMENSIONAL MESH LINING FOR CONTROL AND COOLING
- 4 FRONT AND SIDE ID BADGE ATTACHMENT POINTS
- 5 CHEST AND SIDE ADJUSTMENT AND RELEASE POINTS
- 6 BELLY AND CHEST COVERAGE

TEX 10

SOFT ARMOR

We've got your K-9 partner covered with our custom sized TEX 10 K-9 armor. With improved comfort, mobility and reduced weight, the TEX 10 K-9 armor offers outstanding functionality. The TEX 10 features dual crowd control handles, two D-Rings for short or long leads, MOLLE webbing for attaching flashlights and tracking devices, as well as optional left, right, and front ID tags. Made from durable nylon material, the TEX 10 has three buckles for ease of getting into, adjusting and removing. The TEX 10 provides maximum coverage to the vital organs.



OUTER

፲

ADVANCING BALLISTIC TECHNOLOGY >

Driving innovation never stops and when you're manufacturing products designed to save lives, the commitment to safety is foremost...always. That is why we collaborate so closely with our supply chain partners, ensuring we have access to the highest-performing materials throughout the industry, and the know-how to develop packages that always exceed the required standards.

Thousands of U.S. Armed Forces members, domestic and federal LE officers, and First Responders nationwide rely on our solutions to support their mission-critical requirements. Our customers must perform at the most optimal level, whether at home or abroad, and rest easy knowing their armor will function as it was designed to. In Central Lake, we house our Ballistic Research Laboratory (BRL). It is here where we test thousands of rounds of ammunition and go above and beyond the standard NIJ threats with our own special threat protocol for level II, IIIA, III, III+, and IV armor systems. We are constantly testing new materials which result in lighter packages, more flexible designs and increased protection for end-users.

With new NIJ standards on the horizon (NIJ .06 to NIJ .07), collaboration within and throughout the industry has never been greater. We are wellpositioned to drive innovation and bring to market new solutions unlike anything the industry has seen.







TESTING STANDARDS >

NIJ TESTING

NIJ Testing for NIJ 0101.06-Certified Level IIA, II, IIIA, III, or IV armor.



THREAT LEVEL	BULLET CALIBER AND TYPE	BULLET WT. (GRAINS)	NEW ARMOR VELOCITY (FT/S)	CONDITIONED ARMOR (FT/S)
IIA	9mm FMJ RN	124	1,225	1,165
IIA	.40 S&W FMJ FN	180	1,155	1,065
	9mm FMJ RN	124	1,305	1,245
II	.357 Mag JSP	158	1,430	1,340
IIIA	.357 Sig FMJ FN	125	1,470	1,410
IIIA	.44 Mag SJHP	240	1,430	1,340
III	7.62 NATO FMJ	147	NA	2,780
IV	.30 Caliber M2 AP	166	NA	2,880

FBI TESTING

FBI Testing for an NIJ 0101.06-Certified Level II or IIIA vest.



THREAT	AVG. MEASURED VELOCITY	NUMBER OF SHOTS
9mm, 124 gr. FMJ Enclosed Base	1,425 ft/s	8
.40 S&W, 180 gr. GDHP	950 ft/s	1 Contact Shot
.45 ACP, 230 gr. GS	870 ft/s	1 Contact Shot
9mm, 127 gr. +P+ Winchester SXT	1,250 ft/s	1 Contact Shot
20 Panels tested @ New and Conditioned, Ambient, V	Vet, 140°F, -40°F	

DEA TESTING

DEA Testing for an NIJ 0101.06-Certified Level IIIA vest.



THREAT	AVG. MEASURED VELOCITY	NUMBER OF SHOTS
9mm, 124 gr. FMJ	1,400 ft/s	9
.40 S&W, 165 gr. GDHP	1,150 ft/s	1 Contact Shot
9mm, 127 gr. +P+ Winchester SXT	1,250 ft/s	1 Contact Shot
2 gr. Right Circular Cylinder	2,737 ft/s	V50
4 gr. Right Circular Cylinder	2,420 ft/s	V50
16 gr. Right Circular Cylinder	2,080 ft/s	V50
64 gr. Right Circular Cylinder	1,620 ft/s	V50
8 Panels tested @ Ambient, Wet, 150°F,	-20°F	

SOFT ARMOR CUTS ▶



Many agencies across the country are often hard-pressed to come up with the funding to support their requirements.

The Patrick Leahy Bulletproof Vest Partnership (BVP), created by the Bulletproof Vest Partnership Grant Act of 1998 is a unique U.S. Department of Justice initiative designed to provide a critical resource to state and local law enforcement.

ONE MILLION VESTS: Since 1999, the BVP program has awarded more than 13,000 jurisdictions a total of \$522 million in federal funds for the purchase of over one million vests (1,441,013) as of November 2020.

Please see our website for more our full list of NIJ compliant armor eligible for BVP funding: ARMOREXPRESS.COM or call us at 1-866-357-3845 for more info.



BRAVO

Superior cut concealable and outer carrier soft armor panels. Available in Gender Neutral or Structured Female which has narrower chest dimensions and integrated cup structure providing better fit and comfort for female officers.



ULTRA CONCEALED


Armor cut to protect vitals while minimizing weight.



CUMMERBUND INSERTS

Achieve full-wrap protection on select vests with cummerbund insert options.


NIJ THREAT ROUNDS >















	LEVEL IIA		LEVEL IIA LEVEL II LEVEL IIIA		LEVEL III	LEVEL IV		
Test Bullet	9mm FMJ RN	40 S&W FMJ	9 mm FMJ RN	.357 Mag JSP	.357 Sig FN	.44 Mag SJHP	7.62 mm NATO FMJ	30 CAL M2 AP
Weight	124 gr	180 gr	124 gr	158 gr	125 gr	240 gr	147 gr	166 gr
Velocity	1225 ft/s	1155 ft/s	1305 ft/s	1430 ft/s	1470 ft/s	1430 ft/s	2780 ft/s	2880 ft/s





BALCS

This standard military cut offers maximum coverage while scaling well with the various body types in the tactical landscape.



A standard designation for U.S. Military vests, the MBAV is lower profile than the BALCS while still providing ample coverage for the tactical officer.



A high-speed tactical option, offering more coverage than a plate carrier but smaller than an entry vest.




This cut is only slightly more coverage than a plate carrier; the perfect option for a low-drag special operations team.



PLATE BACKER / SAPI

A great option for running in a plate carrier with In-Conjunction-With (ICW) plates requiring a soft armor backer.



BALLISTIC BLANKET

Tested to level IIIA protection, standard sizes include 2x6, 3x6, 4x4, 4x6 and 4x8. Quickly and easily throw over windows, doors, walls, or used as a personal shield in hazadrous situations.

SOFT ARMOR >





Our Razor family of soft armor ballistics has jumped to the next level of thinness and light-weight top-tier performance with the introduction of the Razor XT in NIJ certified IIIA protection. The Razor XT utilizes the latest ballistic fabric technology to redefine comfort and performance in armor.

SPECIFICATIONS

- Protection Type: NIJ Certified Level IIIA
- Special Threat Testing: See Matrix Below
- Areal Density of 0.84 lbs/ft²
- Thinness: 0.20 inches



Available in 10"x12" Shooters Cut, 8"x10" Shooters Cut, or 7"x9" Full Cut

	RAZOR™ XT LEVEL IIIA SPE	CIAL THREAT TESTII	NG	
Caliber	Projectile	Average Velocity (ft/s)	Average BFD (MM)	Result
9mm	Winchester +P+ T-Series (SXT) - 127gr.	1326	29.7	Stop
9mm	Fiocchi FMJ - 115 gr.	1142	19.4	Stop
9mm	Wolf FMJ (Steel jacket) - 115 gr.	1141	20.2	Stop
9mm	Fort Scott Solid Copper – 80 gr.	1364	14.3	Stop
9mm	G2R R.I.P – 96 gr.	1375	22.7	Stop
9mm	Speer GDHP – 124 gr.	1196	23.1	Stop
9mm	Speer LE G2 HP Polymer Tip — 147 gr.	1139	22.6	Stop
9mm	Federal Hydra-Shok JHP – 147 gr.	1241	21.5	Stop
9mm	Remington Golden Saber BJHP – 124 gr.	1141	19.5	Stop
9mm	DRT HP Frangible – 85 gr.	1342	15.8	Stop
.357 Sig.	Speer GDHP – 125 gr.	1490	28.6	Stop
.357 Mag.	Federal Hydra-Shok JHP – 158 gr.	1322	23.6	Stop
.357 Mag.	Hornady XTP – 158 gr.	1182	23.5	Stop
.357 Mag.	Remington JSP – 158 gr. (NIJ II Threat)	1460	31.2	Stop
.40 S&W	Speer GDHP – 165 gr.	1359	24.8	Stop
.44 Mag.	Federal Hydra-Shok – 240 gr.	1210	36.1	Stop
.44 Mag.	Federal Hydra-Shok – 240 gr.	Contact Shot	34.8	Stop
.45 ACP	Speer LE GDHP – 230 gr.	1141	35.8	Stop
.500 Mag. S&W	Big Grains RNFP – 350 gr.	1503	53.3	Stop
FN 5.7 x 28	Hornady SS197SR V-Max – 40 gr.	1728	14.4	Stop
FN 5.7 x 28	Hornady SS1995LF – 27 gr.	2071	19.5	Stop
12 ga.	Federal Tru Ball LE127RS - 1 oz. Slug	1279	53.3	Stop

NIJ 0101.06-CERTIFIED **SOFT ARMOR BALLISTICS** ►

NIJ LEVEL II

MODEL	MODEL CODE	AREAL DENSITY (PSF)	THINNESS (IN)	V50 - 9MM (FPS)	V50357 MAG (FPS)	
B	RZRG2-A-II	0.67	0.14	1822	1727	
Razor	RZRG2-A-II-FEM	0.74	0.18	1784	1680	
V	AEXPG2-A-II	0.86	0.19	1639	1615	
Vortex	AEXPG2-A-II-FEM	0.93	0.21	1691	1691	
Q	QTM-B-II	1.05	0.24	1662	1610	
Quantum	QTMF-B-II	1.05	0.24	1646	1621	
	FMS-A-II	1.31	0.29	1667	1663	
FMS	FMSF-A-II	1.31	0.29	1695	1645	

NIJ LEVEL IIIA

MODEL	MODEL CODE	AREAL DENSITY (PSF)	THINNESS (IN)	V50357 SIG (FPS)	V5044 MAG (FPS)		
Razor XT	MC03391	0.84	0.20	1876	1722		
B	RZRG2-A-IIIA	0.92	0.21	1908	1746		
Razor	RZRG2-A-IIIA-FEM	0.97	0.24	2020	1830		
Vt	AEXPG2-A-IIIA	1.14	0.25	1841	1700		
Vortex	AEXPG2-A2-IIIA-FEM	1.2	0.28	1766	1630		
C	QTMG2-A-IIIA	1.23	0.25	1827	1719		
Quantum	QTMF-C-IIIA	1.32	0.31	1775	1625		
5140	FMS-A-IIIA	1.53	0.32	1810	1661		
FMS	FMSF-A-IIIA	1.65	0.36	1811	1677		



NIJ 0101.06/0115.00 CORRECTIONS ►

BALLISTIC AND SPIKE COMBO SYSTEMS

MODEL	MODEL CODE	AREAL DENSITY (PSF)	THINNESS (IN)	V50	י	V50			
GEMINI IIA SPIKE 3	GEM-A-DP2A3	0.98	0.24	9 mm	1522	.40 S&W	1557		
GEMINI II SPIKE 2	GEM-A-DP22	1.18	0.29	9 mm	1616	.357 Mag	1593		
GEMINI IIIA SPIKE 3	GEM-C-DP3A3	1.5	0.33	.357 Sig	1799	.44 Mag	1637		

NIJ 0115.0 SPIKE SYSTEM

SOFT ARMOR ▶

MODEL	MODEL CODE	AREAL DENSITY (PSF)	THINNESS (IN)		
TAURUS 1	802210	0.36	0.09		
TAURUS 2	606160	0.48	0.12		
TAURUS 3	805210	0.6	0.17		

UP ARMOR INSERTS

ARAMID SEMI RIGID ARMOR PLATE 5"x7" 0.22 lbs 5"x8" 0.26 lbs 7"x9" 0.41 lbs 7"x10" 0.45 lbs Tested to Level IIIA in conjunction with Level II soft armor

ARA-SHOCK™ ICW

Upgrade your Level II soft armor up to Level IIIA ballistic protection.



ARMOR PLATE 5"x7" 0.32 lbs 5"x8" 0.36 lbs 7"x9" 0.61 lbs 7"x10" 0.68 lbs

ARAMID SEMI RIGID

Ballistic Level IIIA

ARA-SHOCK™

Stand-alone Level IIIA armor by itself, but also additional protection by working in concert with your soft armor to protect against blunt force trauma, steering columns, and chest impacts.



POLYETHYLENE SEMI RIGID ARMOR PLATE

5"x8"	0.40 lk
7"x10"	0.80 lk
10"x12"	1.56 lk

Spike Level 1 Edge Blade Level 1 Ballistic Level IIIA

POLY-SHOCK™

Polyethylene semi rigid armor plate; rubberized coating.



TITANIUM ARMOR

PL	.ATE					
5"x8"	0.48 lbs					
7"x10"	0.84 lbs					
Snike Level 1						

Edge Blade Level 2 Trauma

T-SHOCK®

Titanium armor plate; rubberized coating.



ACCESSORIES

AE HARD ARMOR >



SURGE III ICW

SURGE III ICW

SHIELDS

Thin, top-tier, lightweight, rifle plate protection — the SURGE™ Rifle Plate in Level III ICW is an aggressive armor that won't slow you down. The SURGE was built to surpass independent testing requirements for Level III ICW with select Level IIIA and II soft armor systems. The SURGE is available in 7"x9" full cut, 8"x10" shooters cut, and 10"x12" shooters cut configurations.

SPECIFICATIONS

FEDERAL

- Protection Type / Level: III ICW
- Thinness: 0.55 inches +/- 0.125"
- Curvature: Multi-Curve



Available in 10"x12" Shooters Cut, 8"x10" Shooters Cut, or 7"x9" Full Cut

SURGE III+ ICW

Thin, top-tier, lightweight, rifle plates now in a level III+ ICW protection - the SURGE™ III+ ICW Rifle Plate maintains the same high-speed lowweight attributes but now stops even more threats. The SURGE was built to surpass independent testing requirements for Level III+ ICW with select Level IIIA and II soft armor systems. The SURGE III+ is available in 7"x9" full cut, 8"x10" shooters cut, and 10"x12" shooters cut configurations.

SPECIFICATIONS

- Protection Type / Level: III+ ICW
- Thinness: 0.75 inches +/- 0.125"
- Curvature: Multi-Curve

SURGE III*ICW



Available in 10"x12" Shooters Cut, 8"x10" Shooters Cut, or 7"x9" Full Cut

FEDERAL

HARD ARMOR COMPARISON CHART ►

	ro		GENERAL DE	SIGN AND CERTIFICATIONS									В	ALLISTI	C ROUI	NDS TE	STED							PLATE S	SPECIFICA	TIONS A	ND SI	ZING		
RIFLE	ARMOR EXPRESS RIFLE PLATES	CONFIGURATION	CURVE	CONSTRUCTION	INDEPENDENT LAB TESTED	NIJ 2005 IR CERTIFIED	NIJ 0101.06 CERTIFIED	WARRANTY (YRS)	7.62x39mm M67 (FMJ Ball)	7.62x39mm M43 (MSC)	7.62x39mm API	7.62x51mm (M-80 Ball)	7.62x51mm (M80A1)	7.62x51mm (M61 AP)	7.62x54R (LPS)	5.45x39mm 7N6 (MSC)	5.56x45mm (M193 Ball)	5.56x45mm (M855 / SS109)	5.56x45mm (M855A1)	7.62x63mm - JSP	7.62x63mm AP M2	Thickness (Inches)	Weight 10x12 Shooters Cut or *Medium SAPI	5x7 5x8	9x9	7x8	7x10	8x10	:	SAPI/ESAPI SAPI/ESAPI Shooters
Special	C-Shock	Special Threat SA	Multi	Ceramic / Composite	•			5	•	•	•						•	•				0.55	4.50 lbs	1 1	1 1	1 1	′	/ .	/ /	/ /
Threat Stand	H-Shock	Special Threat SA	Single	Ceramic / Composite	•			5	•	•	•						•	•				0.60	5.50 lbs	1 1	1 1	/	/ /	1.	/	1
Alone (SA)	TenCate CR6450	Special Threat SA	Multi	Ceramic / Composite	•			5	•	•	•					•	•	•	•			0.60	4.30 lbs					/ .	/ /	1
	SURGE III (ICW)	Level III ICW	Multi	Honeywell UHMWPE	•			5	•	•		•					•					0.55	2.20 lbs	1 1		✓	/	/ .	/	1
	SURGE III+ (ICW)	Level III+ ICW	Multi	Ceramic / Composite				5		•		•			•		•	•				0.75	3.80 lbs		1	/		1	/	1
III ICW	Guardian 3i7m	Level III ICW	Multi	DSM Dyneema UHMWP	•			10	•	•		•					•					0.70	2.20 lbs					1	/	11
	Guardian RSTP	Level III+ ICW	Single & Multi	Ceramic / UHMWP	•			5		•								•				0.55	2.90 lbs	/ /	/ /			✓ .	/ /	/ /
	Guardian 3s11	Level III SA	Single	Super Lightweight UHMWPE			•	10	•	•		•					•					1.25	2.90 lbs	1 1	1 1			1.	/ /	1
	Guardian 3s11m	Level III SA	Multi	Super Lightweight UHMWPE			•	10	•	•		•					•					1.25	2.90 lbs					,	/	11
III SA	Tencate CR3000	Level III SA	Multi	UHMWPE			•	5	•	•		•					•					1.15	3.30 lbs				1	/ .	/ /	1 1
	Tencate CR3600 SA	Level III SA	Multi	UHMWPE			•	5	•	•		•					•					1.07	2.30 lbs					1.	/ /	11
	Guardian 3s9	Level III+	Multi	Ceramic/UHMWPE			•	10	•	•	•	•		•	•		•	•				1.15	5.30 lbs	1 1	11			1.	/ /	1
	Guardian 3s9m	Level III+	Multi	Ceramic/UHMWPE			•	10	•	•		•		•	•		•	•				1.15	5.30 lbs					,	/	11
	TenCate CR3200 SA	Level III+	Multi	Ceramic/UHMWPE			•	5		•		•					•	•				1.15	4.70 lbs					1.	/ /	11
III+ SA	Guardian AR1000	Level III+ / DEA	Single	Advanced Armox Steel				10		•							•	•				0.35	5.90 lbs	1 1	1 1			1.	/ /	11
	Triton	Level III+ / DEA	Single	High-Hard Steel			•	10	•	•		•					•	•				0.21	7.05 lbs	1	1			1.	/ /	1
	Triton With Spall Guard	Level III+ / DEA	Single	High-Hard Steel			•	10	•	•		•					•	•				0.41	7.30 lbs	1	1			1	/ /	1
Level III/IV (ICW)	Guardian 34i1 III/IV ICW	Level III/IV ICW	Single & Multi	Ceramic / UHMWPE	•			5	•	•	•	•					•	•		•	•	0.85	6.50 lbs	1 1	1 1			1	/ /	1 1
11/04	Guardian 4s17	Level IV SA	Single	Ceramic/Composite			•	10	•	•	•	•					•	•		•	•	0.95	7.20 lbs	1 1	1 1			/ .	1	/
IV SA	Guardian 4s17m	Level IV SA	Multi	Ceramic/Composite			•	10	•	•	•	•					•	•		•	•	0.95	7.20 lbs					1	/	1 1

Level III - Tested to stop SIX rounds of 7.62 mm FMJ, steel jacketed bullets (M80) at a velocity of 847 m/s \pm 9.1 m/s (2780 ft/s). Level IV - Tested to stop Level III - Tested to stop SIX rounds of 7.62 mm FMJ, steel jacketed bullets (M80) at a velocity of 847 m/s \pm 9.1 m/s (2780 ft/s). Level IV - Tested to stop SIX rounds of 7.62 mm FMJ, steel jacketed bullets (M80) at a velocity of 847 m/s \pm 9.1 m/s (2780 ft/s). Level IV - Tested to stop SIX rounds of 7.62 mm FMJ, steel jacketed bullets (M80) at a velocity of 847 m/s \pm 9.1 m/s (2780 ft/s) at a velocity of 847 ONE round of .30 M2 AP (Armor-Piercing) at 878 m/s \pm 9.1 m/s (2880 ft/s \pm 30 ft/s) for NIJ 0101.06



M

POUCHES >

PERAFLEX SYSTEM POUCHES


Streamlining your gear, minimizing bulk, and reducing weight is at the core of our Peraflex system pouches. They are specifically designed to work with select Armor Express tactical and overt patrol carriers. By transitioning the pouch enclosure to an internal system, we utilize the structure of the core vest to keep the Peraflex pouch construction to a minimum. Lightweight, yet strong and flexible, this line offers the flexibility to customize your kit, while adding very few ounces. Can be used in both front kangaroo or cummerbund configurations.

OUR PERAFLEX SYSTEM POUCH LINEUP INCLUDES:

- M16/M4 Single Mag Pouch
- M16/M4 Double Mag Pouch
- M16/M4 Triple Mag Pouch
- Single Pistol Mag Pouch
- Double Pistol Mag Pouch
- Small Adjustable Bungee Flashlight Pouch
- Handcuff Single Pouch
- IFAK Single Pouch



SAU shown here with Peraflex M16/M4 double mag pouch, and small adjustable bungee flashlight pouch



A Peraflex pouches are slimline enough to secure your needed accessories inside the kangaroo or cummerbund on select vests without being too bulky, effectively removing clutter and snag points while also reducing weight



M16/M4 SINGLE MAG POUCH



M16/M4 DOUBLE MAG POUCH



M16/M4 TRIPLE MAG POUCH



HANDCUFF SINGLE POUCH



SINGLE PISTOL MAG POUCH



DOUBLE PISTOL MAG POUCH



SMALL ADJUSTABLE BUNGEE FLASHLIGHT POUCH



IFAK SINGLE POUCH

Stocked Colors



FEDERAL

SHIELDS



Tan 499*

Special Order Colors (45 day lead time)

HELMETS





BASE POUCHES

STANDARD FEATURES

- Mil-Spec 1" PALS/MOLLE
- Adjustable hook and loop flaps for maximum sizing
- Reinforced stitching & tacking



PISTOL COVERED **DOUBLE MAG POUCH**



M16/M4 COVERED SINGLE MAG POUCH



FLASHLIGHT/MULTI-TOOL **COVERED POUCH SMALL**



TOURNIQUET SINGLE **COVERED POUCH**



HANDCUFF SINGLE **COVERED POUCH**



MEDIC/IFAK RIP-AWAY POUCH






RADIO ADJUSTABLE COVERED POUCH

ACCESSORIES/COMPONENTS >

NEXTGEN ACCESSORIES

The NextGen Accessories offer optional extended coverage to a standard Armor Express Hard Core H3, Hard Core PT, Raven 2.0, or Lighthawk XT 3.0 carrier. Full components include NextGen Ballistic Yoke, Throat, and Upgraded Advanced Shoulder Pad (UASP) system, and NextGen Ballistic Groin Protector. Combine these accessories with one of our ballistic deltoid options and you've got a complete tactical ensemble.




**Laser cut platform not available in MultiCam or LAPD Navy



NEXTGEN BALLISTIC

GROIN PROTECTOR. (Also available in Laser Cut)



HARD ARMOR SHOULDER PLATE (HASP)

SHIELDS

An ever-changing world calls for continuous updates in officer protection. The Hard Armor Shoulder Plate system (HASP), is an advanced, lightweight, ballistic shoulder protection plate and carrier exclusive to the Armor Express product line. Available in Level IIIA, III, or III+ ballistic options, the HASP system offers added shoulder protection to your plate carrier or tactical kit. The HASP carrier was engineered with the latest laser cut material resulting in a durable, low-profile, reduced-weight product.

HELMETS

STANDARD FEATURES

FEDERAL

- 4-way stretch fabric for comfort fit
- ID/Patch attachment point
- Bottom loading



BALLISTIC STRUCTURED DELTOID PROTECTORS

 Available in all II or IIIA Soft Armor Options (see page 50)







BALLISTIC MAX SLEEVE

 Available in all II or IIIA Soft Armor Options (see page 50)



NEXTGEN BALLISTIC YOKE, THROAT, AND UPGRADED

ADVANCED SHOULDER PAD (UASP) SYSTEM

CUMMERBUND UPGRADES

Utilizing the latest innovative technology, Armor Express is proud to announce three cummerbund options for the most discerning operator. AE has partnered with two leading Quick Release (QR) manufacturers, AUSTRIALPIN™ and First Spear™, to offer new Dynamic and Adjustable Cummerbund QR solutions. Call for details on compatible carriers.







Inner Mag Pockets on TUBES Dynamic and Adjustable Cummerbund Upgrades

DYNAMIC CUMMERBUNDS

Fits select tactical and outer carriers, call for details.



COBRA® DYNAMIC CUMMERBUND



TUBES™ DYNAMIC CUMMERBUND

ADJUSTABLE CUMMERBUNDS

Fits select tactical and outer carriers, call for details.



TUBES™ ADJUSTABLE CUMMERBUND Also available in laser cut



COBRA® ADJUSTABLE CUMMERBUND Also available in laser cut

SRT - PADDED BATTLE BELT

SHIELDS

(SPECIAL RESPONSE TEAM)

The SRT tactical belt was built from countless hours of product testing and evaluation. It offers an effective and comfortable platform for the needs of today's modern tactical officers. Available in MOLLE and laser cut configurations, the SRT comes standard with a padded insert or it can be upgraded with a ballistic insert. Available in sizes XS-4X. The SRT tactical belt also includes a rigors belt with COBRA® buckles by AUSTRIALPIN™





STANDARD FEATURES

- 1 500 DENIER LAMINATED MATERIAL
- 2 "CELLED" MOLLE FIELDS FOR "BELT OVER" ACCESSORY INTERFACE [HOLSTERS]
- 3 LUMBAR SUPPORT WITH 4-WAY STRETCH
- 4 3D SPACER MESH LINING
- 5 SUSPENDER COMPATIBLE
- 6 INCLUDED 1.75" RIGGERS BELT WITH COBRA® BUCKLES BY AUSTRIALPIN™

FIRST RESPONDER BAG

Our padded First Responder Carry Bag is the ideal storage for your First Responder gear needed at the ready. Large enough to house your loaded out plate carrier kit and helmet, it can be quickly deployed for easy access—so you are ready to respond at a moment's notice.





▶ FOR A FULL SELECTION OF OUR COMPONENTS/ACCESSORIES PLEASE VISIT US ONLINE AT **ARMOREXPRESS.COM**

More information at ARMOREXPRESS.COM or email CUSTOMERSERVICE@ARMOREXPRESS.COM

2022 ARMOR EXPRESS CATALOG

M

HELMETS ► HIGHCOM











D30 TRUST 7 Pad helmet system

H	DOCTECTION LEVEL	AVA	ILABLE C	UTS	CIZINO	WEIGHT IN POUNDS*				
	PROTECTION LEVEL	HIGH MID FULL		SIZING	HIGH	MID	FULL			
ARDITI	Level III+ rifle rated ballistic helmet including frag protection (MIL-STD 662F), and Special Threat Testing			•	S-XL	-	_	3.8		
STRIKER ULACH	Level IIIA including frag protection (MIL-STD 662F)	•	•	•	S-XL	2.0	2.1	2.3		
STRIKER HPACH	Level IIIA including frag protection (MIL-STD 662F), as well as higher V50 velocities	•	•	•	S-XL	2.8	2.9	3.0		
STRIKER ACH	Level IIIA including frag protection (MIL-STD 662F)	•	•	•	S-XL	2.7	2.8	3.0		
PLTp4	Level IIIA including frag protection (MIL-STD 662F)			•	S-XL	_	_	3.2		

^{*} Weight based on size large helmet



ACH HIGH CUT





ACH MID CUT



ACH FULL CUT

PLTp4 PASGT Level IIIA with 4 pt harness + pads



SHIELDS









Striker ACH, ARC Rail Assembly



L4 Wilcox Three Hole Shroud L4 Wilcox Three Hole Shroud with Lanyard and Cup Assembly



ACH/MICH Helmet Cover PASGT Helmet Cover



Striker Hook and Loop System for ACH/MICH Helmet, Exterior for Rails Compatible Helmets



MODEL	ТҮРЕ	PROTECTION LEVEL	LENGTH	WEIGHT
DK5-H.150S	PASGT - Short	Riot - NIJ 0104.02	6 in	.90 lbs
DK5-H.150	PASGT	Riot - NIJ 0104.02	8 in	.95 lbs
DK6-H.150S	PASGT & ACH/MICH - Short	Riot - NIJ 0104.02	6 in	.99 lbs
DK6-H.150	PASGT & ACH/MICH	Riot - NIJ 0104.02	8 in	1.18 lbs
DK7-H.150-RC	ACH/MICH Rails Assembly	Riot - NIJ 0104.02	6 in	1.05 lbs











DK7-H.150-RC

DK5-H.150S DK6-H.150 DK6-H.150S

ACCESSORIES

M

0 000

ARMOR AE EXPRESS

	M1 Standard Sizes, Level IIIA									
Size	Weight	Configuration								
18"x30"	6.5 lbs	No viewport								
18"x30"	12.5 lbs	Viewport								
24"x36"	15 lbs	Viewport								
24"x36"	16 lbs	Viewport and Light								
24"x48"	17 lbs	Viewport and Light								
	(*) Weights are approximate									

See specs and ballistic testing information at www.armorexpress.com

The M1 is the future of Level IIIA ballistic shields. Hybrid ballistic technology minimizes weight while increasing protection. The shape of the M1 gives the user greater coverage, while allowing for multiple shooting platforms with handgun or long gun. Keeping the weight down allows operators to engage threats and obstacles with less fatigue. The rear of the M1 is covered in loop, allowing for operators to place mirrors, entry tools and other necessary equipment at arm's reach, while still being able to remain behind the protection of the shield.

STANDARD FEATURES

- Black Textured Nylon Face / Loop Body
- 5"x11" Viewport


M1

- Hybrid Composite Ballistic Construction
- Ambidextrous Straight Bar Handle
- Durable Edge Wrap Protection
- High Strength Forearm Strap
- Closed cell Ambidextrous Foam Forearm Pad
- NIJ 0108.01 Rated IIIA

OPTIONAL FEATURES

- 1100 lumen Fox Fury LED Light System with Strobe integrated handle - 1.1lbs.
- Elzetta Tridextrous handle with or w/o integrated 1000 lumen light
- Elzetta horizontal handle with or w/o integrated 1000 lumen light
- Removable Agency ID Placard
- Carry Bag
- CORBOND ID Label

COLOR OPTIONS FOR M1 & S1 BALLISTIC SHIELDS:





S1

The S1 is far from your standard Level IIIA ballistic shield. Like the M1, the S1 utilizes the same hybrid ballistics which minimize weight while increasing protection. The time-tested, rectangular shape has been the standard for providing max coverage for the operator. The rear of the S1 is covered in loop, allowing for operators to place mirrors, entry tools and other equipment within arm's reach, while maintaining the protection of the S1.

STANDARD FEATURES

- Black Textured Nylon Face / Loop Body
- 5"x11" Viewport
- Hybrid Composite Ballistic Construction
- Ambidextrous Straight Bar Handle
- Durable Edge Wrap Protection
- High Strength Forearm Strap
- Closed cell Ambidextrous Foam Forearm Pad
- NIJ 0108.01 Rated IIIA

OPTIONAL FEATURES

- 1100 lumen Fox Fury LED Light System with Strobe integrated handle – 1.1lbs.
- Elzetta Tridextrous handle with or w/o integrated 1000 lumen light
- Elzetta horizontal handle with or w/o integrated 1000 lumen light
- Removable Agency ID Placard
- Carry Bag
- CORBOND ID Label

S1 Standard Sizes, Level IIIA Size Weight Configuration 16"x20" 4 lbs No viewport 18"x30" 8.5 lbs No VP or Light 18"x30" 13 lbs Viewport 24"x36" 16 lbs Viewport 24"x36" 17 lbs Viewport and Light 24"x48" 19 lbs Viewport and Light (*) Weights are approximate

See specs and ballistic testing information at www.armorexpress.com

R1

The R1 is the new standard in lightweight, rifle-rated Level III ballistic shields. Utilizing hybrid ballistic technology which minimizes weight while increasing protection, the operators now have rifle protection at their fingertips. The R1 comes in two sizes to fit the needs of today's operators. Whether deploying from a squad car, armored vehicle, or raid van, the R1 is your go-to, mobile rifle-threat protection for highly volatile situations. The shape of the R1 gives the user a lightweight, ambidextrous, covered platform allowing for the use of either a handgun or long gun. The reduced weight of the R1 enables operators to engage threats and obstacles with less fatigue and greater success.

STANDARD FEATURES

- Black Polyurea Spray Coating
- Hybrid Composite Ballistic Construction
- · Ambidextrous Straight Bar Handle
- High Strength Forearm Strap
- · Closed cell Ambidextrous Foam Forearm Pad
- NIJ 0108.01 Rated III

OPTIONAL FEATURES

- Retro Single Switch Fox Furv 600 Lumen LED Light System with Strobe - 1.1 lbs
- · Removable Agency ID Placard
- Carry Bag



R1 Standard Sizes, Level III							
Size	Weight	Configuration					
16"x22"	11 lbs	No viewport					
18"x24"	14 lbs	No viewport					
20"x30"	19 lbs	No viewport					
(*) Weights are approximate							

See specs and ballistic testing information at www.armorexpress.com

R1+

The newest member of our shield offering. Utilizing the latest ballistic technology, we offer the R1+ with the original R1 Level III ambidextrous shape. Now operators can feel the confidence of Level III rifle protection by including 5.56x45mm M855/SS109 Green Tip to the threat matrix.

STANDARD FEATURES

- Black Polyurea Spray Coating
- Hybrid Composite Ballistic Construction
- · Ambidextrous Straight Bar Handle
- Durable Edge Wrap Protection
- High Strength Forearm Strap
- · Closed cell Ambidextrous Foam Forearm Pad
- NIJ 0108.01 Rated III

OPTIONAL	FEATURES
----------	-----------------

- Retro Single Switch Fox Fury 600 Lumen LED Light System with Strobe - 1.1 lbs
- · Removable Agency ID Placard
- Carry Bag

R1+ Standard Sizes, Level III+			
Size	Weight	Configuration	
18"x24"	16 lbs	No viewport	
20"x30"	22 lbs	No viewport	
(*) Weights are approximate			

See specs and ballistic testing information at www.armorexpress.com



Æ





WMX1 & WMX6 BALLISTIC SHIELDS:



VENGEANCE IIIA WMX1

The WMX1 is an original Classic Cut VENGEANCE™ Series hard armor shield platform. WMX1 incorporates a tapered lower for deployment in tight or narrow spaces. The shield comes standard with our patented VENGEANCETM viewport which enhances operator field of view at extreme close guarters. VENGEANCE series shields are deployed by over 2000 United States Marshals as well as hundreds of federal, state, and local law enforcement agencies.

STANDARD FEATURES

- Patented VENGEANCE™ Viewport
- · Rigid Carbon Fiber Handle
- Large Single Curvature Ballistic Torso Protection
- Hybrid Composite COREBOND® Structural Ballistics

OPTIONAL ACCESSORIES

- Custom COREBOND® Large Format ID Lettering
- Elzetta TriDextrous or Straight Bar Handle Integrated
- Fox Fury Straight Bar Handle Integrated 1200 Lumen LED and Remote Pressure Switch
- Fox Fury Auxillary B30 600 Lumen LED Remote Pressure Switch
- Viewport Delete
- Shield Hook with MOLLE Attachment
- Shield Hook Sling Attachment
- Carry Bag

Vengeance IIIA WMX1 Standard Sizes		
Size	Weight Configura	
18"x30"	11 lbs	Viewport
20"x34"	13 lbs	Viewport
20"x 36"	15 lbs	Viewport
24"x42"	17 lbs	Viewport
24"x48"	19 lbs	Viewport
(*) Weights are approximate		

See specs and ballistic testing information at www.armorexpress.com

WMX1 shown here with Elzetta Integrated light/handle option



VENGEANCE IIIA WMX6

patent-pending design reduces weight and increases speed of deployment resulting in highspeed protective GUNFIGHTER™ shields that allow rapid transition between weapon systems (less lethal, handgun and rifle). The Triple-V upper was designed by shield operators to aid maneuverability in close-quarter combat. While compact, the design affords ample ballistic torso and cranial coverage. The WMX6 GUNFIGHTER™ features our patented VENGEANCE™ viewport which enhances operator field of view at extreme close guarters and is deployed by over 2000

- Patented VENGEANCE[™] Viewport
- · Patent Pending Triple-V Weapons Platform
- Rigid Carbon Fiber Handle
- Large Single Curvature Ballistic
- Hybrid Composite COREBOND® Structural Ballistics

OPTIONAL ACCESSORIES

- ID Letterina
- Integrated Handle/Lighting from Elzetta and Fox Fury
- Viewport Delete

Vengeance IIIA WMX6 Standard Sizes			
Size	Weight Configuration		
20"x 34"	13 lbs	Viewport	
20"x36"	14 lbs	Viewport	
(*) Weights are approximate			

See specs and ballistic testing information at www.armorexpress.com





VENGEANCE III+ WMX3RFT

The VENGEANCE™ series hard armor ballistic shield is an ambidextrous weapon mount design in threat level III+ rifle protection. Shown in our WMX3RFT tapered platform, providing optimized coverage area, speed to sight acquisition, and superior balance.

STANDARD FEATURES

- Patented VENGEANCE™ Viewport
- · Flat Panel Ambidextrous Weapon Mount
- Straight Bar Handle
- Custom Molded Foam Armpad
- Heavy Duty Forearm Strap

HELMETS

OPTIONAL ACCESSORIES

- Custom ID Placard
- Viewport Delete
- 600 Lumen Auxiliary Lighting
- Shield Hook with MOLLE Attachment
- Shield Hook with Shoulder Sling
- Carry Bag

Vengeance III+ WMX3RFT Standard Sizes			
Size	Weight	Configuration	
18"x30"	19 lbs	Viewport	
20"x 34"	24 lbs	Viewport	
(*) Weights are approximate			

The WMX6 is the next generation in our VENGEANCE™ Series hard armor shields. The United States Marshals as well as hundreds of state and local law enforcement officers.

STANDARD FEATURES

- Torso Protection

Custom COREBOND® LARGE FORMAT

FEDERAL

SHIELDS ▶

VENGEANCE III++ M855-GT

The VENGEANCE™ M855-GT series hard armor ballistic shield is an ambidextrous weapon mount design in threat level III++ rifle protection. Featuring advanced 100% composite construction, the VENGEANCE™ M855-GT eliminates fragile ceramic or heavy alloy components typically required to defeat the popular 5.56x45mm NATO SS109/M855 Greentip.

STANDARD FEATURES

- Patented VENGEANCE™ Viewport
- · Flat Panel Ambidextrous Weapon Mount
- Straight Bar Handle
- Custom Molded Foam Armpad
- Heavy Duty Forearm Strap

OPTIONAL ACCESSORIES

- Custom ID Placard
- Viewport Delete
- 600 Lumen Auxiliary Lighting
- Shield Hook with MOLLE Attachment
- Shield Hook with Shoulder Sling

Vengeance III++ M855-GT Standard Sizes		
Size	Weight	Configuration
18"x30"	19 lbs	Viewport
21"x34"	29 lbs	Viewport
(*) Weights are approximate		

See specs and ballistic testing information at www.armorexpress.com

FEDERAL

HELMETS

፲







BELLFIRE MTS

The HighCom Bellfire MTS Shield provides greater tactical visibility as firearms can be deployed from the right and left sides. The shield's special shape makes it easier for long-gun deployment, standing, kneeling, and prone positions. Manufactured in the USA, the MTS shield provides multi-hit protection from Level IIIA or Level III threats.

STANDARD FEATURES

- Protection: Level III Stand Alone Against rifle rounds
- Tested to Multi-hit capability (NIJ 0108.01)
- Handle: Lightweight ergonomically designed ambidextrous handle

OPTIONAL ACCESSORIES

• LED Light: Shield can be upgraded to include high power LED light and lithium-ion power. Please note LED light adds 2 lbs and is purchased separately

MTS Standard Sizes			
Size	Weight	Configuration	
20"x 36"	32 lbs	Viewport	
20"x48"	45 lbs	Viewport	
(*) Weights are approximate			

See specs and ballistic testing information at www.armorexpress.com



BELLFIRE LTS

STANDARD FEATURES

- Protection: Level III Stand Alone against rifle rounds
- Tested to Multi-hit capability (NIJ 0108.01)
- · Handle: Lightweight ergonomically designed ambidextrous handle

OPTIONAL ACCESSORIES

• LED Light: Shield can be upgraded to include high power LED light and lithium-ion power. Please note LED light adds 2 lbs and is purchased separately

LTS Standard Sizes		
Size	Weight	Configuration
18"x24"	14 lbs	Viewport
20"x34"	22 lbs	Viewport
20"x 40"	26 lbs	Viewport
24"x36"	28 lbs	Viewport
24"x48"	37 lbs	Viewport
24"x51"	39 lbs	Viewport
(*) Weights are approximate		

See specs and ballistic testing information at www.armorexpress.com



NEW ► THORBOARD™

Optically clear, ThorBoard™ ballistic shield provides vital protection while inside or outside of your vehicle. When in the door mount in the vehicle, the ThorBoard™ protects LEOs from ambush attacks. Flip the latch and the shield removes quickly and can be used to protect first responders during vulnerable events such as traffic stops, serving a warrant, and domestic violence. Its size and weight make it ideal to be used in confined spaces.

- 1 inch thick, 12" wide by 18" or 20" long vehicle window and door mounting accessories available
- Independently tested to stop most handgun rounds up to and including .44 Mag



BALLISTIC BLANKETS

- Comparable to Level IIIA Ballistics
- Outer Shell Constructed of 500 Denier Nylon Material
- Carry handles
- Rolls up and secures for ease of transporting
- Standard sizes include 2x6, 3x6, 4x4, 4x6 and 4x8

▶ FOR A FULL SELECTION OF OUR COMPONENTS/ACCESSORIES PLEASE VISIT US ONLINE AT **ARMOREXPRESS.COM**

HELMETS

CONFIGURATIONS

LASER CUT

M



HIDDEN DEFENDER

BERRY COMPLIANT



STANDARD FEATURES

- 1 SLIM, LOW-PROFILE DESIGN FEATURING LIGHTWEIGHT TWEAVE® TECHNOLOGY
- 2 LOW SHOW THROUGH IN KEY IMPRINT ZONES
- 3 ARMOR CUT TO PROTECT VITALS WHILE MINIMIZING WEIGHT
- 4 ARMOR DESIGNED AND TESTED TO MEET THE NATIONAL INSTITUTE OF JUSTICE (NIJ) BALLISTIC TESTING REQUIREMENTS
- 5 POLARTEC® NYLON SPANDEX COMPRESSION MATERIAL
- 6 DESIGNED FOR ALL-DAY WEAR, FEATURING OUR RAZOR II LIGHWEIGHT ARMOR SYSTEM AND A SOFT, MOISTURE-WICKING CARRIER MATERIAL
- MACHINE WASHABLE CARRIER
- 8 GENDER NEUTRAL DESIGN
- 9 SIDE-OPEN ZIPPER FOR EASY DONNING AND DOFFING



HARD CORE GC



FEDERAL ▶

SHIELDS

REAR VIEW

STANDARD FEATURES

- QUAD VENTILATION LINER (QVL) SYSTEM
- 2 TOP LOADING, EXTERIOR ACCESSIBLE FRONT AND REAR PLATE POCKETS*
- 3 ADVANCED SHOULDER PADS (ASP) WITH ROUTING CHANNEL
- 4 FULLY ADJUSTABLE, STREAMLINED SHOULDER STRAP SYSTEM
- 5 ID PLACARD ATTACHMENT POINTS
- 6 FIRSTSPEAR™ TUBES® CUMMERBUND
- 1 UPPER ADMIN POCKET
- 8 AMBIDEXTROUS UTILITY POCKETS
- 9 CUMMERBUND INTERNAL 6X6 HARD ARMOR SIDE PLATE POCKETS
- 10 REINFORCED DRAG STRAP

*See website for details on plate sizing compatibility



KEY ATTRIBUTES

BREATHEABILITY



DURABILITY





OPTIONS/ACCESSORIES

- Upgraded Advanced Shoulder Pad (UASP) System Featuring 3D Foam Technology
- Ballistic Shoulder Pad Inserts
- Removable Sling Catch
- Various Deltoid Protection Options
- NextGen Ballistic Yoke, Throat and Groin Protector
- COBRA® and Tubes® Adjustable Cummerbund Upgrades
- Cummerbund Soft Armor

























COLOR OPTIONS

71
