

Product Guide

east



DICKE
Safety Products



TwinFlex™ Series

Spring Stands for Roll-Up and Rigid Signs



TwinFlex™ Spring System

- NCHRP-350 approved.
- Dual heavy duty steel coil springs.
- Hold 36" and 48" signs in a variety of materials and configurations.
- Models to meet all sign height requirements.
- Easy to use with kick release system for legs and quick locking sign holders.
- Aluminum and steel construction.

TF12 Series
Page 8



DynaFlex™ Series


Spring Stands for Roll-Up Signs



Dynaflex™ Spring System

- NCHRP-350 approved.
- Dual torsion springs.
- Hold 36" and 48" signs in a variety of materials and configurations.
- Models to meet all sign height requirements.
- Easy to use with kick release system for legs and quick locking sign holders.
- Aluminum and steel construction.

DF3000 Series
Page 12



UniFlex™ Series

Spring Stands for Roll-Up Signs



UniFlex™ Spring System

- NCHRP-350 approved.
- Hold 36" and 48" signs in a variety of materials and configurations.
- UF2000W has a single upright coil spring.
- UF2000W and DL1000W stands feature kick releases and Screwlock™ sign holder.
- Economical tripods hold 36" and 48" rigid and roll-up signs.

UF2000 Series
Page 9, 10



Sign Stands






Chart indicates height from ground to bottom of sign



Sign Holders

Roll-Up Sign Holders - Dicke Safety Products offers several different methods of mounting roll-up signs to sign stands, all are made from zinc plated steel and/or aircraft quality aluminum. All sign holders have been designed with durability and ease of use in mind.



Screwlock™


Our most universal roll-up sign holder will accept all standard 1-1/4" width fiberglass cross braces. Internal lever actuated clamp grips firmly and quickly and prevents damage from over tightening.




Stablock™ (Fold & Roll)

Stablock sign holder is used to hold our popular Fold & Roll™ Sign Panel. Vertical aluminum tubing slides down over small diameter base fitting. Locks in place with a spring button. This option provides the fastest set-up and most compact storage dimensions available.

The RUB3315 roll-up bracket holds all 36" and 48" roll-up signs with horizontal fiberglass ribs up to 1/4" thick. Used with stands that incorporate an aluminum two or three piece mast design. Roll-up bracket also allows for a quick switch from rigid signs to roll-up signs. Used with Dicke's RUNR and RUR series signs with fiberglass rib supports.



Roll-Up Bracket (RUB3315)



Pocket

Clamps the roll-up sign to the stand utilizing bottom rectangular plastic pocket on roll-up sign panel. Spring loaded catch automatically locks sign into base, a lift of the lever releases to sign.



Channel

The channel style panel holder locks the roll-up sign to the stand with a lever actuated pin. The roll-up sign's vertical fiberglass rib, with pre-drilled locking hole, slides down into channel opening and engages a locking pin. Used with Dicke roll-up signs attached to 400 series ribs.

Sign Stand Index								
Model No.	Page	Sign Types				Stand Specifications		
		Roll-Up Signs	Rigid Signs	Fold & Roll Signs	Minimum Sign Display Height	Storage Size	Open Footprint	Weight (lbs)
DF3000S	9			●	12"	7.5" x 7.5" x 24"	45" x 71"	20
DF3000W	9	●			12"	7.5" x 7.5" x 24"	45" x 71"	21
DF3003S	9			●	12"	7.5" x 7.5" x 30"	56" x 92"	19
DF3003W	9	●			12"	7.5" x 7.5" x 30"	56" x 92"	22
DF4503	9	●			5'	8.5" x 12.5" x 60"	72" x 117"	37
DF4700TX	9	●			7'	8.5" x 12.5" x 85"	82" x 128"	39
DL1000L	12	●			12"	7" x 7" x 24"	42" x 71"	13
DL1000W	12	●			12"	7" x 7" x 24"	42" x 71"	15
DL1003L	12	●			12"	7" x 7" x 30"	53" x 93"	14
DL1003W	12	●			12"	7" x 7" x 30"	53" x 93"	17
DL1008-RUB	12	●			18"	7" x 7" x 64"	46" x 78"	17
DSB100	16	●			12"	3" x 20" x 28"	20" x 28"	42
DSB100HD	16	●			12"	3" x 20" x 28"	20" x 28"	48
DSB100HD-W	16	●			12"	3" x 20" x 28"	20" x 28"	49
DSB100-W	16	●			12"	3" x 20" x 28"	20" x 28"	43
ESF	11	●			12"	8" x 8" x 24"	42" x 71"	17
ESFR	11		●		18"	8" x 9" x 59"	55" x 87"	30
ESFW (DL1000W)	11,(14)	●			12"	7" x 7" x 24"	42" x 71"	15
FS2000W	12	●			12"	7" x 9" x 30"	56" x 92"	17
SDL1000L	12	●			12"	7" x 7" x 24"	41" x 69"	19
SDL1000W	12	●			12"	7" x 7" x 24"	41" x 69"	20
SDL1008-RUB	12	●			18"	7" x 7" x 64"	47" x 77"	25
STF12C	8	●			12"	7" x 7" x 24"	48" x 66"	28
STF12W	8	●			12"	7" x 7" x 24"	48" x 66"	29
STF1008-RUB	6	●			18"	7" x 7" x 84"	52" x 74"	38
STF1214-RUB	6	●			18"	7" x 7" x 51"	52" x 74"	33
STF18-RGB	6		●		18"	8" x 8" x 64"	36" x 84"	40
STF18-RUB	6	●			18"	8" x 8" x 64"	36" x 84"	40
STF18RG/RU	6	●	●		18"	8" x 8" x 64"	36" x 84"	41
SUF2000S	10			●	12"	7" x 7" x 24"	42" x 69"	23
SUF2000W	10	●			12"	7" x 7" x 27"	42" x 69"	25
T155	13	●	●		18"	4.5" x 8" x 55"	41" x 54"	19
T55	13	●	●		18"	2" x 4.5" x 62"	48" x 57"	10
TF1214-RUB	6	●			18"	7" x 7" x 51"	52" x 73"	28
TF12C	8	●			12"	7" x 7" x 30"	62" x 87"	24
TF12W	8	●			12"	7" x 7" x 30"	62" x 87"	26
TF18-RG/RU	6	●	●		18"	8" x 8" x 64"	36" x 84"	33
TF18-RGB	6		●		18"	8" x 8" x 64"	36" x 84"	32
TF18-RUB	6	●			18"	8" x 8" x 64"	36" x 84"	32
TF60-RG/RU	6	●	●		5'	8" x 8" x 68.5"	75" x 134"	49
TF60-RGB	6		●		5'	8" x 8" x 68.5"	75" x 134"	48
TF60-RUB	6	●			5'	8" x 8" x 68.5"	75" x 134"	48
TF84-RG/RU	6	●	●		7'	8" x 8" x 78.5"	75" x 134"	50
TF84-RGB	6		●		7'	8" x 8" x 78.5"	75" x 134"	49
TF84-RUB	6	●			7'	8" x 8" x 78.5"	75" x 134"	49
UF2000S	10			●	12"	7" x 7" x 30"	56" x 92"	20
UF2000T	11	●			12"	7" x 7" x 30"	56" x 92"	20
UF2000W	10	●			12"	7" x 7" x 30"	56" x 92"	22


TwinFlex™ Series

Full Size Stands

TwinFlex™ full size signs stands feature steel and aluminum construction for long-lasting, dependable service. Dual heavy duty steel coil springs provide stability in gusty wind conditions.

TwinFlex™ stands are available in several models that are designed to display roll-up and rigid signs at a mounting height of 14" to 7'. All stands feature foot-actuated leg releases with two locking positions for stability on uneven terrain.

- MUTCD and NCHRP-350 compliant.
- TwinFlex™ features a two stage telescopic aluminum mast which allows roll-up and/or rigid signs to be displayed 14" to 84" off the ground (depending on model selected, see chart below).
- Triple flagholder for 3/4" round flag staffs factory installed.
- Foot operated leg releases quickly lock legs in one of three positions to allow for storage or deployment on uneven terrain.
- Aluminum leg models feature .100" wall aircraft quality tubing, 16 ga. steel leg models have an orange powder coat finish.



Model Number	Sign Height*	Roll-Up Signs	Rigid Signs	Legs
STF1008-RUB	5' or 7'	●		Steel
STF1214-RUB	14"	●		Steel
STF18-RUB	18"	●		Steel
STF18-RGB	18"		●	Steel
STF18-RG/RU	18"	●	●	Steel
TF1214-RUB	14"	●		Aluminum
TF18-RUB	18"	●		Aluminum
TF18-RGB	18"		●	Aluminum
TF18-RG/RU	18"	●	●	Aluminum
TF60-RUB	5'	●		Aluminum
TF60-RGB	5'		●	Aluminum
TF60-RG/RU	5'	●	●	Aluminum
TF84-RUB	7'	●		Aluminum
TF84-RGB	7'		●	Aluminum
TF84-RG/RU	7'	●	●	Aluminum


*Ground to bottom of 48" sign

TwinFlex™ Series

Full Size Stands



TF18-RGB



STF18-RGB

TwinFlex™ Series

Compact Stands for Roll-Up Signs

Model Number	Sign Height*	Roll-Up Sign Holder Type	Legs
STF12W	12"	Screwlock	Steel
STF12C	12"	Channel	Steel
TF12W	12"	Screwlock	Aluminum
TF12C	12"	Channel	Aluminum

*Ground to bottom of 48" sign

TwinFlex™ compact stands feature steel and aluminum construction for long-lasting, dependable service. Dual heavy duty steel coil springs provide stability in gusty wind conditions.

The TF12 series compact stands are available in several models designed to display roll-up signs at a mounting height of 12". All stands feature foot-actuated leg releases with adjustable locking positions for stability on uneven terrain.

- MUTCD and NCHRP-350 compliant.
- TwinFlex™ compact stands offer two methods of roll-up sign attachment: Screwlock or Channel style. See page 4 for details.
- Aluminum leg models feature .100" wall aircraft quality tubing, economical 16 ga. steel leg models have an orange powder coat finish.
- Steel leg length is 22" that telescopes to 38". Aluminum leg version is 30" and telescopes to 51".



The TF12C features the Channel Style sign holder for roll-up signs with 3/8" vertical ribs.



TF12W

STF12W with ScrewLock™ roll-up sign holder.

UF2000 Series

Single Spring Stand for Roll-Up Signs

UniFlex™, our most popular compact stand, is the perfect match for 36" and 48" roll-up signs. UniFlex™ features a heavy duty steel coil spring design providing superior stability in windy conditions.

UniFlex™ stands display roll-up signs 12" off the ground and feature foot actuated kick releases with three locking positions for storage and stability on uneven terrain.

- MUTCD and NCHRP-350 compliant.
- UniFlex™ compact stands offer two methods of roll-up signs attachment: Screwlock for standard roll-up signs or Stablock™ for Fold & Roll™ signs, see page 4 for details.
- Single heavy duty steel spring provides stability in gusty winds.
- Aluminum leg models feature .100" wall aircraft quality tubing, economical 16 ga. steel leg models have an orange powder coat finish.
- Steel leg length is 22" that telescopes to 38". Aluminum leg version is 30" and telescopes to 51".

Model Number	Sign Height*	Roll-Up Sign Holder Type	Legs
UF2000W	12"	Screwlock	Aluminum
UF2000S	12"	Stablock	Aluminum
SUF2000W	12"	Screwlock	Steel
SUF2000S	12"	Stablock™	Steel

*Ground to bottom of 48" sign




UniFlex™ spring flexes to provide stability in windy conditions.



UF2000T Series

Kits for Roll-Up Signs with 1-1/4" Sq. Masts



UF2000T in open and storage configurations


UF2000T with 48" refl. sign

UF2000T stand - Mast (not included) sockets into stand and locks in place

Kit: Stand and Mast

- UF2000T-36 - Uniflex Stand w/Mast for 36" Roll-Up Sign
- UF2000T-48 - Uniflex Stand w/Mast for 48" Roll-Up Sign
- RUB3317 - Optional Roll-Up Bracket for Uniflex Kit

Note: Stands with steel legs are ALSO available for all kits




RUB3317
Roll-Up Bracket
(optional)

Kit: Stand, Mast, Ribs, and Flags

- UF2000T-36R - Uniflex Stand, Mast w/Ribs for 36" Roll-Up Sign, and 3 Flags
- UF2000T-48R - Uniflex Stand, Mast w/Ribs for 48" Roll-Up Sign, and 3 Flags






ESF Stands & Kits

ESF, the original extension spring stand, is designed to display roll-up signs that come equipped with a 1-1/4" sq. aluminum mast. Enclosed spring provides stability in gusty winds. Telescoping and multi-position legs allow for compact storage and the ability to compensate for uneven terrain. Stands, masts, and kits are available. All ESF stands are MUTCD and NCHRP-350 compliant.

- **ESF** - Stand only (mast not included)
- **ESF36M** - Mast only (no ribs) for 36" Roll-Up Sign
- **ESF48M** - Mast only (no ribs) for 48" Roll-Up Sign
- **ESF-36** - ESF Stand, Mast w/Ribs for 36" Roll-Up Sign, and 3 Flags
- **ESF-48** - ESF Stand, Mast w/Ribs for 48" Roll-Up Sign, and 3 Flags



ESFW Stands & Kits - for standard roll-up signs



ESFW (Spring loaded sign holder)

- **ESFW-36** - ESFW Stand w/Screwlock™ sign holder, Ribset w/triple flagholder for 36" sign, and 3 Flags
- **ESFW-48** - ESFW Stand w/Screwlock™ sign holder, Ribset w/triple flagholder for 48" sign, and 3 Flags.
- **ESFW** - Stand w/Screwlock™ sign holder only.


DL1000W Stands & Kits - for standard roll-up signs



DL1000W (No-spring sign holder)

- **DL1000W-36** - DL1000W Stand w/Screwlock™ sign holder, Ribset w/triple flagholder for 36" sign, and 3 Flags
- **DL1000W-48** - DL1000W Stand w/Screwlock™ sign holder, Ribset w/triple flagholder for 48" sign, and 3 Flags.
- **DL1000W** - Stand only.

ESFR Stands - for Rigid and Roll-up Signs




- Meets MUTCD specifications, NCHRP-350 compliant.
- Aluminum and steel construction.
- Quick set-up and tear down with kick release system for leg deployment.
- Aluminum legs have two position height adjustment and anti-skid foot pads.
- Features internal heavy duty coil spring for stability in strong winds.
- Displays 36" and 48" rigid signs and roll-up signs (with optional bracket).
- Height from ground to bottom of 48" rigid sign: 18"
- Height from ground to bottom of roll-up sign: 18" or 60"
- Open footprint: 36" x 84"
- Closed storage dimensions: 8" x 8" x 65"
- Weight: 29 lbs.

Optional RUB3315 roll-up sign bracket allows the ESFR to display roll-up signs.





Stablock™ panel holder option for Fold & Roll™
See pages 14 and 15



• Dual Torsion Spring System

• Original Kick Release

Model Number	Sign Height*	Roll-Up Sign Holder Type	Sign Type
DF3000W	12"	Screwlock	Roll-Up
DF3003W	12"	Screwlock	Roll-Up
DF3000S	12"	Stablock	Fold & Roll™
DF3003S	12"	Stablock	Fold & Roll™
DF4503	5'	RUB3315	Roll-Up
DF4700TX	7'	RUB3315	Roll-Up


*Ground to bottom of 48" sign



DynaFlex™ compact stands feature steel and aluminum construction for durability and a long service life. Dual heavy duty torsion springs provide stability in gusty wind conditions.

The DynaFlex™ series of compact stands display either standard roll-up signs or our popular Fold and Roll™ signs (see page 14) 12" off the ground. Full size DynaFlex™ stands display roll-up signs at a mounting height of 5' to 7' (see chart above) and feature a two stage aluminum mast and RUB3315 sign attachment.

- All DynaFlex™ stands are MUTCD and NCHRP-350 compliant.
- DynaFlex™ compact stands offer two methods of roll-up sign attachment: Screwlock for standard roll-up signs or Stablock for Fold & Roll™ signs, see page 4 for details.
- Heavy duty steel torsion spring system provides a smooth, gliding reaction to wind gusts - no whipping action.
- Compact stands available in two leg lengths. DF3000 series stands have 22" legs that telescope to 38". DF3003 series stands offer 30" leg length that telescopes to 51".



DF3000W

FS2000W Stand

Flat Spring Stands for Roll-Up Signs



New!

The **FS2000W** compact stand for roll-up signs features an all new flat steel spring designed to provide an extra measure of stability in windy conditions. Constructed of aluminum and steel for durability and a long service life.


FS2000W stands display roll-up signs 12" off the ground. Legs feature foot actuated kick releases with three locking positions for storage and stability on uneven terrain.

- MUTCD and NCHRP-350 compliant.
- Single heavy duty flat steel spring provides stability in gusty winds.
- Displays 36" and 48" roll-up signs.
- Telescoping aluminum legs are made of .100" wall aircraft quality tubing.
- Equipped with our Screwlock™ universal roll-up sign holder.
- 30" legs telescope to 51".



Our DynaLite™ series offers non-spring, lightweight, compact stands designed to display 36" or 48" roll-up signs. Made of powder coated steel and aircraft quality aluminum, these stands are rugged and dependable.

- MUTCD and NCHRP-350 compliant.
- DynaLite™ compact stands offer two methods of roll-up sign attachment: Screwlock™, which quickly and firmly clamps to the vertical fiberglass rib, or the Latch style sign holder which holds the sign by bottom plastic pocket. See page 4 for details.
- Dynalite™ full size stands feature telescopic vertical masts and triple flag-holders designed to display 36" or 48" roll-up signs.
- Foot operated leg releases quickly lock legs in one of three positions to allow for storage or deployment on uneven terrain.
- SDL1000 and DL1000 series stands have steel or aluminum 22" legs that telescope to 38". DL1003 series stands offer 30" leg length that telescopes to 51". SDL1008 and DL1008 stands come in 42" leg length.



Model Number	Sign Height*	Roll-Up Sign Holder Type	Legs
DL1000W	12"	Screwlock	Aluminum
DL1003W	12"	Screwlock	Aluminum
SDL1000W	12"	Screwlock	Steel
DL1000L	12"	Latch	Aluminum
DL1003L	12"	Latch	Aluminum
SDL1000L	12"	Latch	Steel
DL1008-RUB	Variable	Roll-Up Bracket	Aluminum
SDL1008-RUB	Variable	Roll-Up Bracket	Steel

*Ground to bottom of 48" sign





T55 Tripod

For Roll-Up and Rigid Signs

The **T55** tripod is an all-purpose three legged economy sign stand designed to hold 36" and 48" roll-up and rigid signs. Powder coated steel construction and ease of use makes the **T55** a smart choice for low to medium wind conditions.

- Meets MUTCD specifications.
- NCHRP-350 compliant with a roll-up sign.
- Compact storage, economical, and easy to use.
- Holds 36" and 48" roll-up and rigid signs.
- Powder coated, all steel construction.



T55 with 48" roll-up sign



T155 Tripod

For Roll-Up and Rigid Signs

The **T155** tripod is an all-purpose three legged heavy duty sign stand designed to hold 36" and 48" rigid signs. Roll-up signs can also be displayed with the addition of the optional roll-up sign adapter.

- Meets MUTCD specifications, NCHRP-350 compliant.
- Telescoping mast, flagholder for 3 standard flags.
- Displays 36" and 48" rigid signs, displays roll-up signs with the addition of optional **#RUB100** roll-up sign adapter.
- Powder coated, rugged square tubular steel construction.



T155 with 48" rigid sign



Add the optional RUB100 for roll-up signs



P100 In-Ground Stand

For Roll-Up Signs

The **P100** sign stand is designed to push into the ground providing a solid, economical solution for displaying 36" and 48" roll-up signs. Constructed of heavy duty galvanized steel bar angle, the **P100** features steel spring clips that holds the sign securely and has a cross piece at the bottom for pushing the stand into the ground by foot.



The P100 with a 48" roll-up sign

Fold & Roll™ Sign System

For Construction and Maintenance

The 3000XP series Fold & Roll Sign System™ utilizes a collapsible leg and panel design for compact storage and ease of transport to and from the work zone. The need for separate storage locations for stand and sign is eliminated. The Dicke patented leg kick release and snap-in hub mechanism insures quick, hassle free set-up allowing crews to be more productive and safer.

- Meets MUTCD specifications, NCHRP-350 compliant.
- Sign panel detaches from stand for changeability of legends via the Stablock panel holder (see page 4)
- Stand features the Stablock™ sign holder (see page 4), telescoping legs with kick releases, and torsion spring system which reacts smoothly to gusty wind conditions.
- Fold & Roll™ signs also work with the UF2000S stand (see page 9).
- All systems include a double flagholder and two 18" vinyl flags.



Complete Fold & Roll™ Systems - 36"			
Model Number	Sign Material	Stand Only	Sign Only
DF3000X36	Super Bright™ Reflective	DF3000S	3000XP-36
DF3000X36MAR	Marathon™ Reflective	DF3000S	3000XP-36MAR
DF3000X36NR	Solid Vinyl - Non- Reflective	DF3000S	3000XP-36NR
DF3000X36M	Mesh - Non- Reflective	DF3000S	3000XP-36M


Complete Fold & Roll™ Systems - 48"			
Model Number	Sign Material	Stand Only	Sign Only
DF3003X48	Super Bright™ Reflective	DF3003S	3000XP-48
DF3003X48MAR	Marathon™ Reflective	DF3003S	3000XP-48MAR
DF3003X48NR	Solid Vinyl - Non- Reflective	DF3003S	3000XP-48NR
DF3003X48M	Mesh - Non-Reflective	DF3003S	3000XP-48M

Other Super Bright™ colors available in both sizes, please call for details

Quick and Easy Set-Up

Using the patented Dicke kick release, quickly lock legs into place. Unwrap velcro strap releasing sign panel. Pull vertical support arm upward locking into place. Finish off set-up by locking horizontal ribs in place by pulling and snapping into hub. Reverse process for storage.

DF3000X36 - 36" System - 21 lbs.
DF3003X48 - 48" System - 24 lbs.




Fold & Roll™ Sign System
For Emergency Traffic Control

The Fold & Roll™ sign and stand combination brings ultra compact system storage and lightning fast deployment to emergency traffic control. Designed so that a full 48" sign and stand combo fits easily into the trunk of a squad car or a small storage compartment on a truck, the Fold & Roll™ sets up far faster than any other sign system in the industry allowing responders to concentrate fully on the task at hand.

Sign faces are made of fluorescent pink reflective material recommended by the FHWA and NFPA for use at emergency scenes.




From stored..to deployed in 20 seconds!




Storage Configuration

Complete Fold & Roll™ Systems - Pink			
Model Number	Sign Material	Stand Only	Sign Only
DF3000X36PNK	Super Bright™ Reflective	DF3000S	3000XP-36PNK
DF3003X48PNK	Super Bright™ Reflective	DF3003S	3000XP-48PNK

FIRE
ACCIDENT
ROAD
DETOUR
CLOSED
TRAINING



Storage bags are available for the Fold & Roll™ sign system, see page 40 for details



the original
FOLD & ROLL

Signs become more versatile with the addition of velcro and overlays. For overlays for use with 36" signs, use part number FPO36PNK, for 48" signs use part number FPO48PNK. Specify message and position. Many other sign legend/overlay variations available on request.



New! Guard Rail Stands

For Roll-Up and Rigid Signs

Guard Rail sign stands allow 36" and 48" roll-up and rigid signs to be firmly affixed to guard rails. Simply hook the top clamp over the top of the guard rail, slid the bottom clamp up, and tighten "T" screws.

Wind-relieving dual spring models and no-spring models are available. Choose the model for your sign type: **RUB** for roll-up signs, **RGB** for rigid signs, or **RG/RU** which comes with brackets to hold both roll-up and rigid signs.

Model Number	Type	Sign Type
GRNS-RUB	No Spring	Roll-Up
GRNS-RGB	No Spring	Rigid
GRNS-RG/RU	No Spring	Roll-Up & Rigid
GRTF18-RUB	Spring	Roll-Up
GRTF18-RGB	Spring	Rigid
GRTF18-RG/RU	Spring	Roll-Up & Rigid

DSB 100 Stacker™

For Roll-Up Signs


The **DSB100** Stacker™ sign stand displays both 36" and 48" roll-up signs. Made of rubber from recycled tires, the Stacker™ has a small foot print, compact storage, and several different models from which to choose. **DSB100** features a Latch style pocket sign holder for standard roll-up signs while the **DSB100-W** comes with the Screwlock™ universal roll-up sign holder. The **HD** models feature increased overall weight for added stability.

DSB100 stand with roll-up sign



Model Number	Sign Height*	Roll-Up Sign Holder Type	Weight
DSB100	12"	Latch	42 lbs.
DSB100-P	12"	Post and Tube	43 lbs.
DSB100-W	12"	Screwlock™	43 lbs.
DSB100HD-P	12"	Post and Tube	49 lbs.
DSB100HD	12"	Latch	48 lbs.
DSB100HD-W	12"	Screwlock™	49 lbs.

*Ground to bottom of 48" sign




Barrier Mounts

For Roll-Up and Rigid Signs

Barrier mount sign stands are designed to display 36" and 48" rigid and roll-up signs on concrete highway barriers. Units are firmly affixed using multiple heavy duty screws. All models feature aluminum masts with either rigid brackets or roll-up bracket depending on model and sign type. The **JBM-TF18** series features a double spring system for added stability in windy conditions.

Model Number	Barrier Width	Sign Type	Stand Type
JBM-TF18-RU	6" to 12"	Roll-Up	Spring
JBM-TF18-RG	6" to 12"	Rigid	Spring
JBM-TF18-RG/RU	6" to 12"	Roll-Up & Rigid	Spring
JRB1A	7.5" to 15"	w/Mast - No Brackets	No Spring
JRB1A-RUB	7.5" to 15"	Roll-Up	No Spring
JRB1A-RGB	7.5" to 15"	Rigid	No Spring
JRB1A-NM	7.5" to 15"	No Mast	No Spring


Features



Materials and Specifications

Available in a variety of materials and sizes, roll-up signs offer full size signage in a lightweight and easy to store design.

- All roll-up stands are MUTCD and NCHRP-350 compliant.
- Fiberglass ribs, or cross bracing, feature a protective veil to prevent blooming and painful splinters.
- Standard corner pockets are made of tough polycarbonate for durability. Sewn pockets are available on request.
- Hook and loop strap for storage.
- Overlays for changeable message signs also available.



Material	Colors				
	Orange	Pink	White	Lime	Yellow
• Solid Non-Reflective Vinyl	●	●	●	●	●
• Mesh Non-Reflective	●	●	●	●	●
• Marathon™ Reflective	●	●	●	●	●
• Superbright™ Reflective	●	●	●	●	●
• Diamond Grade™ Refl.	●	●	●	●	●

Below are part numbers for our most popular roll-up signs. Part numbers for other sizes, many other configurations, and colors are available on request. ● denotes standard 36" and 48" signs kept in stock for immediate shipping in our most requested legends (see pg.21).

NON-REFLECTIVE SIGNS			
PART NUMBER	SIZE	MATERIAL	RIBS - THICKNESS (Vertical & Horizontal)
● RUM36-200	36" X 36"	Mesh Vinyl	1/4" & 3/16"
RUM36-SO	36" X 36"	"	No Ribs
● RUM48-200	48" x 48"	"	1/4" & 3/16"
RUM48-SO	48" x 48"	"	No Ribs
● RUNR36-200	36" X 36"	Solid Vinyl	1/4" & 3/16"
RUNR36-SO	36" X 36"	"	No Ribs
● RUNR48-200	48" x 48"	"	1/4" & 3/16"
RUNR48-SO	48" x 48"	"	No Ribs

REFLECTIVE SIGNS			
PART NUMBER	SIZE	MATERIAL	RIBS - THICKNESS (Vertical & Horizontal)
● RUR36-200	36" X 36"	Superbright™	1/4" & 3/16"
RUR36-SO	36" X 36"	"	No Ribs
RUR48-100	48" x 48"	"	5/16" & 3/16"
● RUR48-200	48" x 48"	"	1/4" & 3/16"
RUR48-SO	48" X 48"	"	No Ribs
RUR36MAR-200	36" X 36"	Marathon™	1/4" & 3/16"
RUR36MAR-SO	36" X 36"	"	No Ribs
RUR48MAR-100	48" x 48"	"	5/16" & 3/16"
RUR48MAR-200	48" x 48"	"	1/4" & 3/16"
RUR48MAR-SO	48" X 48"	"	No Ribs
RUR36DG-200	36" X 36"	Diamond Grade™	1/4" & 3/16"
RUR36DG-SO	36" X 36"	"	No Ribs
RUR48DG-100	48" x 48"	"	5/16" & 3/16"
RUR48DG-200	48" x 48"	"	1/4" & 3/16"
RUR48DG-SO	48" X 48"	"	No Ribs

Overlay Part Numbers

Overlays are patches of matching sign material that may be printed with words, numbers, or arrows and attached to signs to change their message. For example, a 1/2 MILE overlay may be placed over the word AHEAD on a ROAD WORK AHEAD sign so it reads ROAD WORK 1/2 MILE.

NON-REFLECTIVE OVERLAYS	
PART NUMBER	MATERIAL
FPO36M	Mesh Vinyl
FPO48M	"
FPO36NR	Solid Vinyl
FPO48NR	"

REFLECTIVE OVERLAYS	
PART NUMBER	MATERIAL
FPO36R	Superbright™
FPO48R	"
FPO36MAR	Marathon™
FPO48MAR	"
FPO36DG	Diamond Grade™
FPO48DG	"

Legends marked with a ● are 36" and 48" signs complete with fiberglass rib sets that are kept in stock for immediate shipping in reflective Super Bright™ and non-reflective (solid and mesh) materials. Legends in **bold pink** are typically used for emergency traffic control situations. Sign legends may be printed on any reflective or non-reflective material and custom legends are available for an additional temporary screen fee. Most legends may be equipped with velcro strips to allow overlays to be utilized.

ACCIDENT AHEAD

ACCIDENT AHEAD RIGHT LANE
 ACCIDENT DETOUR AHEAD
 ARROW LEFT 45°
 ARROW RIGHT 45°
 ● BE PREPARED TO STOP
 BEGIN MOWING ZONE
 BLASTING ZONE TURN OFF 2-WAY RADIO
 BORDER ONLY
 BRIDGE INSPECTION CREW
 BUMP
 BUMP AHEAD
 CAUTION HIGH WATER
 CAUTION LOG TRUCKS
 CAUTION PEDESTRIAN CROSSING SYMBOL
 CAUTION SMOKE OR FOG AHEAD
 COMMAND POST
 DETOUR AHEAD
 DIP

EMERGENCY SCENE AHEAD

EMERGENCY TRUCK REPAIR AHEAD
 END MOWING ZONE
 END ROAD WORK
 END UTILITY WORK
 EQUIPMENT IN RIGHT LANE
 EXIT (WITH 45° UP RIGHT ARROW)
 EXIT CLOSED

FIRE ACTIVITY AHEAD

FIRE TRAINING AHEAD

FIRE TRAINING CENTER

● FLAGGER AHEAD

● FLAGGER SYMBOL

FLAGMAN AHEAD

FRESH OIL

FRESH OIL LOOSE GRAVEL

FRESH TAR

GIVE US A BRAKE SLOW DOWN

GUARDRAIL DAMAGE AHEAD

HEAVY EQUIPMENT CROSSING

HIGH WATER

HIT A WORKER \$10,000 FINE 14 YRS IN PRISON

INCIDENT AHEAD

LANE CLOSED AHEAD

LANE SHIFT LEFT ARROW (SYMBOL)

LANE SHIFT RIGHT ARROW (SYMBOL)

LEFT LANE CLOSED

LEFT LANE CLOSED AHEAD

LITTER CREW AHEAD

LITTER PICK-UP AHEAD

LOG TRUCKS ENTERING HIGHWAY

LOW SHOULDER

● MEN WORKING

MEN WORKING AHEAD

MERGE AHEAD

MERGE LEFT

MERGE RIGHT

MERGE WITH LEFT ARROW

MERGE WITH RIGHT ARROW

MOWERS AHEAD

MOWING AHEAD

MOWING OPERATIONS AHEAD

MOWING ZONE

NO CENTER STRIPE

NO PHONE ZONE

NO RIGHT TURN

● ONE LANE ROAD AHEAD

ONE LANE AHEAD

PIPELINE CONSTRUCTION AHEAD

PIPELINE CROSSING AHEAD

POTHOLE REPAIR AHEAD

POWER LINES WITH UP ARROW

PREPARE FOR SUDDEN STOP

PREPARE TO STOP

PRESCRIBED BURN AHEAD

PRESCRIBED BURN AHEAD DO NOT REPORT

RAMP WORK AHEAD

REDUCED SPEED AHEAD

RESUME SPEED THANK YOU

RESTROOM BUILDING CLOSED

● RIGHT LANE CLOSED

● RIGHT LANE CLOSED AHEAD

RIGHT SHOULDER CLOSED AHEAD

RIGHT TURN LANE CLOSED

RIGHT TWO LANES CLOSED

ROAD CLOSED

● ROAD CLOSED AHEAD

ROAD CLOSED TO THRU TRAFFIC

ROAD FLOODED

ROAD MACHINERY AHEAD

● ROAD WORK AHEAD

ROAD WORK AHEAD FRESH OIL

ROUGH ROAD

SAFETY BELT ENFORCEMENT ZONE

SAFETY RESTRAINT CHECKPOINT AHEAD

SHOULDER CLOSED

SHOULDER DROP-OFF

SHOULDER WORK

SHOULDER WORK AHEAD

SIDEWALK CLOSED

SLIPPERY WHEN WET SYMBOL

SLOW

SLOW SOBRIETY CHECKPOINT AHEAD

SOFT SHOULDER

SPEED LIMIT XX

SPRAYING OPERATIONS AHEAD

STATE POLICE SAFETY CHECK

STEEL PLATE IN ROADWAY

STOP AHEAD

STOP SLOW SYMBOL (FULL STAFF)

STOP (OCTAGON)

SURVEY CREW

SURVEY CREW AHEAD

SWEEPER AHEAD

TELEPHONE WORKERS AHEAD

TOW TRUCK AHEAD

TRAFFIC EMERGENCY AHEAD

TRAFFIC FINES DOUBLE IN WORK ZONES

TRAFFIC FINES DOUBLED IN WORK ZONES

TRAFFIC SURVEY AHEAD

TRAINING EXERCISE AHEAD

TRANSITION LEFT SYMBOL (NEW STYLE)

TRANSITION RIGHT SYMBOL (NEW STYLE)

TREE WORK AHEAD

TRUCK CROSSING

TRUCK SCALES AHEAD

TRUCKS ENTERING

TRUCKS ENTERING AND LEAVING HWY.

TRUCKS ENTERING HIGHWAY

TRUCKS HAULING

UNEVEN LANES

UTILITY CONSTRUCTION AHEAD

● UTILITY WORK AHEAD

UTILITY WORKERS AHEAD

WATCH FOR SLOW TRAFFIC

WATCH FOR STOPPED TRAFFIC

WATCH FOR WATER ON ROAD

WATER BREAK AHEAD

WATER OVER ROAD

WORK AREA AHEAD

WORK ZONE BEGINS (SQUARE)


● WORKER SYMBOL

WORKERS


WORKERS AHEAD

WORKERS ON ROADWAY

YIELD (TRIANGLE)




Standard overlays attach to signs with velcro. Many other messages available on request




We have the ability to manufacture special shaped signs and custom legends to your specifications.

Flag Holders for Detachable Flags With Round Staffs



These flagholders are made of zinc plated steel and are for use with flags that have a 3/4" round staff. See flags on page 37.

1. **FHRU** - Has a front and back plate that clamp together with four nuts and screws allowing the flagholder to be attached to the vertical rib of a roll-up sign without drilling a hole through the rib. Displays three flags.
2. **RL-FH3** - Has a channel shaped plate and a single hole allowing it to be attached to the vertical rib of a roll-up sign with a single nut and bolt, a 1/4" hole in the vertical rib is required. Displays three flags.
3. **FH3010** - This is flagholder comes installed on our full size sign stands, such as the TF18, and may be attached with screws to replace damaged units or added to rigid signs, barricades, or posts. Displays three flags.
4. **FH-STABLOCK** - Designed for use with the Fold and Roll™ sign system, this flagholder sockets into the 1" square vertical tube and locks in place with a spring button. Displays two flags.



Delta™ Pockets

At 3/4" deep, the Delta Pocket is designed to be easier to deploy than conventional pockets. Made of tough polycarbonate, it features three rivet points for increased strength and is used on the horizontal corners only. Compact size and molded channel for the velcro strap allow for the smallest storage diameter in the industry.




Rectangular Pockets

Featuring a full depth design, rectangular pockets are typically used at the top and bottom of the sign. Made of tough polycarbonate, they will fit all pocket style sign holders. Two rivets are housed within the body of the pocket making them more durable than most other designs. These pockets may be installed on the horizontal corners if requested.



UniClamp (UC100) - optional

A specially designed all zinc plated steel bracket allows roll-up signs to attach to many vertical masts, with square or round posts, in a variety of diameters. Bracket lays flat and is rolled up with the sign for storage. UniClamp is available factory installed or as a retro fit.




Folding Flag System (FFS-2-B) - optional

The folding flag system allows permanent attachment of two 18" vinyl flags to roll-up signs. Flags roll up with the sign for storage and are always available for fast deployment. Sliding clips quickly lock flags in their open positions.



Overlays - optional

Most signs may have velcro added to specific words that allows for multiple messages to be displayed using a single roll-up sign. Overlays are made from the same material as the sign and come with velcro strips on the back. Snap attachment is also available on request.



Roll-Up Bracket (RUB3315) - optional

This bracket allows roll-up signs to be mounted to the vertical mast on full size sign stands. Horizontal fiberglass ribs, up to 1/4" thick, slide down locking the sign securely into bracket. A quick pull on the spring loaded catch releases the sign. Zinc plated steel bracket is held in place on the mast with "L" shaped screw handle which allows it to be height-adjustable. Stands with part numbers ending in RUB or RG/RU come with the RUB3315 installed, it may also be ordered as a separate item.

Safety Vests - V1000



Mic clip and pencil pocket



Adjustable side straps



Optional Reflective Message Patches

Low visibility is one of the most serious hazards facing workers along our nation's roadways today.

ANSI/ISEA 207-2011 is a nationally recognized performance based standard for high-visibility apparel. By using an ANSI class garment the user maximizes their visibility to the motorist. The standard offers three classes of garments based on worker hazards, complexity of the work zone, vehicular traffic and speed considerations. ANSI Class II and Class III garments require 360 degree retro-reflectivity with specific criteria regarding width, placement and spacing of the tape, along with color brightness of the background material. In addition, Class III garments now require sleeves with reflective encircling the arm.

V1000 Vest	
Class	2
Material	Solid Lime Polyester
Stripes	4" Orange with 2" Reflective Silver
Features	Size adjustable side straps, tear-away design, pencil and expandable radio pockets, mic clip, message provision on back, hook & loop closure
Sizes	Adjustable, One Size Fits Most



Optional Reflective Message Patches

VP-SI - Message Patch	
Material	9" x 6" Silver Reflective Vinyl
Features	Hook and Loop Attachment


VP30 - Standard Message Patch Legends
 (VP31 - FIRE, VP32 - POLICE)

ACCOUNTABILITY	HAZMAT
AIR OPERATION	INCIDENT
AIR SUPPLY	INCIDENT COMMAND
AMBULANCE	INCIDENT COMMANDER
ASSISTANT CHIEF	INFORMATION OFFICER
BATTALION CHIEF	LIEUTENANT
CAPTAIN	LOGISTICS
CHAPLAIN	MEDIA
CHIEF	MEDIC
COMMAND	OEM
COMMANDER ACCOUNTABILITY	OPERATION
CRASH RESCUE	OPERATIONS
DEPUTY CHIEF	OPS
DIRECTOR	PARAMEDIC
EMERGENCY MANAGEMENT	PIO
EMS	POLICE (#VP32)
EMS COMMAND	PUBLIC HEALTH
EMT	PUBLIC WORKS
EXISTING	REHAB
FIRE (#VP31)	RESCUE
FIRE - EMS	SAFETY
FIRE / EMS	SAFETY OFFICER
FIRE / MEDIC	SECURITY
FIRE CHIEF	SHERIFF
FIRE DEPT	STAGING
FIRE POLICE	TRIAGE
FIRE RESCUE	VICTIM ASSISTANCE
FIREFIGHTER	VOLUNTEER
FIRST RESPONDER	WATER SUPPLY

Custom messages available on request

Public Safety Vests meeting ANSI/ISEA 207-2011 standards are specially designed to provide unrestricted access to equipment, weapons, and medical devices that may be worn at the waist.

- Constructed of comfortable mesh polyester material.
- Five point tear away – shoulders, sides and front.
- Reflective stripes provide 360 degree visibility.
- Short in front design allows access to equipment belt.
- Adjustable side straps for custom fit.
- Constructed of at least 450 square inches of background material and 201 square inches of retro- reflective tape.
- Expandable radio pocket and pencil pocket.
- Tabs for mic or phone over upper chest on both sides.
- Provision for reflective I.D. panel on back.
- Plastic pocket for slide-in I.D. panel on front and back.
- **VP-SI** reflective I.D. panels sold separately. Standard and custom messages available.
- Available in blue, red, green, and orange trim.



V750 - Blue Trim



V760 - Red Trim



V770 - Green Trim



V780 - Orange Trim



V150 (Lime) V250 (Orange)

Class	3
Material	Mesh Lime or Orange Polyester
Stripes	2" Reflective Silver
Features	Pencil pocket, zipper pocket, zipper closure
Sizes	Med. thru 5XL

V155 (Lime) V255 (Orange)

Class	3
Material	Mesh Lime or Orange Polyester
Stripes	4" Contrasting w/2" Reflective Silver
Features	Expandable radio pocket, pencil pocket, zipper pocket, large inner pocket, zipper closure
Sizes	Med. thru 5XL

V275

Class	3
Material	Mesh Orange/Lime Polyester
Stripes	4" Contrasting w/2" Reflective Silver
Features	Expandable radio pocket, pencil pocket, zipper pocket, large inner pocket, zipper closure
Sizes	Med. thru 5XL



V355 (Lime) V455 (Orange)

Class	3
Material	Solid Lime or Orange Polyester
Stripes	4" Contrasting w/2" Reflective Silver
Features	Expandable radio pocket, pencil pocket, zipper pocket, large inner pocket, zipper closure
Sizes	Med. thru 5XL

VB155 (Lime) VB255 (Orange)

Class	3
Material	Mesh Lime or Orange Polyester
Stripes	4" Contrasting w/2" Reflective Silver
Features	5 point Tear-Away design, expandable radio pocket, pencil pocket, zipper pocket, large inner pocket, hook and loop closure
Sizes	Med. thru 5XL

New! ANSI Class 3 Vests with Reflective Bias Trim



Nighttime Reflectivity

- Meets ANSI/ISEA 107-2010 Class 3 standards.
- Mesh polyester material.
- 2" reflective silver stripes with contrasting 1" border.
- New 1/2" bias reflective trim for added nighttime visibility.
- Expandable radio pocket, breast and pencil pockets, outside pockets with flaps, and two inside pockets.
- Zipper closure.
- Four grommets.
- Sizes: Medium - 5XL

New!



V555 (Lime) V655 (Orange)



5 Point Tear-Away

V1100 (Lime) V1200 (Or.)

Class	2
Material	Solid Front, Mesh Back
Stripes	4" Contrasting w/2" Refl. Silver
Features	Expandable radio pocket, pencil pocket, zipper pocket, large inner pocket, zipper closure
Sizes	Med. thru 5XL

V1300 (Lime) V1400 (Or.)

Class	2
Material	Mesh Lime or Orange Polyester
Stripes	4" Contrasting w/2" Refl. Silver
Features	Expandable radio pocket, pencil pocket, zipper pocket, large inner pocket, zipper closure
Sizes	Med. thru 5XL

V1500-STD (Lime) V1600-STD (Orange)
V1500-JUMBO (Lime) V1600-JUMBO (Or.)

Class	2
Material	Mesh Lime or Orange Polyester
Stripes	4" Contrasting w/2" Reflective Silver
Features	5 point tear-away design, adjustable side straps for a custom fit in Standard (M - 2XL) and Jumbo (3XL - 5XL), no pockets, hook and loop closure
Sizes	Adjustable



5 Point Tear-Away



VB30 (Lime)

Class	2
Material	Lime Mesh Polyester
Stripes	2" Reflective Silver
Features	5 Point Tear-Away design, hook and loop closure
Sizes	Med. thru 5XL

VH302-2 (Lime) VH402-2 (Or.)

Class	2
Material	Lime or Orange Solid Polyester
Stripes	2" High Gloss Reflective
Features	Expandable radio pocket, mic clip, outside zipper pocket, large 5" x 7" inner pocket, snap closure
Sizes	Med. thru 5XL

Safety Vests

Class 2 vests meet ANSI Class 2 standards for worker safety.



V30	
Class	2
Material	Mesh Lime Polyester
Stripes	2" Reflective Silver
Features	Hook and loop closure
Sizes	Med. thru 5XL

V30-2	
Class	2
Material	Mesh Lime Polyester
Stripes	2" Reflective Silver
Features	Hook and loop closure, two horizontal reflective stripes
Sizes	Med. thru 5XL

V31	
Class	2
Material	Mesh Lime Polyester
Stripes	2" Reflective Silver
Features	Zipper closure
Sizes	Med. thru 5XL

V31-2	
Class	2
Material	Mesh Lime Polyester
Stripes	2" Reflective Silver
Features	Zipper closure, two horizontal reflective stripes
Sizes	Med. thru 5XL



V40	
Class	2
Material	Mesh Orange Polyester
Stripes	2" Reflective Silver
Features	Hook and loop closure
Sizes	Med. thru 5XL

V40-2	
Class	2
Material	Mesh Orange Polyester
Stripes	2" Reflective Silver
Features	Hook and loop closure, two horizontal reflective stripes
Sizes	Med. thru 5XL

V41	
Class	2
Material	Mesh Orange Polyester
Stripes	2" Reflective Silver
Features	Zipper closure
Sizes	Med. thru 5XL

V41-2	
Class	2
Material	Mesh Orange Polyester
Stripes	2" Reflective Silver
Features	Zipper closure, two horizontal reflective stripes
Sizes	Med. thru 5XL



V100	
Class	2
Material	Lime Mesh Polyester
Stripes	2" Refl. Silver
Features	Outside Zipper Pocket, Large 5" x 7" Inner Pocket, Hook and Loop Closure
Sizes	Med. thru 5XL

V200	
Class	2
Material	Orange Mesh Polyester
Stripes	2" Refl. Silver
Features	Outside Zipper Pocket, Large 5" x 7" Inner Pocket, Hook and Loop Closure
Sizes	Med. thru 5XL

V300	
Class	2
Material	Lime Solid Polyester
Stripes	2" Refl. Silver
Features	Outside Zipper Pocket, Large 5" x 7" Inner Pocket, Pencil Pocket, Zipper Closure
Sizes	Med. thru 5XL

V400	
Class	2
Material	Orange Solid Polyester
Stripes	2" Refl. Silver
Features	Outside Zipper Pocket, Large 5" x 7" Inner Pocket, Pencil Pocket, Zipper Closure
Sizes	Med. thru 5XL

New! ANSI Class 2 Vest with Reflective Bias Trim



- Meets ANSI/ISEA 107-2010 Class 2 requirements.
- Mesh polyester material.
- 2" reflective silver stripes with contrasting 1" border.
- New 1/2" bias reflective trim for added nighttime visibility.
- Expandable radio pocket, breast and pencil pockets, two outside pockets with flaps, and two inside pockets.
- Zipper closure.
- Four grommets.
- Sizes: Medium - 5XL

New!

Reflective bias trim for enhanced nighttime visibility.



Surveyors Vests

- Meets ANSI/ISEA 107-2010 Class 2 requirements.
- Soft mesh top with solid bottom.
- Snap front closure.
- 2" reflective silver stripes
- Two lower 8" x 14" pockets with hook and loop flap closure.
- Upper right pocket with hook and loop flap closure.
- Upper left pencil pocket.
- Available in orange (**V210**), or lime yellow (**V310**).
- Large 8" x 28" lower backside **map pocket** with snap closure.
- Sizes: Medium - 5XL





VFR3200

VFR3200 - Class 2 Solid FR Modacrylic Fabric


- ANSI/ISEA 107-2010 compliant.
- Meets ASTM F1506 Arc test 5.5 cal/cm², NFPA 70E.
- 2" industrial wash retro reflective stripes.
- Modacrylic flame resistant background material.
- Flame resistant hook and loop front closure.
- 5 point breakaway design.
- Fully adjustable side tabs for a custom fit.
- Standard pockets.
- **VFR4200** - Orange modacrylic with silver stripes:



VFR3300

VFR3300 - Class 2 Mesh FR Modacrylic Fabric

- ANSI/ISEA 107-2010 compliant.
- Meets ASTM F1506 Arc test 5.1 cal/cm², NFPA 70E.
- 2" industrial wash retro reflective stripes.
- Flame resistant hook and loop front closure.
- Modacrylic mesh fabric: lightweight, breathable, and flame resistant.
- Standard pockets.
- Sizes: Med. - 5XL



Mesh material



VFR3000

VFR3100

VFR3000 & VFR3100 - Class 2 Solid FR Modacrylic Fabric

- ANSI/ISEA 107-2010 compliant.
- Meets ASTM F1506 Arc test 5.5 cal/cm², NFPA 70E.
- **VFR3000** has 2" industrial wash retro reflective stripes.
- **VFR3100** has 2" Reflexite UFR Brilliance™ lime refl. stripes.
- Modacrylic flame resistant background material.
- Flame resistant hook and loop front closure.
- Standard pockets - Sizes: Med. - 5XL
- Also available in orange modacrylic:
 - **VFR4000** - Orange with silver stripes.
 - **VFR4100** - Orange with lime stripes.



VFR3500



All vests feature our standard multiple pocket configuration: triple pencil pocket and breast pocket left side, single breast pocket on the right.

VFR3500 - Class 3 Mesh FR Modacrylic Fabric

- ANSI/ISEA 107-2010 compliant.
- Meets ASTM F1506 Arc test 5.1 cal/cm², NFPA 70E.
- 2" industrial wash retro reflective stripes.
- Flame resistant hook and loop front closure.
- Modacrylic mesh fabric: lightweight, breathable, and flame resistant.
- Standard pockets.
- Sizes: Med. - 5XL



All FR vests are Made in AMERICA

Ask about antistatic versions of the FR vests shown above.



V10	
Material	Mesh Lime Polyester
Stripes	2" Orange/Reflective Silver
Sizes	One size fits most



V12	
Material	Mesh Lime Polyester
Stripes	1" Reflective White
Sizes	One size fits most



V19	
Material	Mesh Lime Polyester
Stripes	None
Sizes	One size fits most



V20	
Material	Mesh Orange Polyester
Stripes	3/4" Reflective Lime
Sizes	One size fits most



V22	
Material	Mesh Orange Polyester
Stripes	2" Reflective Lime
Sizes	One size fits most



V24	
Material	Mesh Orange Polyester
Stripes	2" Lime/Reflective Silver
Sizes	One size fits most




V29	
Material	Mesh Orange Polyester
Stripes	None
Sizes	One size fits most

Class E Pants



- ANSI 107-2010 compliant Class E pants.
- ANSI Class 3 compliant when worn with Dicke Class 2 vests, t-shirts, or jackets.
- Drawstring waist with elastic.
- Pass through side pockets.
- Adjustable pant leg opening with heavy duty snaps for tight fit.
- Popular 4" triple trim reflective stripes.
- **P1100** and **P1200** feature washable polyester and combine a solid top half with a mesh bottom for added strength and comfort.
- **P1300** is all mesh with horizontal and vertical stripes.
- **P1500** is made of water resistant polyurethane fabric.
- Sizes: M/L, XL/2XL, 3XL/4XL



Solid top/mesh bottom (P1100 & P1200)

P1100	
Material	Lime Mesh/Solid Polyester
Stripes	4" Orange With 2" Refl. Silver

P1200	
Material	Orange Mesh/Solid Polyester
Stripes	4" Lime With 2" Refl. Silver

P1300	
Material	Lime Mesh
Stripes	4" Orange With 2" Refl. Silver

P1500	
Material	Lime/Blue Polyurethane
Stripes	2" Reflective Silver

T-Shirts



TS200 - Class 2

T-shirts are made from comfortable wicking polyester material and are available in both orange and lime colors. T-shirts with reflective stripes meet ANSI/ISEA 107-2010 Class 2 and/or Class 3 specifications. All shirts have a front left breast pocket and most styles are available with long or short sleeves in sizes Medium through 5XL. **TS29** and **TS39** are also available in Small.

Due to ANSI background material square inch requirements, Small Class 2 & 3 T-shirts are not available. Medium Class 2 & 3 T-shirts are longer than non-reflective models in order to provide the required amount of background material (see pg. 36).



TS19



TS151 - Class 3

Model	Color	Refl. Stripes	Sleeves	ANSI Class
TS19	Lime	No	Short	---
TS29	Orange	No	Short	---
TS39	Lime	No	Long	---
TS49	Orange	No	Long	---
TS100	Lime	Yes	Short	2
TS200	Orange	Yes	Short	2
TS151	Lime	Yes	Short	3
TS251	Orange	Yes	Short	3
TS350	Lime	Yes	Long	3
TS450	Orange	Yes	Long	3



TS450 - Class 3

New!

New! Polo Shirts



PS100



PS200

- Meets ANSI/ISEA Class 2 requirements.
- 100% polyester breathable knit.
- Chest pocket with pen slot.
- Three button neck.
- 2" heat applied reflective silver stripes.
- Navy blue on the bottom front to hide dirt.
- Available in lime/navy and orange/navy color combinations.
- PS100 - Lime/Navy
- PS200 - Orange/Navy

J6200 Windbreaker - ANSI Class 3

- Meets ANSI/ISEA 107-2010 Class 3 requirements.
- Weather resistant polyurethane coated fabric.
- Comfortable mesh inner liner.
- 2" wide silver reflective stripes.
- Two outside lower hand pockets and expandable breast pocket.
- Large inside breast pocket with hook and loop closure.
- Zip-off drawstring hood.
- Drawstring bottom cinches for tight fit.
- Sizes: Medium – 5XL



SS250



SS150

Hooded Pull-Over Sweatshirts

- Meets ANSI/ISEA 107-2010 Class 3 requirements.
- Pull-over style with hood, made from 100% polyester fabric.
- Lined sleeves for easy pull-on and pull-off.
- Black lower front color prevents dirt and grime from showing.
- Hood is sewn flat at the crown providing comfort when worn with hard hat.
- Front pouch pocket.
- Heavy duty stitching with rib knit cuffing.
- 2" reflective silver stripes..
- **SS150** - Lime/Black
- **SS250** - Orange/Black
- Sizes: Medium – 5XL

SC100 Reflective Knit Cap

- 100% soft acrylic knitted fabric.
- 360° strip of reflective polyester yarn for added visibility.
- Hi-viz lime color.
- One size fits all.



SR10 Shin Reflectors

- Made of ANSI compliant materials.
- Lightweight lime polyester mesh.
- 2" reflective stripes, 360° pattern.
- Easy on/off hook and loop straps.
- Adjustable - one size fits all.



New! SZ150 Zippered Sweatshirts

- Meets ANSI/ISEA 107-2010 Class 3 requirements.
- Zipper style with hood.
- 100% polyester fabric.
- Lined sleeves for easy pull-on and pull-off.
- Black lower front color prevents dirt and grime from showing.
- Hood is sewn flat at the crown providing comfort when worn with hard hat.
- Front pouch pocket.
- Heavy duty stitching with rib knit cuffing.
- 2" reflective silver stripes.
- Sizes: Medium – 5XL



New!

Bomber Jackets



J3201



All parkas and jackets feature drawstring hoods that store in collar

J3400



Bomber Jackets - Lime Bottom

- Jackets meet ANSI 107-2010 Class 3 standards.
- Dual orange/lime color to maximize visibility.
- Weather resistant polyurethane coated fabric.
- Zip-out, drawstring hood.
- Fleece lined front pockets.
- Front radio pocket.
- Pencil pocket on sleeve.
- 2" silver stripes.
- **J3201** has a permanent liner.
- **J4211** features a removable lime polar fleece liner with 2" reflective stripes that may be worn as a separate Class 3 garment.



J4211 - w/Removeable Liner

Bomber Jackets - Black Bottom

- Meets ANSI 107-2010 Class 3 standards.
- Features black color on bottom half of the jacket to reduce the appearance of dirt.
- Weather resistant polyurethane coated fabric.
- Zip-out, drawstring hood.
- Fleece lined front pockets.
- Radio pocket.
- 2" silver reflective stripes.
- **J3300** - Lime/black
- **J3400** - Orange/black



J3300



New! FJ150 Fleece Jacket

- Meets ANSI/ISEA 107-2010 Class 3 standards.
- 100% polyester hi-viz polar fleece.
- Front zipper.
- Cell phone pocket
- Two lower hand warmer pockets.
- Black trim around waist and cuffs to hide dirt.



J5200 Parka

- Meets ANSI 107-2010 Class 3 requirements.
- Hi-viz orange and lime over blue maximizes visibility.
- 2" wide reflective silver stripes.
- Weather resistant polyurethane coated fabric.
- Quilted inside liner, zip-out drawstring hood.
- Expandable outside breast pocket.
- Two large outside pockets have top flaps with hook and loop closure.
- Two large inside pockets and inside pencil pocket.
- Drawstring bottom cinches tight for warmth.
- Sizes: Medium through 5XL



All parkas and jackets feature drawstring hoods that store in collar



Garment Customizing

With several methods to choose from, customizing your safety vests, t-shirts, and jackets with your company logo or message is easy. Please call for more information.

- **Silk Screen** - Single Color
- **Heat Transfer** – Multicolor & More Detailed Logos
- **Reflective Heat Transfer** – Silver 3M Scotchlite



Heat Transfers



Screen Printing



DICKE Safety Garments

SIZING INFORMATION



Vest Sizing

Size	Chest	Length
Small	36" - 38"	24"
Medium	40" - 42"	26"
Large	44" - 46"	27"
X-Large	48" - 50"	28"
2X-Large	52" - 54"	28"
3X-Large	56" - 58"	29"
4X-Large	60" - 62"	29"
5X-Large	64" - 66"	30"

T-Shirt Sizing

Size	Chest	Length
Small*	36"	28"
Medium*	42"	29"
Large	46"	30"
X-Large	50"	30"
2X-Large	54"	31"
3X-Large	58"	31"
4X-Large	62"	32"
5X-Large	66"	33"

Jacket Sizing

Size	Chest	Length	Parka Chest	Parka Length
Medium	48"	28"	48"	34"
Large	52"	29"	52"	35"
X-Large	54"	29"	54"	36"
2X-Large	56"	30"	56"	36"
3X-Large	58"	30"	58"	36"
4X-Large	60"	31"	60"	37"
5X-Large	62"	32"	62"	37"

Pants Sizing

Size	Waist	Inseam
M/L	36"	24"
XL/2XL	42"	26"
3XL/4XL	46"	27"

ANSI/ISEA 107-2010/207-2006 Summary

	CLASS 1	CLASS 2	CLASS 3	CLASS E	PUBLIC SAFETY (207)	HEADWEAR
BACKGROUND FABRIC MINIMUM	217 Sq."	775 Sq."	1240 Sq."	465 Sq."	465 Sq."	78 Sq."
RETROREFLECTIVE MATERIAL MINIMUM	155 Sq."	201 Sq."	310 Sq."	108 Sq."	201 Sq."	10 Sq."

In order to comply with the minimum square inch requirements for background material and reflective trim of ANSI/ISEA 107-2010, medium size garments may have a larger or longer pattern than larger sized garments of the same style. Due to these requirements, "small" sized garments meeting ANSI Class 2 or 3 are not currently offered.

Wearing new or like new garments increases the likelihood the user will be seen at greater distances. High Visibility safety wear has a limited life expectancy. Those responsible for the care and inspection of these should note that actual lifetimes vary based upon exposure to the environment, normal use, misuse, handling, and cleaning. Proper inspection of the background and retro reflective materials including comparing to new garments will help to insure optimum daytime and nighttime visibility. Please visit http://www.dicketool.com/Products/SafetyApparel/Vests_FAQs.htm for more details.

Warning Flags - Orange



18" and 24" mesh and solid vinyl flags, blaze orange color, are available with or without 3/4" round wood staffs. Mesh flags have cloth binding.

Model Number	Flag Size	Flag Material	Staff
1024-18	18"	Vinyl	24" Wood
1030-18	18"	Vinyl	30" Wood
1036-18	18"	Vinyl	36" Wood
1036-24	24"	Vinyl	36" Wood
1010-18	18"	Vinyl	No Staff
1010-18W	18"	Vinyl	Tailgate Flag, Wire Loop
1024-18M	18"	Mesh	24" Wood
1030-18M	18"	Mesh	30" Wood
1036-18M	18"	Mesh	36" Wood
1036-24M	24"	Mesh	36" Wood
1010-18M	18"	Mesh	No Staff
1010-18MW	18"	Mesh	Tailgate Flag, Wire Loop

Flags



"STOP" Flag


Model number **1030P-18S** is an 18" x 18" nylon flag with "STOP" printed on both sides. Featuring 1-1/2" lime/silver reflective stripes and 3/4" x 30" long pvc staff.



Orange Vinyl "GROUNDS" Flag


Model number **1016-GDS** is a 16" sq. orange nylon reinforced vinyl flag with 1-1/2" wide lime reflective stripes. Featuring a wire loop stiffener at the top and weighted bottom, it is for use around transformers, switch-gears, substations, etc., to inform personnel where protective grounds are located.

Warning Flags - Red



18" and 24" square nylon reinforced vinyl flags come with a 3/4" diameter wood staff. Some models have a rigid stay sewn in which helps keep the flag fully open at all times. All flags with staffs comply with MUTCD emergency flagging requirements for red warning flags (6E.03 – Hand Signalizing Devices). Cloth tailgate flags have a wire loop for easy attachment to loads.

Model Number	Flag Size	Flag Material	Staff
2024-18	18"	Vinyl	24" Wood
2024-18S	18"	Vinyl w/Stay	24" Wood
2036-24	24"	Vinyl	36" Wood
2036-24S	24"	Vinyl w/Stay	36" Wood
2010-18CW	18"	Cloth	Wire Loop



Red Reflective Flag

Model number **2010-1819-SBR** is an 18" X 18" red Superbright™ flag with a 30" wood staff.



Orange Vinyl Flag w/Reflective Stripe

Model **1036-24RS** is a 24" X 24" orange vinyl flag with a 2" wide silver reflective bottom stripe and 36" staff.



New!

Airport Flag

Model number **APFS** is a 36" X 36" orange and white sewn nylon airport flag w/stitched pocket for mounting to a pole (max. diameter of 3/4"). Meets FAAAC 150-5210-5C & AC 150-5200-18C standards.

Roll-Up Stop/Slow Kits

Roll-Up stop/slow paddles offer full size paddles in a compact, lightweight, and easy to store design. Available in 18" and 24" octagons and in a variety of reflective and non-reflective materials, these kits come complete with double sided roll-up sign face, handle, and storage bag.

- Meet all MUTCD specifications.
- Available in reflective (Super Bright™, Diamond Grade™, Marathon™) or non-reflective vinyl.
- Your choice of 18" or 24" octagon.
- Handle options include telescopic and 3 piece snap together models providing 6' and 7' display heights (from bottom of sign to ground).
- Kits include the sign face, handle sections, and protective storage bag.



SB243A roll-up stop/slow paddle kit contents



SB243A roll-up stop/slow paddle Bomber jackets, page 34, pants page 31.

5' - 2 pc. Extension Handle (6' overall height from bottom of sign to ground)			6' - 2 pc. Extension Handle (7' overall height from bottom of sign to ground)			Telescopic Extension Handle (6' and 7' overall height from bottom of sign to ground)		
Model Number	Octagon Size	Sign Material	Model Number	Octagon Size	Sign Material	Model Number	Octagon Size	Sign Material
NR183A	18"	Non-Reflective Vinyl	NR183A6	18"	Non-Reflective Vinyl	NR183AT	18"	Non-Reflective Vinyl
NR243A	24"	Non-Reflective Vinyl	NR243A6	24"	Non-Reflective Vinyl	NR243AT	24"	Non-Reflective Vinyl
SB183A	18"	Reflective Superbright™	SB183A6	18"	Reflective Superbright™	SB183AT	18"	Reflective Superbright™
SB243A	24"	Reflective Superbright™	SB243A6	24"	Reflective Superbright™	SB243AT	24"	Reflective Superbright™
DG183A	18"	Reflective Diamond Grade™	DG183A6	18"	Reflective Diamond Grade™	DG183AT	18"	Reflective Diamond Grade™
DG243A	24"	Reflective Diamond Grade™	DG243A6	24"	Reflective Diamond Grade™	DG243AT	24"	Reflective Diamond Grade™
MR183A	18"	Reflective Marathon™	MR183A6	18"	Reflective Marathon™	MR183AT	18"	Reflective Marathon™
MR243A	24"	Reflective Marathon™	MR243A6	24"	Reflective Marathon™	MR243AT	24"	Reflective Marathon™

Rigid Stop/Slow Kits (Aluminum & Plastic Octagon)

Rigid stop/slow paddles are available in both 18" and 24" octagon versions with reflective and non-reflective surfaces. Choose either plastic or aluminum substrates. All rigid stop/slow paddles come with a 12" ABS plastic handle attached, full-length extension handles available to accommodate various paddle heights requirements.

- Meet all MUTCD specifications.
- STOP/STOP (-ST/ST) versions available with 18" non-reflective and engineer grade reflective sheeting.
- Your choice of 18" or 24" octagon.



P52A



A24HIA Stop/Slow Paddle


Rigid Stop/Slow - Aluminum		
Model Number	Octagon Size	Sign Material
A18EGA	18"	Engineering Grade Reflective
A24EGA	24"	Engineering Grade Reflective
A18HIA	18"	High Intensity Reflective
A24HIA	24"	High Intensity Reflective
A18DGA	18"	Diamond Grade™ Reflective
A24DGA	24"	Diamond Grade™ Reflective

Extension Handles (Hts. from bottom of sign to ground)	
P51A	One Piece Plastic Handle for 6' Height
P52A	Two Piece Plastic Handle For 6' Height
P52AT	Telescopic Plastic Handle For 6' and 7' Heights
P61A	One Piece Plastic Handle For 7' Height
P62A	Two Piece Plastic Handle For 7' Height

Rigid Stop/Slow - Plastic		
Model Number	Octagon Size	Sign Material
P18NRA	18"	Non-Reflective
P18NRA-ST/ST	18"	Non-Reflective
P24NRA	24"	Non-Reflective
P18EGA	18"	Engineering Grade Reflective
P18EGA-ST/ST	18"	Engineering Grade Reflective
P24EGA	24"	Engineering Grade Reflective
P18HIA	18"	High Intensity Reflective
P24HIA	24"	High Intensity Reflective
P18DGA	18"	Diamond Grade™ Reflective
P24DGA	24"	Diamond Grade™ Reflective

Economy Stop/Slow Paddles

18" octagon shaped stop/slow paddles are ultra lightweight and economical. Made from corrugated coroplast plastic panels, they come with an 8" plastic handle and fasteners for quick screwdriver assembly. The C18NR is available in non-reflective STOP/SLOW and STOP/STOP versions, add a 5' or 6' pvc plastic handle for extra height. Handles are slotted at the top to engage the paddle preventing spinning and keeping the sign face properly oriented to traffic.



C18NR comes with 8" handle and slides into extension handles for added height

Model Number	Octagon Size	Type
C18NR	18"	Non-Reflective STOP/SLOW
C18NR-ST/ST	18"	Non-Reflective STOP/STOP



Economy Paddle Handles	
PVC60	60" Long
PVC72	72" Long


The 2009 MUTCD, Section 2C.02 Application of Warning Signs. Standard: *"...In situations where the condition or activity is seasonal or temporary, the warning sign should be removed or covered when the condition or activity does not exist..."*

- Convenient method of covering work zone construction signs when not in use.
- Sign covers are made of durable reinforced black vinyl.
- Quickly attach to sign via stretchable elastic corner straps.
- Standard sizes: 36"x 36", 48"x 48", 24"x 48" and 36"x 48".
- Standard sizes below, additional sizes available. Call for quote.



RSC36 - 36" x 36"
RSC48 - 48" x 48"

RSC2448 - 24" x 48"
RSC3648 - 36" x 48"



Equipment Bags



Sign System Bags

Designed to hold signs and stands, these bags are made of heavy duty vinyl and come with a webbing shoulder strap and zipper closure.

- B36** - Holds 2 - 36" signs and 2 compact stands
- B48** - Holds 2 - 48" signs and 2 compact stands
- B48SS** - Holds 1 - 48" sign and 1 Dynalite™ stand
- B36FR** - Holds 1 - 36" Fold & Roll™ system (p.14)
- B48FR** - Holds 1 - 48" Fold & Roll™ system (p.14)

Custom printing available for all bags


Equipment Bags

Vinyl bags come with handle straps, shoulder strap, zipper closure, and outside pocket with hook and loop closure.

- BE24** - 24" long equipment bag
- BE36** - 36" long equipment bag



Pennants



Plastic pennants, 8" wide x 12" long spaced at 8-1/2", come attached to a 60' or 100' braided cord.

- PLM-60** - 60' Multicolor Pennants
- PLM-100** - 100' Multicolor Pennants
- PLR-60** - 60' Red Pennants





Roll-Up Sign Bags

Protective bags for one roll-up sign. Made of heavy duty vinyl with a hook and loop closure. Model numbers ending in **H** feature a carrying handle.

- B36SO** - Holds 1 - 36" roll-up sign
- B36SOH** - Holds 1 - 36" roll-up sign
- B48SO** - Holds 1 - 48" roll-up sign
- B48SOH** - Holds 1 - 48" roll-up sign

5 Collapsible 28" Cones with Storage Bag

- Rugged black rubber base, 8 lb. weight.
- Cone features water-resistant solid nylon material in hi-viz orange for added visibility.
- 6" upper and 4" lower cone collars made of Reflexite prismatic sealed surface retro reflective material.
- Storage bag with zipper top and convenient carry straps holds 5 collapsible cones.
- Sold only in 5 packs w/bag.




Heavy duty vinyl case with handle and carrying strap system



PRG4A - Temporary Traffic Control Pocket Reference Guide

Help protect workers from construction work zone hazards. With continual traffic congestion, frustrated drivers, and deteriorating infrastructure, roadway work zone accidents have soared to an all-time high. **There are solutions** - insure that the right information is communicated and made available to each roadway worker exposed to danger. Positively guide motorist through work zones with proper equipment and placement. Bring work zones into compliance with Federal and State DOT requirements and OSHA standards.

Updated to current
MUTCD



Economical Job Aid for Technicians

- Based on the current Federal MUTCD.
- 80 thick, laminated, "field durable" pages.
- Quick reference charts and tables.
- Quick reference typical work zone drawings.
- Easy to use and easy application to roadways.
- Compact 7" x 3-5/8" size.

Typical Application Diagrams



Equipment and Procedures



Tables and Indexes



AC4D - "D" Cell Barricade Light

The **AC4D** barricade light combines an LED light source and 3-volt photocell technology with the popular "D" cell battery (batteries not included). Extra light intensity is achieved via a computer designed, high clarity, polycarbonate lens. Three modes are available on the **AC4D** - flash, steady, and off. Changing from a flashing type "A" to a steady burn type "C" and back again is simple with push on the easy to locate mode switch. Meets the May 2001 ITE purchase specification. Hardware included in each box of 10 lights: 10 - 3-1/2" bolts, 2 - on/off keys, and 1 wrench. Lights have an amber lens and your choice of several different case colors.

- AC4D - Yellow Body
- AC4D-BK - Black Body
- AC4D-GR - Green Body
- AC4D-BL - Blue Body
- AC4D-OR - Orange Body



MACD

The **MAC4D** combines all of the features of the AC4D with a mono-directional lens and yellow case.

The **RC4D** is a red lens version of the AC4D and comes with a yellow case.




RC4D

B4DH - High Intensity LED B-Light



- Exceeds I.T.E. and MUTCD standards.
- Tested in an approved independent laboratory to I.T.E. Type B requirements.
- Visor eliminates sun glare.
- Three selectable modes are available - flash, steady burn, and off.
- Light dims 50% at night - extends battery life.
- Available with amber lens.
- Operates on two or four alkaline "D" cell batteries (batteries not included).
- Lenses molded from UV stabilized polycarbonate.
- Case is high impact polypropylene.

PRO-B-CB - Cone Bracket for Barricade Lights



The **PRO-B-CB** cone bracket allows standard barricade lights to be mounted to traffic cones. Bolt the light to the bracket and drop over the cone. All plastic construction.

New!



TraffiLITE™ 6 Volt Incandescent Barricade Lights



The TraffiLITE™ features an **incandescent** bulb powered by a six volt lantern battery (not included). Offered in a flashing type "A" model, steady burn type "C", or in a combination "A" and "C" version. A finger loop on the circuit housing makes removing circuits from the upper case easy. TraffiLITE™ meets the May 2001 ITE purchase specification and is also available with a red lens. 10 - 3-3/4" bolts, 2 - on/off keys, and 1 wrench are included with each box of 10 lights.



TLW2S - 6V Steady Burn w/Photocell

TLW2S-R - 6V Steady Burn w/Photocell, **Red Lens**

TLW6S - 6V Flashing w/Photocell

TLW6S-R - 6V Flashing w/Photocell, **Red Lens**

TLW8S - 6V 3-Way (Flash/Steady/Off)

TLW8S-R - 6V 3-Way (Flash/Steady/Off), **Red Lens**

TraffiLITE™ 6 Volt LED Barricade Lights

The **TLL8S** TraffiLITE™ combines all of the features of the TLW8S with an **LED light source**. Modes: Flash, Steady Burn, or Off. 10 - 3-3/4" bolts, 2 - on/off keys, and 1 wrench are included with each box of 10 lights.

UniLamp™ 360° Flashing Light

UniLamp™ features a 360°, computer designed, high clarity polycarbonate lens. Two versions are available: flashing and flashing with photocell. The yellow case is made of high impact - polyethelene and comes with an integrated cone mounting bracket and adjustable bolt-mount option. UniLamp™ is powered by a 6 volt lantern battery (not included) and is also available with a red lens.




UCW6N - 6V Flashing

UCW6N-R - 6V Flashing, **Red Lens**

UCW6S - 6V Flashing w/Photocell

UCW6S-R - 6V Flashing w/Photocell, **Red Lens**



Cone Light



The Cone Light couples a mono-directional, computer designed polycarbonate amber lens with an LED light source in a convenient cone-mount design. Two models are available, flashing and steady burn, each with photocell. The yellow case is made of high impact polyethelene and is designed to fit standard traffic cones. The Cone Light is powered by a 6 volt lantern battery (not included).

CCL6S/AA/P/N/LA - 6V Flashing w/Photocell

CCL2S/AA/P/N/LA - 6V Steady Burn w/Photocell

New!


Sequential Lights

Sequential flashing warning lights have been independently tested and proven to improve nighttime temporary work zone and incident safety by providing better driver recognition of the upcoming merging taper.

SynchroGuide™ 6 Volt

Wireless Sequential Channelizing Device

- Sequential devices now referenced in the new 2009 MUTCD - Sect. 6F.63
- Devices are lit continuously with a momentary increase in intensity to give motorists positive guidance through the work zone.
- Separates motorist from work areas and drop-offs.
- Sequential channelizing devices provide for smooth and gradual traffic movement from one lane to another.
- Steady-burns in low intensity mode and pulses momentarily to higher intensity keeping motorists in their proper path and protecting workers.
- Carrying handle comes standard.
- Standard package: 10 devices per carton, weight per carton: 18.25 lbs.
- Operates on one or two 6 volt batteries (not included).



WSCD

Pro-B-LITE™ Rechargeable


Wireless Sequential Channelizing Device



The **Pro-B-LITE** fits easily in the trunk of most vehicles and trickle charges via 12V outlet to ensure continuous availability for rapid deployment in an emergency. Lights drop into the **ProBase-5** charging tray (supplied) and make charge contact automatically.

- Unique independently field-proven technology.
- Intelligent wireless technology - no wires.
- Deploys in any order - no master or slave.
- Dynamic directional taper guide for drivers.
- Reliable alternative to flares.
- ITE, VCA, and NCHRP-350 crash compliant.
- 5 light rechargeable kit always ready for quick deployment.
- 3 kits (15 lights) can be deployed for larger lane closures.
- FHWA MUTCD 6.F.63 compliant.
- Available with amber, red, or blue lens.

New!




PRO-B-AMBER (amber lens) - 5 lights w/charger base

PRO-B-BLUE (blue lens) - 5 lights w/charger base

PRO-B-RED (red lens) - 5 lights w/charger base

PROBASE-5 - Charger base only

PRO-B-CB - Cone bracket (see page 42)





- All beacons feature a 360°, computer designed high clarity polycarbonate lens.
- Wind tunnel tested for security of attachment at speeds of up to 160 mph.
- Two lamp choices: Xenon double flash or rotating Halogen.
- Rotating beacons run directly from the drive motor for quiet and efficient operation.
- Mounting choices: Magnetic or permanent.
- Power supply choices: Plug adapter or permanently wired.



TSMR12AMBMGU



LPSM12AMBMGU

- LPSM12AMBMGU - MiniBEACON Xenon Tube - Magnetic Base - Plug Adapter
- TSMR12AMB1BF - TrafiBEACON Halogen - Rotating - Single Bolt - Wired
- TSMR12AMBMGU - TrafiBEACON Halogen - Rotating - Magnetic Base - Plug Adapter
- TSMXDVAMB1BF - Xenon BEACON Xenon - Double Flash - Single Bolt - Wired
- TSMXDVAMBMGU - Xenon BEACON Xenon - Dbl. Flash - Magnetic Base - Plug Adapter

Conspicuity Tape

Part #	Description	Per Case	UOM	Type/Grade
46-001	2" X 150' 11/7/RW	15	Roll	V92 Daybright
46-002	2" X 18" 11/7/RW Strips	100	Strip	V92 Daybright
46-003	2" X 150' 6/6/RW	15	Roll	V92 Daybright
46-004	2" X 150' 11/7/RW	15	Roll	V82 OEM Grade
46-005	2" X 12" Solid White Strips	100	Strip	V82 OEM Grade
46-006	2" X 25' 11/7/RW	25	Roll	V92 Daybright
46-007	2" X 150' Solid Yellow	15	Roll	V82 OEM Grade
46-008	2" X 150' Solid Yellow	10	Roll	V82 OEM Grade
46-009	2" X 150' Solid Yellow	15	Roll	V92 Daybright
46-010	1" X 150' Solid White	10	Roll	V92 Daybright
46-011	6" X 150' Solid Red	5	Roll	V98
46-012	6" X 150' Fluorescent Lime	5	Roll	V98
46-013	1" X 150' Solid Yellow	10	Roll	V92 Daybright
46-014	3.75" X 6.5" American Flag	25	Piece	V92 Daybright

*RW = Red/White alternating colors

- Self-adhesive - high visibility reflective tape.
- High performance polyester film.
- Thin and flexible.
- Weather resistant.
- Maintains reflectivity after impact.
- **V92 Daybright** - White lines in pattern for maximum daytime visibility.
- **V98** - Conforms to vehicle shapes and curves.

New!



V92 Daybright

Oversize/Long Load Banners





Banners are available in reflective yellow Super Bright™ or non-reflective yellow vinyl with grommets in each corner.

- B50NR - 60" x 12" Oversize Load - yellow, non-reflective
- B70NR - 84" x 18" Oversize Load - yellow, non-reflective
- B70SB - 84" x 18" Oversize Load - yellow, reflective
- B7LSB - 84" x 18" Long Load Banner, yellow, reflective

Helmet Patches 97-130

- Reflective fluorescent lime for day and night visibility.
- Weather resistant.
- Compliant with NFPA 1971, 2007 Edition.
- Self adhesive 1" X 4" vinyl.
- 16 patches on release paper.
- May be also be affixed to work zone equipment.





LM100 - Laddermate™ Bottom Strap

Laddermate™ is a unique ladder safety product specifically designed to stabilize a straight or extension ladder when used on a utility pole (or other cylindrical object such as a light pole, piling, I-beam post, etc.). When properly used, Laddermate™ effectively eliminates the destabilizing "twisting" motion most responsible for ladder-on-pole mishaps. Because Laddermate™ is so quick and easy to use, it makes elaborate, time-consuming rope lash methods obsolete.

The first telephone operating companies to fully implement Laddermate™ over ten years ago found that ladder related accidents dropped sixty percent!

- Meets OSHA requirements for ladder safety.
- Independent laboratory tested.
- Specially woven military specification canvas material with mildew inhibitors and wear indicator thread imbedded in the webbing.
- Reliable military specification hardware.
- Procedures for use are available at www.dicketool.com.



LM200 - Laddermate™ Top Strap



The Laddermate™ top strap provides an extra level of safety and stability when used with the LM100. LM200 quickly secures the top of the ladder to a pole or strand.

- Meets OSHA requirements for ladder safety, laboratory tested.
- Special red nylon webbing material.
- Reliable military specification hardware.
- Procedures for use are available at www.dicketool.com.



Laddermate™ Bag

Heavy duty mesh bag stores and protects straps. Zipper closure.

- LMB** - Bag only
- LMBH** - Bag with hook



Ladder Leveling Wedge

Durable hardwood construction, painted finish. Hardened steel feet provide non-slip footing on slippery or uneven terrain.

8889 - Ladder leveling wedge

Fiberglass Pruner Sections

Heavy duty fiberglass tubing make these handles the strongest, lightest, and most durable professional pruner handles available. Fiberglass affords many times the service life of wood handles, making them the best value for the professional user. The seamless aluminum ferrules mate with all standard attachments and can be used together with standard 1 1/4" diameter wood handles. Special surface treatment prevents "blooming" of glass fibers if dented. Safety yellow color.



- 820 - Fiberglass Extension Section - 1 1/4" x 6'
- 830 - Fiberglass Extension Section - 1 1/4" x 3'



Wood Pruner Sections

Octagon shaped wood handles are fitted with interlocking seamless aluminum ferrules. Handles are provided in various lengths and configurations to fit virtually any task. Both extension sections and handles are 1 1/4" diameter and mate with fiberglass sections. Long handles are one piece with one end tapered for head. Many accessories available.

- 802A - Head Section - 1 1/4" x 2'
- 802B - 802 Head section w/ 812A Saw
- 803A - Head Section - 1 1/4" x 6'
- 804 - Extension Section - 1 1/4" x 6'
- 840 - 12' Pruner Handle - 1 1/4" x 12'
- 844 - 14' Pruner Handle - 1 1/4" x 14'
- 845 - 16' Pruner Handle - 1 1/4" x 16'



820 and 804
Extension Sections

Pruner Heads, Adapters, & Saws



812A Saw Head




815 Wire Raising Tool

- 812A - Saw Head with Saw Blade
- 812C - Saw Blade only
- 815 - Wire Raising Tool (fits 804, 820, 830)
- 835 - Head Adapter (fiberglass handles)
- 851 - 10" Tapered Head Adapter w/male ferrule
- 852 - 10" Straight Head Adapter w/male ferrule

Cone Holders



CH300



CH155

All steel construction. Bolts on to work vehicles.

- CH155 - Holds 18" & 28" cones
- CH300 - Holds 36" cones



Product Guide east



DICKE SAFETY PRODUCTS

www.dicketool.com

Illinois - 1201 Warren Avenue, Downers Grove, IL 60515 • Ph: 877.891.0050 *Toll Free* • Fax: 630.969.3973

Oregon - 1845 Anunsen Street, N.E. Salem, OR 97301 • Ph: 800.333.5641 *Toll Free* • Fax: 503.364.0340