

To Our Customers:

The defense of this country and the freedom it represents continues daily in both foreign lands and in our neighborhoods. It is the service and dedication of countless men and women that allow us our freedom. It is our mission to provide those people with quality, innovative, reliable and affordable products that allow them to perform their daily tasks in an efficient and safe manner. To those people who defend our freedom we say thank you.



Don Hume Leathergoods

A division of Oklahoma Leather Products Inc.

500 26th Street NW • Miami, OK 74354

Fax: 918-542-4340 • www.donhume.com • info@donhume.com

800-331-2686

Important Consumer Information

These warnings should be read prior to the use of Don Hume products. All firearms are potentially dangerous weapons. Use of a handgun under any conditions may be dangerous. Serious personal injury or even death could occur without proper training in the safe handling of firearms by an accredited firearms safety course. No person should handle any firearm unless such person has successfully passed an accredited firearms safety program. Great care should be used when handling, storing or transporting firearms, or when placing or removing a handgun from your Don Hume holster. Never place a loaded handgun in a holster without first testing for proper fit with the handgun in an unloaded condition. It is the user's responsibility to exercise extreme caution when handling or carrying any handgun and to assume at all times that the gun is loaded. Do not attempt to cock a handgun while it is in the holster. Cocking the weapon while holstered can cause damage to the holster, gun or both, and may cause an accidental discharge. Carrying some models of the semi-auto pistol in the "cocked and locked" condition (also known as condition 1) is reserved only for the most advanced, experienced and skilled professional shooters. In this condition, the safety is always engaged. This condition is designed to draw and fire the weapon under extremely short time constraints. Carrying a handgun in this condition increases the risk of accidental discharge. It should be used by those who have training and experience to recognize the inherent risks associated with it.

Don Hume holsters are designed to fit factory-equipped handguns. The use of trigger shoes or grip adapters or any modifications to the handgun may cause improper holster fit and accidental discharge. All Don Hume holsters are designed to function safely and are made for specific handguns. Any alteration to the holster or using a gun the holster was not made for could also render an unsafe condition. It is the user's responsibility to personally check for holster/handgun compatibility using actual products. It is also the user's responsibility to periodically check the holster and it's hardware (snaps), not manufactured by Don Hume, for proper fit and function. Should any Don Hume product become worn, loose, broken, defective or ill-fitting, cease use immediately.

Please be certain that your gun is securely seated in the holster before use. Keep thumb on back of hammer or slide when inserting handgun in holster to help assure no movement occurs during insertion. Keep fingers clear of trigger when drawing or replacing handgun in holster. For maximum safety, holster retaining straps must be used when provided. During vigorous physical activity, such as running, the gun should be held in place with your hand to prevent the gun from falling from the holster. We strongly recommend a regular practice routine be utilized to assure the continued capabilities of both product and user.



Our leather products are finished with a pigmented acrylic and top coated with a clear lacquer. It is easy to maintain by applying a light coat of LEATHER BALM/LOTION. Use a dry cloth to apply, let dry, then buff off. LEATHER BALM/ LOTION can be found at most shoe stores or discount stores.



The nylon products are low maintenance and easy to clean. In most cases lukewarm water and a mild detergent should work. Be sure to pat off excess water and air dry. NEVER MACHINE WASH OR DRY.



HOW TO MEASURE YOUR BARREL LENGTH?

REVOLVERS

MEASURE FROM FRONT OF CYLINDER TO END OF BARREL.




SEMI-AUTOMATICS

MEASURE FROM FACE OF EJECTION PORT TO THE END OF BARREL.



HOW TO DETERMINE YOUR BELT SIZE



Our belts are made in even sizes to the center hole.

| | The state of the s | | 890 | 598 | 92.3 | and the second | ORKI | 1500 | 92 | | | 800 | | 200 | | 43 | | Basi | 423 | 535 |
|---------------------|--|------|------|------|----------------|----------------|----------------|------|-------|--------------|------|-------------|------|------|-----------------|-------------|---------------|------------|--------|-----|
| | | 001 | 002 | H710 | H715-M W.C. | H715-M T.B. | H715-M S.0. | H717 | H720 | H720 0.T. | H721 | H721 0 T | H726 | H727 | T Force D.S. | H738- SH | Ankle Safe | YS0 Pdl | COP I- | |
| 79 | American Derringer M-1 .45 | 00. | 002 | | • | 1.51 | 0.01 | | 11120 | 0 | | 0 | | | 5.0. | 0 | Guit | 1 (1) | Ü.i | |
| 62 | AMT Backup .380 | • | | | | | | | | | | | | | | | | | | |
| 62-1 31 | AMT .45 cal. Beretta 84B | | | | • | | | | | | | | | | | | | | | |
| 31-M | Beretta 84F, Beretta 85F Square Trigger | | | | • | | | | | | • | | | | | | | | | |
| 26-5 | Beretta 92, 92D, 92F, 92G, 92S, 92SB, 96, 96D | | | • | • | • | | • | • | • | • | • | • | • | • | • | | • | • | |
| 26-4 1/4 | Beretta 92/96 Centurion, Beretta Compact 92 | | | • | | | | • | | | | | | | | | | • | | |
| 26B 26F | Beretta Brigadier Beretta Cougar 8000, 8040 | | | • | • | | | | | | | | | | | • | | • | | |
| 26F45 | Beretta Cougar 8045 | | | | | | | | | | • | • | | | | | | • | | |
| 26-PX | Beretta PX4 Storm | | | • | • | • | | • | • | • | • | • | | | • | • | | • | • | |
| 26-PX45 | Beretta PX4 Storm .45 | | | | • | | | | • | • | ٠ | • | | | • | • | | • | • | |
| 26-PXSC | Beretta PX4 Storm Sub Compact | | | | | | | | | | • | • | | | • | • | | | • | |
| 73 73-1 | Beretta Tomcat .32 Beretta Tomcat Stainless | • | • | | • | • | | | | | | | | | | | | • | | |
| 26-5V | Beretta Vertec 92FS | | | | | | | | | | | | | | | | | • | | |
| 26-98 | Beretta 9000S .40 Cal. | | | | • | • | | | | • | • | • | | | | | | • | | |
| 40-BT380 | Bersa Thunder .380 | • | • | • | • | | | | | • | ٠ | • | | | | | | • | | |
| 31BDA | Browning BDA Round | | | | • | | | | | | | | | | | | | | | |
| 11 3 | Browning High Power 9 mm Charter Arms Pathfinder, Undercover | | • | | • | • | • | • | | | • | • | | | | | • | ٠ | | |
| 10-4 1/4 | Colt Combat Commander | | | | | • | • | • | • | • | • | • | | | | | | • | | |
| 10-P10 | Colt Defender Series 90 | | | • | • | • | • | • | | • | • | • | • | | | | | • | | |
| 52 | Colt Detective Special 2" | • | | • | • | • | • | • | | | • | | | | | | | | | |
| 34-5 | Colt Double Eagle | | | | | | | | | | • | • | | | • | | | • | | |
| 60-1 10-5 | Colt Gov't .380 Colt Gov't Model MK IV 1911, Colt Combat Elite | | | • | • | • | | • | | | | | | | | | | • | | |
| 7 | Colt Lawman, Python, Trooper | | | | | | • | | | | | • | • | | | | | | | |
| 60 | Colt Mustang .380 | • | • | • | • | | | | | | | | | | | | | • | | |
| 10-3 1/2 | Colt Officers Model | | | • | • | • | • | • | | • | • | • | • | | | | | • | | |
| 81 | Colt Pocket 9 | | | | • | | | | | | | | | | | | | | | |
| 60-P 58 | Colt Pony .380 Daewoo .40 Cal., Daewoo 9mm | | | | • | | | | | | | | | | | | | • | | |
| 1 | Dan Wesson | | | | | | | | | | | | | | | | | | | |
| 56 | Firestar .40 Cal., 9mm | | | | • | | | | | | | | | | | | | • | | |
| 36-4 1/2 | Glock 17, 22, 31 | | | • | • | • | • | • | ٠ | ٠ | ٠ | • | • | • | • | ٠ | | • | ٠ | |
| 36-4 | Glock 19, 23, 32 | | | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | • | |
| 41 21SF-45 | Glock 20, 21 Glock 21 SF .45 | | | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | • | |
| 36-1 | Glock 26, 27, 33 | | | | • | • | • | | • | | • | • | • | | • | | | • | | |
| 41-1 | Glock 29, 30 | | | • | • | • | • | • | • | • | • | • | • | | • | | | • | • | |
| 36-5 | Glock 34, 35 | | | • | | | | • | | | • | ٠ | • | | | • | | • | • | |
| 364-45 | Glock 36 | | | • | • | • | • | | | • | • | • | | | | | | • | | |
| 36-37 36-38 | Glock 37 Glock 38 | | | | | | | • | | · | • | • | | | • | ٠ | | | | |
| 36-39 | Glock 39 | | | | • | | | | | | | | | | | | | • | | |
| 68 | Guardian | • | • | | • | | | | | | | | | | | | | • | | |
| 25-1 | H & K P7 | | | | • | | | | | | • | ٠ | • | | | | | | | |
| 25-HK45 25 | H & K .45 H & K P7M13, P7M8 | | • | | • | • | | | | • | • | • | | | • | | | | • | |
| 25USP | H & K USP .40 Cal. & 9mm | | | • | • | | | • | | • | | • | | • | • | • | | • | • | |
| 25USP-C | H & K USP Compact .40 Cal. & 9mm, | | | | | | | | | | | | | | | | | | | |
| | H&K P2000 | | | • | • | • | • | • | | • | | • | | • | • | • | • | • | • | |
| | H&K P2000SK Subcompact | • | | • | • | • | • | • | | • | • | • | | | | | • | • | • | |
| 25USP-1 25USPC-1 | H & K USP .45 Cal. H & K USP Compact .45 Cal. | | | • | • | • | | | | • | • | • | • | • | • | • | | • | | |
| HB 5.7 | Herstal FN 5.7, USG model | | | | | | | | | | • | • | | • | | | | | | |
| 18 | Interarms APK .380 | • | | • | • | • | • | | | | • | • | | | | | | | | |
| 40 MK40 | Kahr MK40 | • | • | | • | | • | | | | | • | | | | | | • | | |
| 40-K40 | Kahr K40 | • | • | | • | | • | | | • | • | • | | | | | | • | | |
| 40-K9 40-MK9 | Kahr K9, P9, K40, P40, CW9 Kahr MK9, PM9, KP9, MK40, PM40 | • | • | | • | • | • | | | • | • | • | | | | | | ٠ | | |
| 40-NK9 40-P45 | Kahr P45 | | | | | | • | | | | | • | | | | | | • | | |
| 80-1 | Kel-Tec P11 9mm | • | | | • | | | | | | | • | | | | | | • | | |
| 80 | Kel-Tec P32, Kel-Tec P3AT | • | • | | • | | | | | | | | | | | | | | | |
| 80-2 | Kel-Tec P3AT 2nd Generation, Ruger LCP.380 | • | • | • | • | • | • | | | | | • | | | | | | | | |
| 80-4 10-4 1/4 | Kel-Tec PF9 Kimber Pro Carry II, Kimber Eclipse, Kimber | • | • | • | • | • | • | | | | • | • | | | | | | • | | |
| 10 7 1/4 | Pro Carry .45 Cal | | | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | |
| | • | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | |
| | | 44 | 22 | 19 | 21 | 21 | 21 | 18 | 20 | 20 | 17 | 1/ | 17 | 17 | 12 | 14 | 22 | 20 | 14 | 1 |

| 45-160 | 1980 | 1285393 | 25768 | ALCON L | LY S.C. | down | | and the | | | Chile | | 792 | 1652 E9X | (1) (A) | O'R BA | CARLES | | 22.30 | 100000 | De S 1800 | |
|------------|-------|---------|--------|---------|---------|------|---------|---------|-----------|-----------------|--------|-------|---------|----------|---------|----------|------------------|-----------------|-----------------|--------|-----------|---|
| H740- | H745- | H746- | H760 | H770 | ח א ח | H715 | IIT | IWB | рссп | AGENT 3 SLOT | ven | AGENT | T-FORCE | TOP SEC. | H715-M | TOP SEC. | TOP SEC. -PDL | COPY II T.B. | COPY II O.T. | | | 1 |
| JII | 311 | JII | 117 00 | 11770 | D.A.II. | 3011 | J.I. I. | JINIKL | 1.0.0.11. | 3 3L01 | 1.5.0. | 711 | -5 D.S. | -311 | • | -11.IN. | TUL | 1.0. | 0.1. | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | • | | | | | | | |
| | | | | | | • | • | | | | | | | | • | | | | | | | |
| • | • | • | | • | | • | • | | • | • | • | • | | | • | | | • | • | | | |
| | | | | | | • | • | | | | • | | | | | | | | | | | |
| | | | | | | • | • | | | | • | | | | • | | | | | | | |
| | | | | | | • | • | | • | | • | | | | • | | | | | | | |
| | • | • | | | | • | • | | | | • | | • | • | • | • | • | • | • | | | |
| | • | | | | | • | • | | | | • | | • | • | • | • | • | | | | | |
| | | | | | | | • | | | | | | | | | | | | | | | |
| | | | • | | | • | • | | | | • | | | | • | | | | | | | |
| | | | | | | • | • | | | | • | | | | ٠ | | | | | | | |
| | | | • | | | • | • | | • | | • | | | | • | | | | | | | |
| | | | · | | | • | • | | | | | | | | • | | | | | | | |
| | | | | | | • | • | | • | | • | | | | • | | | | | | | |
| | | | • | • | • | • | • | | • | | | | | | • | | | | | | | |
| | | | | • | • | • | • | • | • | • | • | • | | | • | | | • | • | | | |
| | | | | | • | • | • | | | | | | | | • | | | | | | | |
| | | | | | | | | | | | • | | | | | | | | | | | |
| | | | | | _ | • | • | | | | • | | | | • | | | • | • | | | |
| • | • | • | | • | • | • | • | | • | • | • | • | | | • | | | • | • | | | |
| | | | | | | • | • | | | | • | | | | • | | | | | | | |
| | | | | | • | • | • | | | • | • | ٠ | | | ٠ | | | • | • | | | |
| | | | | | | • | | | | | | | | | • | | | | | | | |
| | | | | | | • | • | | | | • | | | | • | | | | | | | |
| | | | | | | • | • | | | | | | | | • | | | | | | | |
| | | | | | | • | | | | | • | | | | • | | | | | | | |
| • | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | |
| • | • | • | | • | • | • | • | | • | • | • | • | • | • | • | • | • | • | | | | |
| • | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | | |
| | | | • | ٠ | • | • | • | • | • | • | • | • | | | • | | | • | • | | | |
| | | | • | | • | • | • | • | • | • | • | • | | | • | | | | · | | | |
| | | | | | • | • | • | | • | | • | | | | • | | | | | | | |
| • | | | | | • | • | • | | • | | • | • | | | • | | | | | | | |
| | | | | | | • | • | | | | • | | | | • | | | | | | | |
| | | | | | | | • | | | | • | | | | • | | | | | | | |
| | | | | | | | | | | | | | | | • | | | | | | | |
| | | | | | | | • | | | | | | | | • | | | | | | | |
| • | • | • | | | | • | • | | | | • | | | | • | | | • | • | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| • | • | • | • | • | • | • | • | • | • | • | | | • | • | • | • | • | | | | | |
| | | • | • | | • | • | • | • | | • | | | | | • | | | | | | | |
| | • | • | | | | • | • | | • | • | | | | | • | | | | | | | |
| | | | | | | ٠ | | | | | | | | | | | | | | | | |
| | | | • | | | • | • | | • | | | | | | • | | | | | | | |
| | | | | | • | • | • | | • | | • | | | | • | | | | | | | |
| | | | | | • | • | • | | • | | • | | | | • | | | | | | | |
| | | | • | | • | • | • | | • | | • | | | | • | | | | | | | |
| | | | | | • | | • | | | | _ | | | | • | | | | | | | |
| | | | | | • | | • | • | | | • | | | | • | | | | | | | |
| | | | • | | • | • | • | | | | | | | | • | | | | | | | |
| | | | ٠ | | • | ٠ | ٠ | | | | • | | | | ٠ | | | | | | | |
| | | | | • | • | • | • | • | • | • | • | • | | | • | | | | | | | |
| PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | | | |
| PAGE 13 | 13 | 12 | 22 | 23 | 22 | 21 | 19 | 20 | 21 | 18 | 20 | 18 | 12 | 13 | 21 | 14 | 14 | 18 | 19 | | | ı |

| | | | | | H715-M | H715-M | H715-M | | | H720 | | H721 | | | T Force | H738- | Ankle | YS0 | COP I- | |
|------------------|--|-----|------------|------------|------------|------------|------------|------------|------------|------------|------|------------|------------|------------|------------|------------|------------|------------|------------|--|
| 40.5 | W. b. TIEll dodd | 001 | 002 | H710 | W.C. | T.B. | S.0. | | H720 | 0.T. | H721 | _ | | H727 | D.S. | SH | Safe | PdI | SH | |
| 10-5 10-50P | Kimber TLEII 1911 Kimber TLE RLII | | | • | • | • | • | • | • | • | • | • | • | • | • | | | • | • | |
| 10-50F | Kimber Ultra Carry .45 Cal. | | | | | • | | | | | • | • | | | | Ľ | | • | | |
| LCR | Ruger LCR | | | | • | | | | | | | | | | | | | | | |
| 59 | Makarov 9mm | | | | • | | | | | | | | | | | | | • | | |
| MDE | Micro Desert Eagle | • | • | | • | | | | | | | | | | | | | | | |
| 10-P10 | Para-Ordnance P10-45 | | | • | • | • | • | • | | • | • | • | • | | | | | • | | |
| 10-3 1/2 | Para-Ordnance P12-45 | | | • | • | • | • | • | | • | • | ٠ | • | | | | | ٠ | | |
| 10-4 1/4 | Para-Ordnance P13-45 Para-Ordnance P14-45 | | | • | • | • | • | • | • | • | • | • | • | • | | • | | • | | |
| 10-5 65 | Phoenix HP .22 L.R. | | | • | • | • | • | • | · | · | • | • | • | · | • | · | | • | | |
| 67 | Phoenix Raven .25 | | | | | | | | | | | | | | | | | • | | |
| 7 | Ruger GP-100 | | | • | • | | | | | • | • | • | | • | | • | | | | |
| 37-345 | Ruger P345 | | | | • | | | | | | • | • | | | | | | • | | |
| 37 | Ruger P85, P89, P89DC | | | | • | | | | | • | • | • | | • | • | • | | • | • | |
| 37M | Ruger P90, P90DC, P91 | | | • | • | | | | | • | • | ٠ | | • | • | | | • | • | |
| 37-95 | Ruger P93, P95 | | | | • | | | | | | • | • | | • | | | | • | | |
| 37-97 | Ruger P94, P97 | | | | • | | | | | | • | ٠ | | | | | | ٠ | | |
| 52-2 1/4 | Ruger SP-101 2 1/4 | • | • | • | • | • | • | • | | • | • | • | | | | | | | | |
| 52-3 1/16 1 | Ruger SP-101 3 1/16 Ruger Speed Six, Ruger Security Six | | | • | • | | | • | • | | • | • | | | | | | | | |
| 37-SR9 | Ruger SR9 | | | | | | | | | | • | • | | | | | | | | |
| 3 | S & W .38 Chiefs Special, 317 airlite, 36, 37, 49, | | | | - | | | | | | | | | | | | | | | |
| Ü | 442-1, 60, 638-2, 640, 649, 642-1 Lady Smith, 650, | | • | | • | • | • | • | | | • | • | | | | | • | | | |
| | 940, Airweight, Bodyguard .38 | | | | | | | | | | | | | | | | | | | |
| 1 | S & W 10,19, 64, 65, 66 | | | • | • | | • | • | • | • | • | • | | • | | • | | | • | |
| 34-5 | S & W 1006, 4506, 645 | | | | | | | | | | • | • | | | • | | | • | | |
| 39-4 1/4 | S & W 1076, 4576 | | | | | | | | | | | | | | | | | ٠ | \square | |
| 43-4 1/4 | S & W 1086, 4586 | | | | | | | | | | | | | | | • | | • | | |
| 2 5M | S & W 27, 28, 29, 624, 629, 657 S & W 39, 59, 439, 459, 639, 659, 3904, 5904, | | | ٠ | • | | | • | | | • | ٠ | | | | • | | | | |
| JIVI | 5 & W 59, 59, 439, 439, 639, 639, 3904, 5904, 5906 Square Trigger | | | | • | | | | | | • | | | | | | | • | | |
| 10-4 1/4 | S&W SC Commander | | | | | | | | | | | • | | | | | | | | |
| 10-5 | S&W 1911 | | | • | • | • | • | • | • | • | • | • | • | • | • | • | | • | | |
| 28-1 | S & W 3913, Round Trigger, Lady Smith | | | | • | | | | | | | | | | | | | • | | |
| 28M | S & W 3913 Square Trigger, 6904, 6906 Square Trigger | | | | | | | | | | | | | | | | | | | |
| 28-1T | S & W 3913 TSW | | | | | | | | | | | | | | | | | • | | |
| 28R | S & W 3953, 6904, 6906, Round Trigger | | | | | | | | | | | | | | | | | • | | |
| 40-4 | S & W 4006, 4026, 4043, 4046, 410, 411, 5943, | | | | | | | | | | | | | | | | | • | | |
| 4014 | 5946 Round Trigger, 909, 910, 915 | | | | | | | | | | | • | | | | | | • | | |
| 40M 40T | S & W 4006 Bobbed, 5926 S & W 4006 TSW. 5906 TSW | | | | | | | | | | | • | | | | | | • | | |
| 33T | S & W 4000 TOW, 3300 TOW S & W 4013 TSW, 4013 | | | | | | | | | | • | | | | | | | • | | |
| 33 | S & W 4516-1, 457 | | | | • | | | | | | • | | | | | | | • | | |
| 33T-1 | S & W 4056 TSW, 4053 TSW | | | | | | | | | | | | | | | | | | | |
| 33T-2 | S & W 4513 TSW, 4553 TSW | | | | | | | | | | | | | | | • | | • | | |
| 50-3 1/2 | S & W 4556 | | | | | | | | | | | | | | | | | • | | |
| 82T | S & W 4563 TSW | | | | | | | | • | | • | | | | | • | | | • | |
| 49-4 1/4 28 | S & W 4566 Round Trigger S & W 469, 669, Square Trigger | | | | | | | | | | • | | | | | | | • | | |
| 7 | S & W 581, 586, 681, 686, 696 | | | | • | | | | | | • | • | | | | | | | | |
| 35-4 | S & W 5944, 5946 Square Trigger | | | | | | | | | | | | | | | | | • | | |
| 4A | S & W 640-1 .357 Full Lug, 649-3 Full Lug | • | | | • | | | | | | • | • | | | | | | | | |
| 40-3 | S & W 908 9mm | | | | | | | | | | | • | | | | | | • | | |
| 99 | S & W 99 | | | | • | | | | | | • | • | | | | | | • | | |
| 99-45 | S & W 99-45 Cal. | | | | | | | | | | | | | | | | | | | |
| 99-C | S & W 99 Compact | | | | • | | | | | | | | | | | | | • | | |
| 28CS | S & W CS9 | | | | • | | | | | | | | | | | | | • | | |
| 28CS-45 99-MP | S & W CS40, CS45 S & W M&P .40 Cal | | | | | | | | | | | | | | | | | • | | |
| 99-MP45 | S & W M&P .40 Cal S & W M&P .45 CAL | | | • | | • | | | | | | | | • | | | | | | |
| 99-MPC | S & W M&P Compact | | | | | | | | | | • | | | | | | | | | |
| 40FS | S & W Sigma .380 | | | | • | | | | | | | | | | | | | • | | |
| 40F | S & W Sigma 40F, 9F | | | • | • | • | | • | | • | • | • | | • | | | | • | | |
| 40FC | S & W Sigma Compact 40C, 40V, 9C, 9V | | | • | • | | | • | | • | • | • | | | | | | • | | |
| 40FS-1 | S & W SW9M (Sigma 9M) | | | | • | | | | | | | | | | | | | • | | |
| | | | PAGE 22 | PAGE 19 | PAGE 21 | PAGE 21 | PAGE 21 | PAGE 18 | PAGE 20 | PAGE 20 | PAGE | PAGE 17 | PAGE 17 | PAGE 17 | PAGE 12 | PAGE 14 | PAGE 22 | PAGE 20 | PAGE 14 | |
| | | 1 | ı | 1 | | ı | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | 1 | | | . 1 | |

| | 11740 | 11745 | 11740 | | | | 11745 | | IMP | | AOFNIT | | AOENT | T FODOE | TOD 050 | 11745 14 | TOD 050 | TOD 050 | CODVII | CODV II | | |
|--|-------------|-------|-------|------|------|--------|--------------|------------|---------------|------------|------------|-----------|------------|------------|------------|------------|------------|------------------|------------|-----------------|--|--|
| | H740- SH | SH | SH | H760 | H770 | D.A.H. | H715 SOFT | J.I.T. | IWB STRIKE | P.C.C.H. | | | | -3 D.S. | -SH | | -H.R. | TOP SEC. -PDL | | COPY II O.T. | | |
| | • | • | • | | • | • | • | • | | • | • | • | • | | | • | | | • | • | | |
| | | | | | • | • | • | • | | • | | • | • | | | • | | | • | • | | |
| | | | | • | | | | • | | | | | | | | • | | | • | • | | |
| | | | | | | | • | • | | | | • | | | | • | | | • | • | | |
| | | | | | • | • | • | • | | • | | • | • | | | • | | | • | • | | |
| | | | | | • | • | • | • | • | • | • | • | • | | | • | | | • | • | | |
| | • | • | • | | • | • | • | • | | • | • | • | • | | | • | | | | | | |
| | | | | | | | | | | | | • | | | | | | | | | | |
| | | | | | | | • | • | | | | | | | | • | | | | | | |
| | | | | | | | | • | | | | • | | | | • | | | | | | |
| | • | • | • | | | | • | • | | | | • | | | | • | | | | | | |
| | | | | | | | • | • | | | | • | | | | • | | | | | | |
| | | | | • | | • | • | • | | • | | • | | | | • | | | | | | |
| | | | | • | | • | • | • | | | | | | | | • | | | | | | |
| | | | | | | | • | • | | | | | | | | • | | | • | • | | |
| | | | | | | | • | • | | | | • | | | | • | | | | | | |
| | | | | • | • | • | • | • | | • | | | | | | • | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | • | | | | | | | | | | |
| | | | | | | | • | | | | | • | | | | | | | | | | |
| | | | | | | | • | • | | | | • | | | | • | | | | | | |
| | | | | | | | | • | | | | | | | | | | | | | | |
| | | | | | | • | | | • | | • | | • | | | | | | | | | |
| | • | • | • | | • | • | • | • | - | • | • | • | • | | | • | | | • | • | | |
| | | | | | | | ٠ | • | | | | • | | | | • | | | | | | |
| | | | | | | • | • | • | | | • | • | | | | | | | | | | |
| | | | | | | | • | | | | | • | | | | | | | | | | |
| | • | • | | | | • | | | | | • | | | | | | | | | | | |
| | | | | | | | | | | | | • | | | | | | | | | | |
| | | | | | | | | | | | | • | | | | | | | | | | |
| | | | | | | | • | • | | | | • | | | | | | | | | | |
| | | | | | | | • | | | | | | | | | | | | | | | |
| | | | | | | | • | | | | | • | | | | | | | | | | |
| | | • | • | | | | | | | | | | | | | | | | | | | |
| | | • | • | | | | • | | | | | • | | | | | | | | | | |
| | | | | | | | • | • | | | | • | | | | • | | | | | | |
| | | | | | | | ٠ | | | | | ٠ | | | | | | | | | | |
| | | | | | | | • | • | | | | • | | | | • | | | | | | |
| | • | • | • | | | | • | • | | | | • | | | | • | | | | | | |
| | | | | | | | • | • | | | | • | | | | • | | | | | | |
| | | | | | | | • | • | | | | • | | | | • | | | • | • | | |
| | | | | | | | • | • | | | | • | | | | | | | • | • | | |
| | • | • | • | | • | | • | • | | • | | • | • | | | • | | | • | • | | |
| | | | | | | ٠ | • | • | • | • | | • | • | | | • | | | | | | |
| | | | | | | | • | • | | | | • | | | | • | | | | | | |
| | | | | | | | • | • | | | | • | | | | • | | | | | | |
| | DAGE | DAGE | DAGE | DAGE | DAGE | DAGE | • DACE | • DACE | DAGE | DAGE | DAGE | • DACE | DAGE | D40= | DAGE | PACE | DAC- | DAGE | DACE | PAGE | | |
| | 13 | 13 | 12 | 22 | 23 | 22 | 21 | PAGE 19 | PAGE 20 | PAGE 21 | PAGE 18 | 20 | PAGE 18 | PAGE 12 | PAGE 13 | PAGE 21 | PAGE 14 | PAGE 14 | PAGE 18 | 19 | | |

| | | 001 | 002 | H710 | H715-M W.C. | H715-M T.B. | H715-M S.0. | H717 | H720 | H720 0.T. | H721 | H721 0 T | H726 | H727 | T Force D.S. | H738- SH | Ankle Safe | YS0 Pdl | COP I- SH |
|------------------|--|-----|-----|------|----------------|----------------|----------------|------|------|--------------|------|-------------|------|------|-----------------|-------------|---------------|------------|--------------|
| 78 | Seecamp | • | • | | • | | 0.0. | | 20 | 0111 | | 0 | 20 | | 2.0. | 0 | - Guile | | 0 |
| 1 | Service Six | | | | • | | | • | • | • | • | • | | • | | • | | | • |
| 30GSR | Sig Sauer GSR 1911 | | | | | | | | | | • | • | | | | | | | |
| 30SP | Sig Sauer Model 2340 | | | | • | | | | | | | | | | | | | • | |
| 30-238 | Sig Sauer 238 | • | • | | • | | | • | | | | | | | | | | | |
| 30C | Sig Sauer, 239, 9mm, .40 Cal | | | | • | | | | | | | | | | | | | | |
| 30-4 1/4 | Sig Sauer 220, 226 | | | | • | • | | • | • | • | | • | • | • | • | • | | • | |
| | Sig 226R, 220R | | | | • | | | | | | | | | • | | | | | |
| 30-3 1/2 | Sig Sauer 225 | | | | • | | | | | | | • | | | | | | • | |
| 30-1 | Sig Sauer 228, 229 | | | | • | | | | | | | | | | | | | | |
| 30-1R | Sig Sauer 229R | | | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • |
| | /4 Sig Sauer P226R DAK | | | | • | | | | • | • | | • | | • | | • | | • | |
| 30-1R NH | Sig Sauer P229R DAK | | | | • | • | • | | • | | • | • | | • | | • | | • | |
| 30C DAK | Sig Sauer P239 DAK | | | • | • | - | - | - | | | • | • | • | - | - | - | | • | |
| 42 | Sig Sauer 230, 232 | | | - | • | • | • | | | • | • | • | - | | | | | • | |
| 30-45 | Sig Sauer P245 | | | | • | | | | | | | | | | | | | • | |
| 30-250 | Sig Sauer P250 Compact | | | | • | • | | | | | | • | | | | • | | | |
| 30SP-R | Sig Sauer SP2022R | | | | • | | | | | | | | | | | | | | |
| XD40-4 | Springfield XD 40-4 | | | | • | • | | | | | | • | • | • | | • | | • | |
| XD40-4 XD40-5 | Springfield XD 40-4 | | | | • | | | | | | | • | • | • | | • | | • | |
| XD40-3 XD45-4 | Springfield XD 45-4 | | | | • | • | | · | | | | • | • | • | | • | | • | |
| - | 1 0 | | | | • | • | | | | • | | | | | | | | • | |
| XD45-5 XDC | Springfield XD 45-5 | | | • | • | | • | | • | | • | ٠ | • | • | • | • | | • | |
| | Springfield XD Sub Compact | | | • | | | | • | | • | | • | • | | | | | | • |
| 10-5 | Springfield 1911 GI 5" | | | • | ٠ | ٠ | • | ٠ | • | ٠ | • | ٠ | • | • | • | ٠ | | ٠ | |
| 10-4 1/4 | Springfield 1911 GI 4" | | | • | • | • | • | • | • | • | • | • | • | • | | • | | • | |
| 10-P10 | Springfield Micro Compact GI 3" | | | ٠ | • | • | • | ٠ | | • | • | • | • | | | | | ٠ | |
| 10-5 OP | Springfield Operator 1911 Rails | | | | • | | | | | | • | • | • | | • | • | | • | • |
| 53-247-9 | Taurus 24/7 | | | | ٠ | | • | | | • | • | • | | | | | | • | |
| 7 | Taurus 66 | | | • | • | | | | | • | • | • | | • | | • | | | |
| 3T-2 | Taurus 85 | ٠ | • | • | • | | • | | | • | • | • | | | | | | | |
| 53-9 | Taurus PT908 | | | | • | | | | | | | | | | | | | • | |
| 53-45 | Taurus PT945 | | | | • | | | | | | | | | | | | | • | |
| 26-5 | Taurus PT99, PT100, PT101 | | | • | • | • | | | • | • | • | • | | | | • | | • | |
| 53-111 | Taurus PT111 9mm | | | • | • | • | • | | | | • | • | | | | | | • | |
| 53-145 | Taurus PT111 Millennium Pro 9mm .40 Cal, | | | | • | | | | | | | | | | | | | | |
| | Taurus PT145 45 Cal. | | | | | | | | | | | | | | | | | | |
| 53-145R | Taurus PT 145 Pro Millennium Rails | • | | | • | • | • | | | | • | • | | • | | | | • | |
| 75 | TZ75 | | | | | | | | | | | | | | | | | | |
| 76-CZ | CZ40, CZ75 .40 Cal. | | | | | | | | | | | | | | | | | | |
| 77-3 1/2 | Uzi Compact (941RB) | | | | | | | | | | | | | | | | | • | |
| 77-4 3/8 | Uzi Full-size (941R) | | | | | | | | | | | | | | | | | • | |
| 18 | Walther PPK, PPK/S | • | | • | • | • | • | | | | • | • | | | | | | | |
| 18-PPS | Walther PPS | • | • | | • | • | | | | | • | • | | | | | | | |
| 99W | Walther P99 | | | | • | | | | | | • | • | | | | | | • | |
| 99WP22 | Walther P22 | | | • | • | | | | | | • | • | | | | | | | |
| | | | | PAGE | | PAGE | PAGE | | | | | | | | PAGE | | | | |
| | | 22 | 22 | 19 | 21 | 21 | 21 | 18 | 20 | 20 | 1/ | 1/ | 1/ | 1/ | 12 | 14 | 22 | 20 | 14 |

| | H740- | H745- | H746- | | | | H715 | | IWB | | AGENT | | AGENT | T-FORCE | TOP SEC. | H715-M | TOP SEC. | TOP SEC. | COPY II | COPY II | | | | |
|--|-------|-------|-------|--------|-------|------------|------------|------|---------|-----------|---------|--------|-------|------------|----------|--------|----------|----------|---------|---------|---|---|-----|---|
| | SH | SH | | H760 | H770 | D.A.H. | | JIT | STRIKE | P.C.C.H. | 3 SI OT | YS O | 711 | -3 D.S. | -SH | WCS | -H.R. | -PDL | T.B. | 0.T. | | | | |
| | 011 | 011 | 011 | 117 00 | 11770 | D., t | 0011 | | OTTUINE | 1.0.0.11. | 0 0201 | 1.0.0. | | 0 5.0. | 011 | | 11.11. | 100 | | | | | | |
| | | | | | | | | • | | | | | | | | • | | | | | | | | |
| | | | | | | | • | • | | | | | | | | • | | | | | | | [] | |
| | | | | | | | | • | | | | | | | | | | | | | | | | |
| | | | | | | | • | • | | | | | | | | • | | | | | | | | |
| | | | | | | • | _ | | | | | | | | | | | | | | | | | |
| | | | | • | | | | • | | | | | | | | • | | | | | | | | |
| | | | | | • | • | • | • | • | • | | • | | | | • | | | • | • | | | [] | |
| | • | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | |
| | • | • | | | | | • | | • | • | • | | | • | • | | • | • | • | | | | | |
| | • | | _ | | • | • | | • | | • | _ | | • | • | _ • | | | • | _ | | | | | |
| | | • | | | | | • | • | | | | • | | | | • | | | | | | | | |
| | • | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | [] | |
| | • | • | • | | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | • | | | | |
| | • | • | | | | | | • | | | • | | | | | | | | • | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | • | | | | • | • | • | | • | • | • | • | | | • | | | • | • | | | | |
| | | | | • | | • | • | • | • | • | | • | | | | • | | | • | • | | | () | |
| | | | | • | | • | • | • | | • | | • | | | | • | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | • | • | • | | • | | | | | | • | | | • | • | | | | |
| | | | | | | | • | | | | | • | | | | • | | | | | | | [] | |
| | | | | | • | | • | | | | | • | | • | • | • | • | • | • | • | | | | |
| | • | • | | | | • | | • | | • | • | | | | | | | | • | • | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | • | • | | • | | • | • | | • | | • | • | | | • | | | • | • | | | | |
| | • | • | • | | | | • | • | | • | • | • | | | | • | | | | | | | [] | |
| | | | • | | | | • | • | | • | | • | | | | • | | | • | • | | | | |
| | | | | | | | | • | | • | • | | | | | | | | • | • | | | | |
| | | | | | | | | | | | _ | | | | | | | | | | | | | |
| | | | | | • | • | • | • | | • | | • | • | | | • | | | • | • | | | | |
| | | | | | • | • | • | • | | • | | • | • | | | • | | | • | • | | | [] | |
| | | | | | | | • | • | | | | • | | | | • | | | • | • | | | | |
| | | | | | | | | • | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | • | • | | | | | | | | • | | | | | | | | |
| | | | | • | | • | • | • | | | | | | | | • | | | | • | | | | |
| | | | | | | | • | | | | | • | | | | • | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | • | | • | • | | • | | • | | | | • | | | | | | | | |
| | | | | | | | • | • | | • | | • | | | | • | | | | | | | () | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | | | | | | • | • | • | | • | | • | | | | • | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | • | | | | |
| | | | | | | • | | • | - | • | • | | • | | | • | | | , | • | | | | |
| | | | | | | | • | | | | | | | | | | | | | | | | | |
| | | | | | | | • | • | | | | | | | | | | | | | | | () | |
| | | | | | | | | • | | | | • | | | | | | | | | | | | |
| | | | | | | | | • | | | | | | | | | | | | | | | | |
| | | | | | | | | | | | | - | | | | | | | | | | | | |
| | | | | • | | | • | • | | • | | | | | | • | | | | | | | | |
| | | | | | | | | • | | • | | • | | | | • | | | | | | | () | |
| | | | | | | | | • | | | | • | | | | • | | | | | | | | |
| | | | | | | | | | | | | | | | | | | | | | | | | |
| | DAGE | DAGE | DAGE | DAGE | DAGE | DAGE | | | DAGE | DAGE | DAGE | DAGE | DAGE | DAGE | DAGE | | DAGE | DAGE | DAGE | DAGE | | | [] | |
| | 12 12 | 12 12 | 12 | PAGE | PAGE | PAGE 22 | PAGE 21 | TAGE | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE 12 | PAGE | PAGE | PAGE | PAGE | PAGE | PAGE | | | [] | |
| | 10 | 10 | 12 | ~~ | 20 | 22 | 41 | 13 | 20 | 21 | 10 | 20 | 10 | 14 | 13 | 41 | 14 | 14 | 18 | 13 | I | l | ı 1 | I |

H746-SH

LEVEL THREE SECURITY - AUTOMATICS

H746-SH Security style holster rides slightly muzzle forward and gives you three points of retention. The thumb break over the hammer, middle finger release at the trigger guard and the security blocks which retain the weapon until the gun is rocked forward and a natural draw is executed. This holster is leather lined and has a polyethylene layer to add strength. Has a open bottom, partially closed front, has a metal reinforced belt loop bent to contour with the hip and a belt tension screw. This design requires practice, it is suggested you become familiar with this holster to make a smooth and timely draw. Available in Black: *Finish- Plain, Basketweave & Clarino.*





T FORCE-3 D.S.

LEVEL THREE PLUS SECURTIY TWIST AND DRAW

Same as our popular T-Force level two plus, but we have made this holster into a level three plus by adding a middle finger release, safe and secure. Available in Black: Finish - Plain, Basketweave & Clarino.

T FORCE D.S.

LEVEL TWO PLUS SECURITY TWIST AND DRAW

T Force D.S., a top draw security holster with a nylon reinforced over the hammer safety strap and features our low profile thumb break with a hard action dot snap. This low profile thumb break makes it more difficult for an adversary to release the safety strap, but allows the user a

smooth fast release. The holster has a nylon sight tunnel, metal reinforced mid-ride drop loop with locking screw bent to fit the hip. A polyethylene layer for added rigidity, leather lined, open bottom, covered trigger guard with a reinforced overlay to keep the mouth of holster open for easy reholstering. To draw the weapon obtain a shooters grip, activate the low profile thumb break. Slightly twist the grip of the weapon toward your body and up, this will release the acrylic thermoplastic trigger guard release. With a little practice this security feature becomes fast and smooth. Available in Black. Finish- Plain, Basketweave & Clarino.







H740-SH

LEVEL TWO SECURITY - AUTOMATICS

The H740-SH features the low profile thumb break with wrap around front safety strap, metal reinforced belt loop with tension screw, security blocks, closed bottom. The partially open front is metal reinforced. Holster is full leather lined and has a polyethylene layer to add strength. Available in Black: Finish - Plain, Basketweave & Clarino.





H745-SH

LEVEL TWO SECURITY - AUTOMATICS

H745-SH features our over the hammer thumb break, a metal reinforced belt loop with locking screw. Security blocks will retain the weapon until the draw is executed. This holster is leather lined and has a polyethylene layer to add strength. Has a open bottom and rides slightly muzzle forward. The partial closed front is metal reinforced and the position of the security blocks make the draw a natural forward and upward motion to present the weapon in a timely manner. To reholster, simply insert the weapon and push down. For extra security you must fasten the safety strap. Available in Black: Finish- Plain, Basketweave & Clarino.

TOP SECURITY-SH JACKET SLOT STYLE

LEVEL TWO SECURITY

Level two top draw, secure, simple and fast, after months of evaluation we find this holster to meet the demand for a duty style holster that provides security, safety and easy quick draw. With the aid of our new HRTL (hidden retention trigger lock) locking device this holster will automatically secure the gun when re-holstered. The retention lock will enter the trigger guard

and the gun will rest safe and secure.

To activate simply release the low profile thumb break and continue moving thumb downward to release the secondary trigger guard release. At this time you will have a shooters grip, simply lift the gun straight up. To re-holster, insert gun, and push down to be sure the trigger guard lock is in place. At this time the gun is secure. You can take care of business with a feeling of safety until you have time to secure the thumb break snap for extra security. With very little practice the draw motion is very natural and fast. Available in Black: Finish - Plain, Basketweave & Clarino.





H738-SH

LEVEL ONE RETENTION -AUTOMATIC & REVOLVERS

The "Tiger" holsters are suede lined, and have a metal reinforced belt loop bent to contour with the hip. Other features are the tension screw on body and belt loop locking screw, covered trigger guard, open bottom, reinforced thumb break, and nylon sight tunnel. A polyethylene layer adds extra strength to this durable holster. Available in Black: Finish—Plain, Basketweave & Porvair.

COP I-SH

LEVEL ONE RETENTION - AUTOMATIC & REVOLVERS

The "COP I -SH" holsters are suede lined, and have a metal reinforced belt loop with locking screw, bent to contour with the hip. Other features are the tension screw on body, covered trigger guard with a reinforced overlay to keep the mouth open for easy reholstering, open bottom, reinforced thumb break, and nylon sight tunnel. A polyethylene layer adds extra strength and rigidity to this durable holster. Available in Black: Finish- Plain, Basketweave & Clarino

NOTE: Please specify if you prefer leather lined. Available with a 1 1/2" drop shank upon request.



TOP SECURITY HIGH RIDE STYLE

LEVEL ONE PLUS TOP DRAW

This open top style holster is secure, simple and fast. The HRTL (hidden release trigger lock) locking device is the same as our duty style jacket slot except it has a high ride center belt loop and belt slot for good concealment. The holster will automatically secure the gun when re-holstered. The retention lock will enter the trigger guard and the gun will rest safe and secure.

To activate simply obtain a shooters grip, your thumb will travel down to the trigger guard release, then a smooth efficient draw can be made. To re-holster insert the gun and push down to be sure the trigger guard lock is in place. Available in Black: Finish - Plain, Basketweave & Clarino.



TOP SECURITY PADDLE STYLE

LEVEL ONE PLUS TOP DRAW

The same HRTL locking device is used in our duty holsters and our high ride style. The open top paddle style is secure, simple and fast. The Kydex suede covered paddle has two barbs that hold the holster in place when drawing the gun. Available in Black: Finish - Plain, Basketweave & Clarino.













Snap on Cross Draw



T.C.H.

SINGLE TASER SPARE CARTRIDGE HOLDER

This holder is designed to fit the spare cartridge. The pocket is cut down to allow a secure grip of the cartridge. Fits a 2 1/4" belt. NOTE: The T.C.H. is also available with Hidden Snap closure. Has a sewn down loop for 2 1/4" belt. Available in Black: Finish - Plain, Basketweave & Clarino.



AGENT-SH TAC

The design is to carry a Tactical Illuminator mounted to the gun. This holster has a reinforced belt loop jacket slot. Leather lined, covered trigger, open bottom at muzzle, a reinforced mouth opening will add strength and help in reholstering. Will fit belts up to 2 1/4". Please specify make and model of gun and light model. Available in Black: Finish – Plain or Basketweave.



TACTICAL ILLUMINATOR HOLSTER

The design of this holster is cut to permit the gun to mold toward the front leaving the back flat. The belt slots at each end holds the gun close to the body, very secured and comfortable. Reinforced mouth opening, giving well added strength and help in reholstering. Leather lined, covered trigger open bottom at muzzle. Will fit belts up to 1 34". Please specify make and model of gun and light model. Available in Black: *Finish- Plain or Basketweave*.

REFERENCE CHART FOR TACTICAL WEAPONS & LIGHTS AVAILABLE IN LEATHER & NYLON

Contact Customer Service for availability of gun model and light combination.

GUN MODELS:

Glock 17, 19, 20, 21, 22, 23, 29, 30, 31, 32, 34, 35, 37, 38.

H&K USP .40 CAL., 9MM, USP COMPACT .40 CAL., 45., 9MM & P2000.

KIMBER TLE RLII 4" & 5".

S&W 4563 TSW, 4566 TSW M&P 9MM, .40 CAL., .45 CAL.

SIG SAUER 220R, 226R, 226R DAK, 229R & 229R DAK.

SPRINGFIELD 1911 A-1, OPERATOR, XD .40, .45, 4, 5 & SUB COMPACT.

LIGHTS:

GLOCK, GTL 22, H&K (M2 UTL), M3, M3X, M6, M6X, TLR 1, TLR 2, X200 A/B, X300 & XML



T.L.H.

This holder is designed to fit Tactical Illuminator. Features are a slotted belt loop to fit a 2 1/4" gunbelt. The pocket is cut down to allow a secure grip of the light. A cover flap will help to protect the light. NOTE: The T.L.H. is also available with hidden snap closure. Please specify light attachment model number. Available in Black: Finish- *Plain*, *Basketweave & Clarino*.





The "Double Nine" is made with a metal reinforced thumb break with recessed snap and double stitched sew lines at stress areas. This holster also has a covered trigger. Fits belts up to 1 3/4". Available in Black or Saddle Brown: Finish - Plain.



H721 O.T.

AUTOMATICS & REVOLVERS

H721 O.T. (Open Top) is a great concealment holster. Features a body shield to provide comfort between weapon and the user. Rides high & close to the body Fits belts up to 1 3/4". Available in Black or Saddle Brown: *Finish - Plain*.



H726

AUTOMATICS

Similar to the popular H721 holster. The H726 is designed to enable the user to draw large weapons and still maintain a natural draw. With the spring loaded partially open front, it is only necessary to raise the weapon a short distance before executing the draw. Metal reinforced thumb break, double stitched sew lines. Will fit belts up to 1 3/4 inch. Available in Black: Finish - Plain.



HIGH-RIDE - AUTOMATICS & REVOLVERS

On or off duty holster, designed to ride high, fits very close to the body. Open bottom with thumb break. Fits belts up to 2 1/4" belt loop. Available in Black: Finish - Plain or Basketweave.





Agent 711 T.B.

This is a pancake style holster. That provides a comfortable fit due to the unique design that permits the detailed molding to go to the front side keeping the back flat. It is compact and excellent for concealment. With a reinforced overlay at the mouth for a longer life expectancy and easy reholstering. Fits belts up to 1 3/4". Available in Black or Saddle Brown: Finish- Plain.

Agent 3 Slot

This holster is made of heavy weight cowhide and features a metal reinforced thumb break with recessed snap and double stitched sew lines and a reinforced overlay at the mouth for easy reholstering. The three slots will permit the user to position the holster cross draw or strong side, slight muzzle to the rear or straight up and down. Fits belts up to 1 3/4". Available in Black or Saddle Brown: *Finish- Plain.*







H717

WITH THUMB BREAK AUTOMATICS & REVOLVERS

The Agent 9 is designed to carry weapons of all barrel lengths. Metal reinforced thumb break and double stitched sew lines. Will fit belts up to 1 3/4" very concealable. Available in Black: *Finish - Plain.*





LEVEL ONE HOLSTER


The unique design permits the detailed molding to go to the front side, keeping the back flat. The overlay keeps the mouth of the holster open and adds a pleasing look to the holster. The thumb break adds to the security of gun retention. The belt loop at each end wrap around the belt for convenience, easy on, easy off. Made with the best cowhide leather and finished with the best top coats. Available in Black or Saddle Brown: *Finish- Plain*.



COPY II O.T.



The unique design permits the detailed molding to go to the front side, keeping the back flat. The overlay keeps the mouth of the holster open and adds a pleasing look to the holster. The belt loop at each end wrap around the belt for convenience, easy on, easy off. The open top with detailed molding will hold the gun in place until the need to draw. Made with the best cowhide leather and finished with the best top







AUTOMATICS & REVOLVERS

The design of this holster is to carry medium sized to small autos. Open bottom, wrap around front, belt loop at center and a covered slot pulls the weapon close to the body. Fits belts up to 1 3/4". Available in Black or Saddle Brown: Finish- Plain.



YAQUI SLIDE-ON

Y.S.O incorporates two screws with rubber washers for tension adjustment. On the back side is a cutout for the pant belt loop and two holes for the tension screw adjustment. It's designed to accommodate more than one gun by use of the tension screws. Four sizes will fit most guns. Fits belts up to 1 3/4". Available in Black or Saddle Brown: Finish- Plain.





H710

"FIRST AGENT" - AUTOMATIC & REVOLVERS

This popular holster has double stitched sew lines. Rides high and close to the body. Fits belts up to 1 3/4. Available in Black or Saddle Brown: Finish- Plain



H720

PADDLE HOLSTER WITH THUMB BREAK -AUTOMATICS & REVOLVERS

This paddle holster is designed for easy removal. A wide suede covered Kydex reinforced paddle with two barbs spaced 3" apart will hold the paddle in place when drawing the gun. This holster rides slight muzzle to the rear. Available in Black: *Finish- Plain*.

H720 O.T.

2 IN 1 OPEN TOP PADDLE HOLSTER AND BELT SLIDE- AUTOMATICS & REVOLVERS

This holster can be worn as a high ride belt slide or a paddle holster. The belt slide will fit belts up to 1 3/4" wide, while the suede covered Kydex reinforced paddle with two barbs spaced 3" apart will hold the paddle in place when drawing the gun. Available in Black or Saddle Brown: Finish- Plain.





Y.S.O. Paddle

YAQUI SLIDE-ON

Y.S.O incorporates two screws with rubber washers for tension adjustment. It's designed to accommodate more than one gun by use of the tension screws. Five sizes will fit most guns. Our new Kydex paddle makes this a user friendly product. Available in Black or Saddle Brown: *Finish- Plain*.

IWB Strike

HOLSTER TUCKABLE

The IWB Strike holster tuckable with a 1 1/2" Kydex belt loop is designed as an inside the waistband that will permit a shirt to tuck between the holster and belt so as to provide maximum concealment. The holster is made of two pieces of cowhide leather for strength and durability and also features a thumb break with a safety strap. Available in Black: Finish - Plain.





PCCH

PREFERRED CONCEALMENT

CARRY HOLSTER

This fine holster is to be carried inside the waistband strong side behind the hip. It has a wide belt loop with two pull-the-dot black snaps that function independently. Will fit belts up to 1 3/4". Reinforced top opening for easy re-holstering, form molded fit. A body shield will provide comfort between the weapon and user. Available in Saddle Brown: *Finish - Plain*.



WAISTBAND CLIP-ON (THUMB BREAK)

Same as the H715-M W.C. except with a thumb break. Available in Black or Saddle Brown. *Finish - Plain*.





H715-M W.C.

WAISTBAND CLIP-ON (OPEN TOP)

This inside the waistband holster is made of lightweight leather and form molded. The top opening of the holster is reinforced to aid in reholstering the weapon. The design works well strong side, crossdraw or behind the hip. Available Black or Saddle Brown: Finish - Plain.



H715 SOFT POCKET

WAISTBAND CLIP-ON

A soft pocket inside the waistband clip-on holster. Smooth leather interior and split leather exterior.

Available in Natural: Finish - Plain.



H715-M S.O.O.T.

Same as the H715-M W.C. except with a snap on belt loop. Available in Black or Saddle Brown: *Finish - Plain*.



WAISTBAND CLIP-ON WITH BODY SHIELD

Same features as the original H715-M W.C. but has the body shield preferred by some. Available in Black or Saddle Brown: *Finish- Plain*.





D.A.H.

SMALL OF BACK OR STRONG SIDE

This holster is form molded to a snug fit, compact, easy to conceal. The belt loop design will permit the holster to be worn small of back or strong side. Also features a body shield to provide comfort between the weapon and the user. Fits belts up to 1 3/4". Available in Black or Saddle Brown: Finish - Plain.



FRONT POCKET STYLE

This holster may be carried in the front trouser pocket or a jacket pocket. The designs will help keep the weapon in the ready position. Can be used Right or Left Handed. Available in Saddle Brown: *Finish- Plain*.



ANKLE SAFE

Our new ankle holster is made of a neoprene wrap, Velcro closure and sheep skin padding for comfort. The holster body is of cowhide leather hand boned for a custom fit. Available in Black: *Finish – Plain*.



HIP POCKET STYLE

The design is for low profile concealment. Holster front is wet molded, a thin Kydex is placed between the suede and leather to assist in less printing of the gun, the suede leather is sewn to the backside to help hold the holster in place when a draw is made. Available in Saddle Brown: Finish-Plain



ANKLE HOLSTER - SMALL FRAME AUTOMATICS & REVOLVERS

This ankle holster is comfortable due to the sheep skin pad and suede lining, also has Velcro® adjustment for size of ankle and length from garter to holster with detailed molding. Available in Black or Saddle Brown: Finish- Plain.

H770-A/H770-AA

SHOULDER RIGS

100A-11

This shoulder holster features Hand Boned detail for a classy look. The shoulder holster is to be worn horizontally. The carry rings provide total range of motion, yet allow for excellent concealment. The holster also features a reinforced thumb break and a body-tension screw adjustment. A sewn on belt loop will permit strong side carry. A slot is cut into the belt loop to accommodate a tie down. The double side harness allows easy carry and balance. Each side is connected at the back center with a 2 inch wide elastic band. This provides freedom of movement and great comfort. It is fully adjustable. Specify make and model of weapon. Available in Black, Saddle Brown. Finish - Plain.





SRS 70 MAGAZINE REFERENCE CHART

Springfield XD45

| 100A | Beretta 92 Series & 96D, 9000S 40 Cal., 84/85B, 92F Compact, |
|------|--|
| | 92D Centurion, Cougar, PX4 Storm, Vertec 92FS, Browning 9mm, |
| | Daewoo 9mm, Glock 17, 19, 22, 23, 26, 27, 31, 32, 33, 34, 35, 36 |
| | H&K USP .40 Cal. Compact, Sub Compact P2000, P7M13, USP 40 |
| | Cal., Ruger P85, P89, P91, P93, P94, P95, P944, Sig Sauer 226, |
| | 228, 229, 2340, Springfield XD40, XDC S&W 59, 99, 459, 469, |

Cal., Ruger P85, P89, P91, P93, P94, P95, P944, **Sig Sauer** 226, 228, 229, 2340, **Springfield** XD40, XDC S&W 59, 99, 459, 469, 659, 669, 4006 TSW, 4044, 4053, 5904, 5903, 5906 TSW, 5926, 5944, 6906, 6946, Sigma 9V, SP 2340, M&P .45 Cal., **Taurus** 24/7, PT99, PT100, PT101, PT111, PT111 Millennium Pro, **Walther** P99

400A Colt 1911, Gov,t .45, Colt Defender, Colt Commander and Double Eagle, **H&K** P7M8, **Kahr** KP9, P45 **Kimber** Pro Carry .45 Cal., Ultra Carry .45 Cal., TLEII 1911, **S&W** 457, 639, 645, 908, 1006, 1026, 1066, 1076, 3906, 4053, 4506, 4513 TSW, 4516-1, 4553 TSW,

4556, 4566, 4586, CS45, 4512, 4563 TSW, 4516-1, 4553 TSW, 4556, 4566, 4586, CS45, 4512, 4563 TSW, 4556 TSW, **Ruger** P90, P97, Sig Sauer 220, 239, 245, Springfield Operator, **Taurus** PT945

820A Glock 20, 21, 21SF.45, 29, 30, H&K USP .45 Cal., USP .45 Compact

Para-Ordnance P14, 13, 12, 10

HB 5.7 Herstal FN 5.7 USG model

NOTE: Back strap, attached to the harness will prevent forward movement.



D.H. RADIO HOLDER

This holder is designed to fit a 2 1/4" belt with pull the dot snap-on. Available in Black: Finish- Plain, Basketweave & Clarino.

Order item A to fit the Motorola® and similar sizes. $4"(H) \times 2 \ 7/8"(W) \times 1 \ 3/8"(D)$

Order item B to fit the Motorola® XTS5000, XT3000, HT1000, CP200

4"(H) x 2 1/2"(W) x 1 3/4"(D)

Order item C to fit the Motorola® Sabre II high battery capacity. $5"(H) \times 2 \ 7/8"(W) \times 1 \ 1/4"(D)$

Order item E to fit the Motorola® HT750 $4"\ (H)\ x\ 2\ 1/2"\ (W)\ x\ 1\ 1/2"\ (D)$

Order item F to fit the Motorola® Astro Saver 4" (H) x 2 1/2" (W) x 1 1/4" (D)

Also available with swivel loop.





ADJUSTABLE RADIO HOLDER

This is designed with a 2 1/4" belt slide and a Velcro® adjustable loop with keeper. Fits most hand radios. Available in Black: Finish-Plain, Basketweave & Clarino.



D422-M-S

ADJUSTABLE RADIO HOLDER

This design has a wide Velcro® adjustable strap, a pull-adot snap off, 2 1/4" belt loop, and a metal body covered with leather bent at the bottom end to support the radio. Fits most hand radios. Available in Black: Finish- Plain, Basketweave & Clarino.



REFERENCE CHART FOR D407, D407-V, D407-1, D407-1-V, D407-2S

100A-11 Beretta 92FS-11Round, Colt Desert Eagle, **S&W** 99-45 Cal., **Springfield** XD45

100A **Beretta** 92 Series & 96D, 92F Compact, 92D Centurion, Cougar 8000, 8045, PX4 Storm, Vertec 92FS, **Browning** 9mm, **Daewoo** 9mm, **CZ**40, **Ruger** P85, P89, P91, P94, P95, P944, **S&W** 59, 99, 411, 459, 469, 659, 669, 910, 915, 4006, SR9, 4006 TSW, 4013, 4013 TSW, 4044, 4043, 4046, 4053, 4056, 5904, 5903, 5906 TSW, 5926, 5943, 5944, 5946, 6906, 6946, Sigma 9V, **Sig Sauer** 226/357 Rail, .40 Cal. Rail, 226, 228, SP2340, Springfield XD40, Taurus 24/7, PT99, PT100, PT101, UZI Eagle, **Walther** P99

100A-1 Beretta 9000S 40 Cal., S&W 99 Compact, Taurus PT111, PT111 Millennium Pro

400A **Colt** 1911, Gov't. .45, Colt Defender, Commander and Double Eagle, **H&K** P7M8, **Kahr** P45, **Kimber** TLE RLII, Pro Carry .45 Cal., Ultra Carry .45 Cal., **Ruger** P97, P345, **S&W** 457, 639, 908, 4513 TSW, 4516-1, 4553 TSW, CS45, 4512 TSW, 4556, **Sig Sauer** 245, **Springfield** Operator

800A Ruger P90, S&W 645, 909, 1006, 1026, 1066, 1076, 1086, 3906, 4053, 4506, Compact, 4566, 4586, 4563TSW, S&W 1911, 1911SC, Sig Sauer 220 (8 Round), 220R,1911GSR, Springfield GI5, GI4, GI3, Taurus PT945

820A Glock 20, 21, 21SF.45, H&K USP .45 Cal., HK45 Para-Ordnance P14

820-1A **Glock** 29, 30, **Para-Ordnance** P10, 12, 13, **Taurus** PT 145 **H&K** USP Compact 45 Cal.

850A **Glock** 17, 22, 31, 34, 35, 36, 37, **H&K** USP 40 Cal., P7M13, **S&W** M&P.40 Cal.

850-1A **Glock** 26, 27, 33

850-1C **Glock** 19, 23, 32, 38, **H&K** Compact 9mm, 40 Cal., Sub Compact P2000, **Sig Sauer** 229, P250 Compact

850-2 **Beretta** PX45 Storm, **S&W** M&P .45 Cal., **Taurus** PT145 Millennium Pro

HB 5.7 Herstal Belguim 5.7



D407

The D407 has been updated by lowering the pockets and adding more space between magazine to facilitate a smoother removal of the magazine, making it more accessible and a belt loop designed to carry the case vertically or horizontally. NOTE: The D407 is also available with hidden snap or Velcro closure. Fits a 2 1/4" belt. Available in Black: Finish – Plain, Basketweave & Clarino.



D407-D

Quad clip holder to fit single stack magazines. Refer to chart listing #225A-800A. Designed to carry the case vertically or horizontally. Standard dot snap or hidden snap only. Available in Black: Finish- Plain, Basketweave & Clarino.



D407-2S

Double magazine holder designed to carry vertical or horizontally. Has two screws located in such a manner so as to create a pocket for the magazines to fit in a combat tactical ready position, low cut pocket allows for a quick easy drawing. Available with exposed snap or hidden snap. Available in Black: Finish-Plain, Basketweave or Clarino.



D407-1

Single mag with snap down flap, fits a 2 1/4"belt. Also available with Velcro closure. Available in Black: Finish-Plain, Basketweave & Clarino.



G417

Single magazine pouch designed with an adjustable tension screw and a directional snap off belt loop. The pocket is cut down so a proper grip can be made, fits belts up to 1 3/4".

Available in Black or Saddle Brown: Finish - Plain.



THE ELITE

This Magazine Pouch features a unique design, a decorative reinforcement sewn to the pouch will help when reinserting the magazine. Sewn on belt loop to fit belts up to 1 3/4". Specify right hand or left hand. Available in Black and Saddle Brown: Finish - Plain.



PACK SIX

Single speed loader. Slotted to fit belts up to 1 3/4". Available in Black or Saddle Brown: Finish - Plain. Specify size.

REFERENCE CHART FOR G417, D417, D425A & THE ELITE

Beretta 8040, 9000S, 92 Series & 96D, 8045-F, 84B, Cougar, PX4 Storm, Vertec 92FS, Browning 9mm, BDA .380, , CZ40, Daewoo 9mm, H&K M-13, M-10, Kel-Tec P11, Ruger P85, P89, P91, P93, P94, P95, SR9, S&W 99, 459, 469, 659, 669, 915, 4006, 4006 Bobbed, 4006TSW, 4013 TSW, 4046, 4053, 5904, 5906, 5906TSW, 5926, 5944, 5946, 6904, 6906, 6946,Sigma 9F, 40F, SP2022R, Sigma Compact 9C, 9V, 99, Sig Sauer 226,228, 229, SigPro 2340, Springfield XD40, Taurus 24/7, PT99, PT111, PT111 Millennium Pro, TZ75, Uzi Compact .40 cal., Walther P90

100B

200B

AMT Backup .45 Cal., Colt Gov't .45, Colt Defender, Colt Pocket Nine, Commander, Double Eagle, Officers Model, Firestar, H&K P7, P7M8, P9S, Kahr K9, K40, MK9, P9, P45, Kimber TLEII, Ultra Carry, RugerP90, P97, P345, S&W 39, 457, 639, 645, 908, 1006, 1026, 1076, 1911, 3904, 3913, 3913TSW, 3953, 4506, 4513TSW, 4516-1, 4553TSW, 4556, 4563TSW, 4566, 4586, Sigma 9mm, 4056, Chiefs Special CS9, CS40, CS45, S&W 1911, Sig Sauer 220, 225, 239, 245, GSR 1911, Springfield Operator, GI5, GI4, GI3, Taurus PT945, Walther PPS

225B **Sig Sauer** 239, 239 DAK, **Kel-Tec** PF9

400B AMT Backup .380, Beretta .380, 85F, Tomcat, Bersa Thunder .380, Colt Mustang, Pony .380, Guardian .32, Kel-Tec P32, P3AT 2nd Generation, Llama .380, Makarov 9mm, Mauser .380, Micro Desert Eagle, Ruger LCP .380, S&W Sigma .380, Sig Sauer 232,

238 Sterling .380, Walther .380

820B **Glock** 20, 21, 21SF.45, 29, 30, **H&K** USP .45 Cal. & Compact .45 Cal., HK45, **Para-Ordnance** P10, P12,

P13, P14, **Springfield** XD45, **Taurus** PT145

850B **Glock** 17, 19, 22, 23, 26, 27, 31, 32, 33, 34, 35, 36,

37, 38, 39, **H&K** USP 9mm, .40, Cal. & Compact 9mm, .40 Cal., P2000, 2000SK, **Sig Sauer** P250

Compact, S&W M&P .40

850B-2 Beretta PX45 Storm, S&W M&P .45 Cal., Taurus

PT145 Millennium Pro



D417

Magazine Holder with spring clip on belt loop for easy removal. This indent on the front of mold is to hold magazine in place. Holder is also available with slots to fit trouser belts up to 1 3/4" or 2 1/4" duty belts see price sheet for D417 slotted. Available in Black and Saddle Brown: Finish - Plain.

REFERENCE CHART FOR D421& G421

Single Stack A

Browning BDA .380, Colt Gov't .45, Commander, Double Eagle, Firestar 9mm, H&K P7, Kahr K9, P9, K40, P45, Kimber TLE RLII, Pro Carry .45 Cal., Ultra Carry .45 Cal., Ruger P90C, P90DC, P97, S&W 457,645, 908, 1006, 1026, 1076, 3913, 3953, 3913TSW, 4506,4516-1, 4566, 4576, 4586, **S&W** 1911, CS9, CS45, 4513TSW, 4553TSW, 4563TSW, SW9M, (Sigma 9M), Sig Sauer 220, 225, 245, GSR 1911, Springfield Operator 1911 GI 5", GI 4", GI 3" Taurus PT908, PT945, Walther PPS (only available for the G421 holder).

Single Stack B

Kahr PM9. Kel-Tec PF9. Sig Sauer 239

Single Stack C

Beretta Tomcat .32, 85F, Bersa Thunder .380, Colt .380, Mustang, Pony, Llama .380, Kel-Tec P3AT, Mauser HSC, Ruger LCP .380. Sig Sauer 230, Sigma .380 Sterling .380DA, Walther PPK

Double Stack A Beretta 92-D, 92-F, 96-D, Cougar, PX4 Storm, Vertec 92FS, CZ40, Daewoo 9mm, Glock 17, 19, 22, 23, 26, 27, 34, 35, 36, 37, 38, 39 **H&K** P7M-13, USP 9mm, .40 Cal., USP Compact 9mm, .40 Cal., USP Sub Compact P2000, Kel-Tec 9mm, Ruger P85, P89, P93, P94, P95, SR9, **\$&W** 59, 99, 459, 469, 659, 4006, 5904, 5906, 5944, 6904, 6909, 6946, 4046, 4006TSW, 5906TSW, 4013TSW, 5946, SP2022R, SP2340, M&P .40 Cal., Sigma 9F, 40F. Sig Sauer 226, 228, 229, P250 Compact. Springfield XD 40, Taurus 24/7, PT99, PT100, PT101, PT111 Millennium Pro, Walther P99

Double Stack A-2 Beretta PX45 Storm, S&W M&P .45 Cal., Taurus PT145 Millennium Pro

Double Stack B Glock 20, 21, 21SF.45, 29, 30, 36, H&K USP .45 Cal., Compact .45 Cal., HK45, Para-Ordnance P10. P12, P13, P14, Springfield XD .45 Cal., Taurus PT145.45

REFERENCE CHART FOR D407 OT

100A/850A

Beretta 92-D, 92-F, 96-D, Cougar 8000, 8045, 9000S, PX4 Storm, Vertec 92FS, CZ40, Daewoo 9mm, Glock 17, 19, 22, 23, 26, 27, 30, 34, 35, 36, 38, 39, H&K P7M13, USP 9mm, .40 cal, USP Compact 9mm, .40 cal, USP Sub Compact, P2000, Kel- Tec 9mm, Ruger P85, P89, P93, P94, P95, SR9, S&W 59, 99, 459, 469, 659, 4006, 4006TSW, 5904, 5906, 5944, 4046, 5946, 6904, 6906, 6946, SP2340, 4913TSW, M&P .40 Cal. Sigma 9F, 40F, Sig Sauer 226, 228, 229, P250 Compact, UZI Eagle, Springfield XD 40, Taurus 24/7, PT111 Millennium Pro, PT145 Millennium Pro, Walther P99

400A/800A

Colt Government 45, Colt Commander, Colt Defender, Double Eagle, Firestar 9mm, H&K P7, P7M8, Kahr K9, P9, K40, P45, Kimber Pro Carry .45 Cal., Ultra Carry .45 Cal., Ruger P90C, P90DC, P97, P345 **S&W** 457, 645, 908,1006, 1026. 1076, 4506, 4516-1, 4566, 4576, 4586, **\$&W** 1911, 3913TSW, 4563TSW, 4513TSW, CS45, CS9, 3913, 3953, SW9M, (Sigma 9M), Sig Sauer 220, 245, 225, 239, GSR 1911, Springfield 1911 GI 5", GI 4", GI 3", Taurus PT945, PT 908

820A

Glock 20, 21, 21SF.45, 29, 30, 36, H&K USP .45 cal, USP Compact .45 cal. HK45. Para-Ordnance P10. P12, P13, P14, Springfield XD45





D421

Double mag holder with tension screw, two directional snaps makes easy on and off. Fits belts up to 1 3/4". Available in Black and Saddle Brown: Finish - Plain.



G421

Our new double magazine pouch designed with two adjustable tension screws to set removal of the magazines to the users' satisfaction and two directional snaps on the belt makes the pouch very secure but user friendly. The pocket is cut down so a proper grip can be made and the tension screw at center allows proper spacing to help when the magazine is removed, fits belts up to 1 3/4". Available in Black or Saddle Brown: Finish - Plain



D407 OT

This magazine holder is designed to be worn vertically. Low cut for quick access, tension screw adjustment. Specify 1 3/4" or 2 1/4". Available in Black or Saddle Brown: Finish - Plain or Basketweave.



D421-Paddle

This low cut double magazine holder with tension screw. The soft suede kydex reinforced paddle provides great comfort. Easy slip on or off. Available in Black or Saddle Brown: Finish - Plain.



D425A M/C PADDLE STYLE

MAGAZINE/HANDCUFF COMBINATION Single Magazine/Handcuff Combination. Fits Standard and Hinged cuffs easy slip on and off soft kydex suede covered paddle with barbs to hold in place. Available in Black or Saddle Brown: Finish - Plain. Please specify magazine.



D425A M/C

MAGAZINE/HANDCUFF COMBINATION Fits standard and hinged cuffs. A compact carry with belt loops to fit up to a 1 3/4" belt. Available in Black or Saddle Brown: Finish-Plain. Please specify magazine.



C303

HANDCUFF CASE Slotted 2 1/4 inch Belt Loop Fits Regular, Security & Hinged Handcuffs. Also available: Hidden Snap & Velcro Closure. Available in Black: Finish - Plain, Basketweave & Clarino.



Handcuff Case Fits Regular, Security & Hinged Handcuffs. Slotted for 2 1/4 inch belt. Also available: Hidden Snap & Velcro Closure. Available in Black: Finish - Plain, Basketweave & Clarino.

Note: Order C304 01 to fit S&W model 1, ASP Tactical Cuffs and ASP Hinged.





C304-D

Double Handcuff Case Holds two handcuffs in separate pockets. Slotted for 2 1/4 inch belt. Available with Velcro & Hidden Snap. Available in Black: *Finish* - *Plain, Basketweave & Clarino*.

Note: Order C304-D 01 to fit S&W model 1 and ASP Tactical Cuffs.



C306-1 QUICK SNAP CUFF CASE

For duty wear. Fits 2 1/4" belt. Slide on belt loop. Available in Black: Finish - Plain, Basketweave & Clarino.

Note: Order C306-1 01 to fit S&W Model 1 and ASP Tactical Cuffs.



WITH PULL THRU SNAP

Cuff Case pull thru snap. Pull-a-dot snap on belt loop. Fits up to 1 1/2" belts. Available in Black or Saddle Brown: Finish - Plain.





C306-1 W/C

CUFF CASE W/CLIP

Cuff Case with spring clip on belt loop. Fits up to 1 3/4" belt. Available in Black or Saddle Brown: Finish - Plain.

Note: Order C306-1 01 with clip to fit S&W model 1 and ASP Tactical Cuffs.



C305-M

OPEN HANDCUFF CASE

Fits 2 1/4 inch belt. Regular, security and hinged handcuffs. On the front there is a molded indent. This will keep the cuffs in the pouch. Available in Black: *Finish - Plain*, *Basketweave & Clarino*.



C308 Handcuff Strap

WITH PULL-A-DOT SNAP

Available in Black: Finish - Plain, Basketweave & Clarino.



The belt is made from the finest top-grain leather available. By laminating two pieces of 6/7 oz. cowhide, maximum durability is obtained. The edges are dressed to a smooth finish and the lining is specially treated to prevent the absorption of moisture. Available in Black: Finish - Plain, Basketweave & Clarino.



B101-A

Sam Browne belt constructed as B101 except has four rows of stitches. Available in Black: Finish - Plain & Clarino.



B106

This 2 1/4" belt is widely used in police work as well as sports. Made to a total thickness of 13/14 oz. accompanied with a 9/10 oz. billet. Fully lined and the edges are sewn. Available in Black: Finish - Plain, Basketweave & Clarino.



B120-FV

Constructed from two pieces of 6/7 oz. cowhide, has a full length of Velcro closure on liner to keep belt securely in place, two post will make the waist adjustment size. This belt, when worn with our B125-FV may eliminate the need for keepers. Available in Black: Finish - Plain, Basketweave & Clarino.



B101-L-SL

SALLY BROWNE

Same as B101 but curved for comfort with a suede lining. These belts are curved so the tip end goes to the left for a right hand shooter. Available in Black: Finish - Plain, Basketweave & Clarino.



S110 Shoulder Strap

This shoulder strap is made from 8/9oz. cowhide 1 1/4" wide. Features are pivoting dee ring connectors, to be used with a dee ring gun belt or with the S507 attachment. Available in Black: Finish - Plain, Basketweave, Clarino.



\$507 Dee Ring Keeper

Can be used on any gun belt to attach the shoulder strap. Two are required. Available in Black: Finish - Plain Basketweave, Clarino.



This 1 1/2" uniform straight belt is a favorite for duty. Made from 9/10 oz. belt leather, it will give years of wear. Has solid brass removable buckle. Available in Black: Finish - Plain or Basketweave.



B109-L

This is it. At last, a 1 1/4" or 1 1/2" belt that will carry the big gun. Double thickness of top grain cowhide. Stitched edge. Available in Plain Black & Saddle Brown.



B111

The rugged 1 3/4" Garrison Belt is constructed from 9/10 oz. leather with a heavy brass buckle. Available in Black: *Finish - Plain or Basketweave.*



B111-L

The rugged 1 3/4" Garrison Belt is constructed from two pieces of cowhide leather glued together. Stitched and a nice finished edge. Has a removable buckle. Available in Black: Finish – Plain or Basketweave.



B112

This 1 3/4" wide officer's belt is made of heavy 9/10 oz. top grain cowhide. It features billets of 9/10 oz. cowhide with a solid brass oval buckle. Available in Black: *Finish - Plain or Basketweave*.



B125

This uniform trouser belt features a Velcro fastener and is made from heavy 9/10 oz. leather. Smooth inside. Also ideal for dress wear. 1 1/2" width. Available in Black: *Finish - Plain or Basketweave*.



B125-FV

1 5/8" width. This reversible belt is constructed from 7/8 oz. cowhide and fully lined with Velcro® closure. Designed to wear with Sam Browne belt B120-FV. Available in Black: Finish - Plain and Basketweave.

Best Quality Value Belts Real Leather with great workmanship



B100

The B100 is a thick 2'/4" gun belt constructed from two pieces of 6/7 oz. cowhide. The edges are nicely finished. Solid cast buckle. Available in Black: *Finish - Plain*.



B100-A

Constructed as the B100 but has four rows of stitches. Available in Black: Finish - Plain.



B53

Made from 9/10 oz. cowhide with a removable buckle. Available in a 1½" width. Available in Black: Finish – Plain or Baskelweave



B54

A heavy duty 1³/4" belt with a movable buckle. Available in Black: Finish – Plain or Basketweave.



B57

This trouser belt features a Velcro fastener and is made from heavy 9/10 oz. top grain leather. Also ideal for casual wear. 11/2" width. Available in Black: Finish – Plain or Basketweave.



B113

Buckleless Trouser belt 11/2" width, ideal for any job where a belt with a buckle will cause damage, auto mechanic, auto body work, etc. Two studs that will secure the belt into position. Available in Black: Finish - Plain or Basketweave



C309-3-F Mace® Available w/Velcro® & Hidden Snap closure. Belt loop to fit 2 1/4" with directional snap.



C121
OPEN TOP BATON HOLDER
Constructed from Top Grain
Cowhide. Available with a sewn
down belt loop, closed bottom or
open bottom. Specify brand, size,
and style of baton. Fits 16", 21" &
26" Casco and ASP batons. C116,
C121 and C126. Available in Black:
Finish - Plain, Basketweave & Clarino.



Holder MK4
Fits Pepper Mace MK IV,
Punch II M-4, Pepper 10 MK
IV, BodyGuard 4 oz.,
Winchester Police Model. Fits
2 1/4" belt with directional
snap. Available in Black: Finish
- Plain. Basketweave & Clarino.



C121-F
BATON HOLDER WITH FLAP
Constructed from Top Grain Cowhide.
Specify brand, size, and style of baton.
Holder is available with a sewn down belt
loop, closed bottom or open bottom. Fits
16", 21" & 26" Casco and ASP batons. C116F, C121-F and C126-F. Available with Velcro
or Hidden Snap. Available in Black: Finish Plain, Basketweave & Clarino. *Now available
for the Monadnock Auto-Lock

C309 REFERENCE CHART

C309-F Mace® Holder MK4 With Flap

Fits Pepper Mace MK IV, Punch II M-4, Pepper 10 MK IV, BodyGuard 4 oz., Phase IV 90 grams, Federal MK4

C309-BG-F Mace® Holder

Fits BodyGuard 3 oz., Neutralizer, Phase IV 50 grams, Fox 84 grams

C309-F 2 oz. Fox

Fits Fox 2 oz. 56 grams

C309-2-F Mace® Holder 2 oz. With Flap

Fits Curb, Freeze +P, Punch II M-3, Cap-Stun M-3, BodyGuard 2 oz. Punch III M-3

C309-F Mace® Holder 5.3

Fits Fox 112 grams five point three

C309-3-F Mace® Holder 3 oz. With Flap

Fits First Defense MK III, Pepper Mace MK III, Mace MK III, Sabre 5.0, Sabre Red 1.8 oz., Take Down MK III, BodyGuard LE 10 1.5 oz.

C309-2-F Mace® Holder OC 2 oz. OC 10 With Flap

Fits Devastator 2 oz., CAS-OC Standard, Counter Assault OC10, Punch II M-3-T, Sabre Defense 1.8 oz.

C309-T-F Sabre Mace® Holder 1 oz. C.S.

Fits Punch II. This mace holder has a P.V.C. insert to aid in preventing accidental discharge.

REFERENCE CHART FOR D111-F

D111-A-F ASP Tac Lite D111-2-F Streamlight Scorpion Sure-Fire 6P Sure-Fire 6Z D111-PS-F Streamlight Polystinger Streamlight Stinger XT D111-S-F Streamlight Stinger Sure-Fire 8X D111-7-F Streamlight Strion D111-8-F Streamlight Strion TL2 D111-9-F Streamlight Strion TL3 D111-11-F Streamlight LED Stinger D111-17-F Pelican 7060 LED Light D111-G2-F Sure-Fire G2



D111-F

Flashlight holder with cover flap. Snap-on belt loop. Also available in hidden snap see price sheet. Available in Black: Finish- Plain, Basketweave & Clarino.



D111-0T

Flashlight holder open top. Snap on belt loop. Available in Black: *Finish - Plain, Basketweave & Clarino.*

REFERENCE CHART FOR D111-0T

D111-0T-A ASP Tac Light D111-0T-1 Sure Fire 6R D111-0T-2 Streamlight Scorpion Sure Fire 6P Sure Fire 6Z D111-0T-S Streamlight Stinger Sure Fire 8X D111-0T-PS Streamlight Polystinger Streamlight Stinger XT D111-0T-7 Streamlight Strion D111-0T-9 Streamlight Strion TL3 Streamlight Strion TL2 D111-0T-10 Streamlight Task 3AA D111-0T-11 Streamlight LED Stinger D111-0T-15 Pentagon X2 D111-0T-TT2 Streamlight Twin Task TT-2 D111-0T-G2 Sure-Fire G2 D111-0T-11 DS Streamlight Stinger LED DS



D106-M

COMPACT HOLDER Fits 2 1/4" belt. Specify brand and model. Available in Black: *Finish - Plain, Basketweave & Clarino.*

REFERENCE CHART FOR D106-M

D106-M-1 Streamlight Scorpion D106-M-2 Surefire G2 Streamlight Twin Task 2 LED Sure-Fire 6P Sure-Fire 6Z Sure-Fire 6R D106-M-4 Streamlight Stinger Sure-Fire 8X ASP Tac Light D106-M-5 Streamlight Stinger XT Streamlight Polystinger Pentagon X2 D106-M-6 Streamlight TL2 & TL3 D106-M-7 Streamlight Strion D106-M-10 Twin Task 3AA D106-M-11 Streamlight LED Stinger



D109

FLASHLIGHT HOLDER Fits Mag-Lite, Kel-Lite & Streamlight. For C & D Cell Flashlights. Fits 2 1/4" belt. Also available for Pelican M-9. Please Specify light. Available in Black: Finish - Plain, Basketweave & Clarino.



I.D./Badge Holder with chain



C321-1 S.O.GLOVE POUCH
Holds two pair surgical gloves. Snaps on 2 1/4" belt. Available in Black:
Finish - Plain, Basketweave & Clarino.
*Also available with 2 1/4" slotted belt loop.



C312 Clip On Badge Holder - Shield



C312-CChain Badge Holder-Shield



C321GLOVE POUCH
Holds one pair surgical gloves. Slotted to fit 2 1/4 inch belt. Available in Black: *Finish - Plain, Basketweave & Clarino*.



C313 Clip On Badge Holder - Shield



C314 Clip On Badge Holder - Star



S501 KEY STRAP Single Snap Heavy Duty Key Snap



S501-1 KEY STRAP Double Snap Heavy Duty Key Snap



S505 To fit C Cell Flashlight or Baton Ring - 1 1/2"

S505-A Baton Ring - 1 3/4"

S505-B To fit D Cell Flashlight Ring - 2"



S505-D BATON OR **FLASHLIGHT** COMBINATION (C or D Cell)

1 1/2" & 2" Rings



S508 MONADNOCK® RING Black



S502-1-V **BELT KEEPER** Velcro® 1 1/8"



S502-1-HS **HIDDEN SNAP** Keeper 1 1/8"



S502-3 BELT KEEPER Double Snap 1"



S502-4 BELT KEEPER Four Snaps 1 5/8"



S503 KEY STRAP WITH FLAP Heavy Duty Key Śnap



#2 BELT **KEEPER** Double Snap



S502-1 BELT KEEPER Double Snap



S504 SILENT **KEY HOLDER**

All items on this page are available in Black: Finish-Plain, Basketweave & Clarino.



These products are low maintenance, and easy to clean. In most cases lukewarm water and a mild detergent should work. Be sure to pat off excess water and air dry. "NEVER MACHINE WASH OR DRY".

As with all products, you should inspect them on a regular basis to be sure they will perform when needed.





NTOP SECURITY

LEVEL TWO TOP DRAW BALLISTIC NYLON DUTY HOLSTER

Rigid construction for durability, metal reinforced belt loop with locking screw, covered trigger guard, open bottom. After months of evaluation we find this holster to meet the demand for a duty style holster that provides security, safety and easy quick draw. With the aid of our new HRTL (hidden retention trigger lock) locking device this holster will automatically secure the gun when re-holstered. The retention lock will enter the trigger guard and the gun will rest safe and secure.

To activate simply release the low profile thumb break and continue moving thumb downward to release the secondary trigger guard release. At this time you will have a shooters grip, simply lift the gun straight up. To re-holster, insert gun, and push down to be sure the trigger guard lock is in place. At this time the gun is secure, for extra security always secure the thumb break safety strap.



NT FORCE

LEVEL TWO PLUS SECURITY TWIST & DRAW BALLISTIC NYLON DUTY HOLSTER

Rigid construction for durability, detailed molding for a good fit. Metal reinforced belt loop jacket slot, covered trigger guard, reinforced mouth opening for durability and easy reholstering, body tension screw adjustment, open bottom and a molded sight tunnel.

To draw the gun, obtain a shooter grip, activate the low profile thumb break, slightly twist the grip of weapon toward your body and up. This will release the acrylic trigger guard release. With a little practice this security feature becomes fast and smooth.

REFERENCE CHART FOR NTOP SECURITY & NT FORCE

AVAILABLE FOR THE FOLLOWING WEAPONS:

| Chart # | <u>Weapon</u> |
|----------|---------------------------------|
| 30-1 | SIG SAUER 228, 229, 229R |
| 30-4 1/4 | SIG SAUER 220, 226, 226R |
| 36-4 | GLOCK 19, 23, 32 |
| 36-4 1/2 | GLOCK 17, 22, 31 |
| 41 | GLOCK 20, 21, 37 |
| XD40-4 | SPRINGFIELD XD40-4 |

OTHER WEAPONS AVAILABLE IN QUANTITIES

REFERENCE CHART FOR NCOP I -SH & NH738-SH

AVAILABLE FOR THE FOLLOWING WEAPONS:

| Chart # | <u>Weapon</u> |
|----------|-----------------------------------|
| 10-5 | COLT GOV'T 45, Kimber TLEII 1911, |
| | PARA-ORDNANCE P14, S & W 1911, |
| | Springfield 1911, |
| 25USP | H&K USP 40 CAL & 9MM |
| 25USP-1 | H&K USP 45 CAL. |
| 25USPC | H&K USP COMPACT 40 CAL. & 9MM |
| | P2000 40 CAL |
| 25USPC-1 | H&K COMPACT 45 CAL. |
| 26-5 | BERETTA 92/96 |
| 26-PX | BERETTA PX4 STORM |
| 30-1 | SIG SAUER 228, 229, 229R |
| 30-4 1/4 | SIG SAUER 220, 226, 226R |
| 30SP-R | SIG SAUER SP2022R |
| 36-4 | GLOCK 19, 23, 32 |
| 36-4 1/2 | GLOCK 17, 22, 31 |
| XD40-4 | SPRINGFIELD XD40-4 |
| XD45-4 | SPRINGFIELD XD45 4" |
| XD45-5 | SPRINGFIELD XD45 5" |
| 41 | GLOCK 20, 21, 37 |
| | |

OTHER WEAPONS AVAILABLE IN QUANTITIES

NH738-SH

LEVEL ONE RETENTION BALLISTIC NYLON DUTY HOLSTER

Rigid construction for durability, detailed molding for a good fit. Metal reinforced belt loop, with locking screw, covered trigger guard, open bottom and molded sight tunnel. To fit a 2 1/4" belt.



NCOP I -SH

LEVEL ONE RETENTION BALLISTIC NYLON DUTY HOLSTER

Rigid construction for durability, detailed molding for a good fit. Metal reinforced belt loop jacket slot, covered trigger guard, reinforced mouth opening for durability and easy reholstering, body tension screw adjustment, open bottom and a molded sight tunnel. To fit a 2 1/4" belt.



NH720

BALLISTIC NYLON

Paddle Holster with detailed molding, rigid construction for durability, molded sight tunnel and body tension screw adjustment. The wide suede covered Kydex reinforced paddle has two barbs spaced 3" apart that will hold the paddle in place when drawing the gun.



REFERENCE CHART FOR NH727 & NH720

AVAILABLE FOR THE FOLLOWING WEAPONS:

| <u>CHART #</u> 10-5 | WEAPON COLT GOV'T 45, KIMBER TLEII 1911, PARA-ORDNANCE P14 |
|------------------------|--|
| | S&W 1911, SPRINGFIELD 1911 |
| 25 USP | H&K USP 40 CAL & 9MM |
| 25 USP-1 | H&K USP 45 CAL |
| 25 USPC | H&K USP COMPACT 40 CAL & 9 MM |
| 25 USPC-1 | H&K USP COMPACT 45 CAL |
| 26-5 | BERETTA 92/96 |
| 26-PX | BERETTA PX4 STORM |
| 30-1 | SIG SAUER 228,229, 229R |
| 30-4 1/4 | SIG SAUER 220,226, 226R |
| 30SP-R | SIG SAUER SP2022R |
| XD45-4 | SPRINGFIELD XD45 4" |
| XD45-5 | SPRINGFIELD XD45 5" |
| 36-4 1/2 | GLOCK 17, 22, 31. |
| 36-4 | GLOCK 19, 23, 32 |
| 36-1 | GLOCK 26, 27, 33 |
| 36-38 | GLOCK 38 |
| 36-39 | GLOCK 39 |
| 364-45 | GLOCK 36 |
| 41 | GLOCK 20, 21 |
| 41-1 | GLOCK 29, 30 |



BALLISTIC NYLON

A high ride duty holster. Detailed molding, rigid construction for durability, molded sight tunnel body tension screw adjustment and open bottom. Belt loop to fit 2 1/4" belt.







TASER HOLSTER BALLISTIC NYLON

BALLISTIC NYLON

Rigid construction for durability. Features a snap on belt loop with two directional snaps, fits a 2 1/4" belt, covered trigger, closed bottom with weep hole.



NT.C.H.

BALLISTIC NYLON TASER SPARE CARTRIDGE HOLDER

Rigid construction for durability. The sides are cut down to allow a secure grip when removing the cartridge. Please specify directional snap on or sewn down belt loop 2 1/4".





See Chart on Page 14 for ordering.

NH738-SH TAC

TAC LIGHT HOLSTER BALLISTIC NYLON

Rigid construction for durability, metal reinforced belt loop jacket slot and covered trigger guard.



NH722 TAC

BALLISTIC NYLON

Rigid construction for durability a center sewn belt loop and a loop sewn on the outer edge makes holster ride high and close to the body. A reinforced overlay will keep the mouth open for easy reholstering.



NT.L.H.

Rigid construction for durability. Sewn down belt loop, to fit a 2 1/4 inch belt. The sides are cut down to allow a secure grip when removing the light.



AMBIDEXTROUS

The inside the waistband holster features a reinforced strip sewed to the inside front to aid in reholstering. Clip on belt loop. Nylon Tricot lining.

REFERENCE CHART FOR NH715

AVAILABLE FOR THE FOLLOWING WEAPONS:

| Chart # | Weapon |
|----------|---|
| 3-2 | Charter Arms Undercover, Colt Detective Special, Ruger |
| | SP101, S&W "J" Frame, 36, 60, Chief Spec., Lady Smith, |
| 10.010 | Taurus 85 |
| 10 P10 | Colt Defender, Colt Pocket 9, Kahr 9, MK9, K40, Kel Tec |
| | P11, Kimber Ultra Carry, Para-Ordnance P10-45, Springfield Micro Compact |
| 10-4 1/4 | Colt Commander, Daewoo 9mm, Kimber Pro Carry II, |
| 10-4 1/4 | Para-Ordnance 12-45, 13-45, S&W CS Commander, |
| | Springfield GI 4 |
| 10-5 | Browning High Power, Colt Gov.t .45, Kimber TLE11 |
| 100 | 1911, Para-Ordnance 14-45, S&W 1911, Springfield GI 5 |
| 23 | ATM Backup .380, Beretta Tomcat 32, Tomcat Stainless, |
| | Colt Mustang .380, Colt Pony, Guardian |
| 26-5 | Beretta 92/96 Series |
| 26-PX | Beretta PX4 Storm |
| 25USP | H&K USP .40 Cal & 9mm, USP .45 Cal |
| 28 | Sig Sauer 225, 228, 229, 239, S&W 3913 Lady Smith |
| 30SP | Sig Sauer 2340, Springfield XD40-4 |
| 36-1 | Beretta 9000S 40 Cal., Glock 26, 27, 33, Taurus PT111 |
| 36-4 | Beretta Cougar 8000, 8040, 8045, Glock 19, 23, 32, 36, |
| | Ruger P93, P95, S&W 99, Walther P99 |
| 36-4 1/2 | Glock 17, 22, 31, S&W Sigma 40F, 39, 59, 439, 5904, |
| | 3904, Sig Sauer 220, 226 Taurus PT908, PT945 |
| 40-P45 | Kahr P45 |
| 41 | Glock 20, 21, 37 |
| 41-1 | Glock 29, 30, Taurus Pro PT111, PT 145 |
| 42 | Browning BDA 380, Colt Gov,t .380, Llama .380, Sig |
| 00.0 | Sauer 230, Walther PPK |
| 80-2 | Kel-Tec P3AT 2nd Generation |
| | |



NIT / OU

BALLISTIC NYLON ANKLE HOLSTER -

SMALL FRAME AUTOMATICS & REVOLVERS

This ankle holster is comfortable due to the foam padding, also has Velcro® adjustment for size of ankle and length from garter to holster. Rigid construction for durability.

REFERENCE CHART FOR NH760

AVAILABLE FOR THE FOLLOWING WEAPONS:

| Chart # | Weapon |
|----------|-----------------------------------|
| 3-2 | CHARTER ARMS PATHFINDER, |
| | UNDER COVER, S&W CHIEF |
| | SPECIAL, LADY SMITH, AIRWEIGHT |
| 18 | WALTHER PPK, PPK/S INTERARMS |
| | APK .380 |
| 36-1 | GLOCK 26, 27, 33 |
| 40FS | S&W SIGMA .380 |
| 42 | SIG SAUER 230, 232 |
| 52-2 1/4 | RUGER SP101 |
| 80-1 | KEL TEC P11 |

REFERENCE CHART FOR NH721

AVAILABLE FOR THE FOLLOWING WEAPONS:

Chart # Weapon 26-5 Beretta 92 Series 10-41/4 Colt Combat Commander, Kimber Pro Carry II, Para-Ordnance P13-45, S&W SC Commander Springfield GI 4" Colt Gov't Model MK IV 1911, Kimber TLEII 10-5 1911, Para-Ordnance P14-45, S&W 1911, Springfield 1911 26-PX Beretta PX4 Storm 36-4 1/2 Glock 17, 22, 31 Glock 19, 23, 32 36-4 41 Glock 20, 21, 37 36-1 Glock 26, 27, 33 Glock 29, 30 41-1 364-45 Glock 36 25USP H&K USP .40 Cal. & 9mm 25USPC H&K USP .40 Cal. & Compact 9mm 25USP-1 H&K USP .45 Cal. 25USPC-1 H&K USP Compact .45 Cal. **Sig Sauer** 228,229, 229R 30-1 30-4 1/4 Sig Sauer 220, 226, 226R Springfield XD 40-4 XD40-4

REFERENCE CHART FOR ND425-A M/C

| <u>CHART #</u> 100B | <u>WEAPON</u> Beretta 8040, 9000S, 92 Series & 96D, 8045-F, 84B, |
|------------------------|--|
| | Cougar, PX4 Storm, Vertec 92FS, Browning 9mm, |
| | BDA .380, , CZ40, Daewoo 9mm, H&K M-13, M-10, Kel-Tec P11, Ruger P85, P89, P91, P93, P94, P95, |
| | S&W 99, 459, 469, 659, 669, 915, 4006, 4006, |
| | Bobbed, 4006TSW, 4013 TSW, 4046, 4053, 5904, |
| | 5906, 5906TSW, 5926, 5944, 5946, 6904, 6906, |
| | 6946, Sigma 9F, 40F, Sigma Compact 9C, 9V, 99, Sig Sauer 226, 228, 229, SigPro 2340, Springfield XD40. |
| | XD45, Taurus 24/7, PT99, PT111, PT111 Millennium |
| | Pro, TZ75, Uzi Compact .40 cal., Walther P99 |
| 200B | AMT Backup .45 Cal., Colt Gov't .45, Colt Defender, |
| | Colt Pocket Nine, Commander, Double Eagle, Officers Model, Firestar, H&K P7, P7M8, P9S, Kahr K9, K40, |
| | MK9, P9, P45, Kimber Ultra Carry, Ruger P90, P97, |
| | P345, S&W 39, 457, 639, 645, 908, 1006, 1026, |
| | 1076, 1911, 3904, 3913, 3913TSW, 3953, 4506, |
| | 4513TSW, 4516-1, 4553TSW, 4556, 4563TSW, 4566, 4586, Sigma 9mm, 4056, Chiefs Special CS9, CS40, |
| | CS45, S&W 1911, Sig Sauer 220, 225, 239, 245, |
| | GSR 1911, Springfield GI5, GI4, GI3, Taurus PT945 |
| 400B | AMT Backup .380, Beretta .380, 85F, Tomcat, Bersa |
| | Thunder .380, Colt Mustang, Pony .380, Guardian .32, Kel-Tec P32, Llama .380, Makarov 9mm, Mauser |
| | .380, S&W Sigma .380, Sig Sauer 230, 232, Sterling |
| | .380, Walther .380 |
| 820B | Glock 20, 21, 29, 30, 36, H&K USP .45 Cal. & |
| | Compact .45 Cal., Para-Ordnance P10, P12, P13, |
| 850B | P14, Taurus PT 145 Glock 17, 19, 22, 23, 26, 27, 31, 32, 33, 34, 35, 38, |
| 000D | 37, 39, H&K USP 9mm, .40, Cal. & Compact 9mm, |
| | |

.40 Cal., P2000, 2000SK



NH721

BALLISTIC NYLON

A pancake holster with detailed molding rigid construction for durability. A wide web belt loop at each end holds the holster close to the body. Open muzzle end. Fits belts up to 1 3/4".



ND425-A M/C

BALLISTIC NYLON MAGAZINE/ HANDCUFF COMBINATION

Rigid construction for durability. Sewn down nylon web belt loop. Fits standard and hinged cuffs. Please specify magazine. Also available for the ASP Tactical cuff. Fits belts up to 1 3/4".



ND407
BALLISTIC NYLON
DOUBLE MAGAZINE HOLDER

Rigid construction for durability. Sewn down nylon web belt loop, to fit a 2 1/4" belt. Vertical or horizontal carry.



BALLISTIC NYLON DOUBLE MAGAZINE HOLDER

Features two screws installed at the center to adjust tension. Rigid construction for durability. Sewn down belt loop to fit 2 1/4" belt. Vertical and horizontal carry.



BALLISTIC NYLON SINGLE MAGAZINE

HOLDER

Rigid construction for durability. Sewn down nylon web belt loop, to fit a 2 1/4" belt.



ND407 OT

BALLISTIC NYLON

Rigid construction for durability. Sewn down nylon web belt loop, to fit a 2 1/4" belt. This magazine holder is low cut for quick access. Double tension screw adjustment.



ND417

BALLISTIC NYLON MAGAZINE HOLDER

Rigid construction for durability. Spring Clip on belt loop to fit up to 1 3/4".

REFERENCE CHART FOR ND407 & ND407-1, ND407-2S

| <u>CHART</u> # #100A | WEAPON Beretta 92/96, PX4 Storm, Vertec 92FS, S&W Model 99, Sig Sauer 226, 228, 229, SP2340, 226/357 Rail 229R 40cal, Springfield XD40, Taurus 24/7, PT111 Millennium Pro, Walther 99 |
|-------------------------|---|
| #100A-11 | Springfield XD45 |
| #225A | Sig Sauer 239 |
| #400A | Colt Gov't. 45, S&W 3913, Springfield Operator, TLE RLII |
| #820A | Glock 20, 21, 29, 30, 36, H&K USP 45cal., HK45. Para-Ordnance P14 |
| #820-1A | Para-Ordnance P10, 12, 13, Glock 29, 30 |
| #850A | Glock 17, 22, 31, 34, 35, H&K USP 40 Cal |
| #850-1C | Glock 19, 23, 32, H&K USP Compact 9/40, Sub Compact P2000, Sig 229, 229R, P250 Compact |
| #850-1A | Glock 26, 27, 33 |
| #800 | Sig Sauer 220R, SP2022R, 1911 GSR, Springfield GI 5", GI 4", GI 3", S&W 1911 |
| #820-1B | H&K Usp .45 Cal. compact |

REFERENCE CHART FOR ND417

| #100A | Beretta 92/96, 9000S 40 Cal., vertec 92FS, S&W Model 99, Sig Sauer 226, 228, 229, SP2340, Springfield XD40, Taurus 24/7, PT111 Millennium Pro Walther 99 |
|--------------|--|
| #400A | Colt Gov't. 45, Kimber TLEII 1911, Sig Sauer P220, GSR 1911, |
| | Springfield Operator GI5, GI4, GI3, S&W 1911 |
| #820A | Glock 20, 21, 29, 30, H&K 45 Cal., Compact 45 Cal., Para - |
| "0504 | Ordnance P10, 12, 13, 14 |
| #850A | Glock 17, 19, 22, 23, 26, 27, 31, 32, 33, 34, 35, 36, 38, 39, H&K USP 40 Cal., |
| #850-1-C | 40 Cal. Compact H&K USP 9/40 & Compact 9/40, Sub Compact P2000 9/40 |

REFERENCE CHART FOR ND407 OT

| TIEFERIOR OFFICE TO THE TOTAL | |
|---|---|
| #100A/#850A | Beretta 92/96, PX4 sTorm, Vertec 92FS, Glock 17, 19, 22, 23, 31, 32,34, |
| | 35, 36, 38, 39, H&K USP 40 Cal., 40 |
| | Cal., Compact, Sub Compact |
| | P2000, \$&W Model 99, M&P 45, |
| | Sig Sauer 226, 228, 229, SP2340, |
| | Taurus 24/7, PT111 Millennium Pro, |
| | Walther 99 |
| #400A/#800A | Colt Gov't 45, Kimber Pro Carry |
| | TLE RLII, 45, S&W 4553 TSW, 1911, |
| | Sig Sauer 220, GSR 1911, |
| | Springfield Operator 1911, |
| | Ruger P90 |
| #820A | Glock 20, 21, H&K USP 45 Cal., HK45 & |
| | Compact 45 Cal., Para-Ordnance |

10, 12, 13, 14



NCUFF POCKET

BALLISTIC NYLON Unique concealable pouch designed to carry one pair of handcuffs. Sewn down belt loop, to fit belts up to 2 1/4". Fits Regular, Security and Hinged Handcuffs.



NC304

BALLISTIC NYLON

Rigid construction for durability. Sewn down belt loop, to fit a 2 1/4" belt. Fits Regular, Security and Hinged Handcuffs.

NOTE: Order C304 01 to fit ASP Tactical Cuff, S&W Model 1 Cuff and ASP Hinged.



NC300

BALLISTIC NYLON

Rigid construction for durability. Sewn down belt loop, to fit a 2 1/4" belt. Fits Regular, Security and Hinged Handcuffs.

NOTE: Order C304 01 to fit ASP Tactical Cuff, S&W Model 1 Cuff and ASP Hinged.



NC306-1

BALLISTIC NYLON

Rigid construction for durability. Sewn down belt loop, to fit a 2 1/4" belt. Fits Regular and Hinged Handcuffs.

NOTE: Order C306-1 01 to fit ASP Tactical Cuff and S&W Model 1 Cuff.



Constructed from 1 1/2" web. Will fit 2 1/4" belt. Has a directional snap.



NC309 F

BALLISTIC NYLON MACE HOLDER

Rigid construction for durability. Sewn down belt loop, to fit a 2 1/4" belt.

REFERENCE CHART FOR NC309 F

NC309 F-4

Pepper Mace MK IV, Punch II M-4, Pepper 10 MK IV, Body Guard 4 oz.

NC309 F-2 OC

Federal - MK IV, Phase IV 90 grams 10 Devastator, Counter Assault OC 10, Punch II M3, Freeze +P 2oz.

NC309 F-3

First Defense MK III, Pepper Mace MK III, Mace MK III, Sabre 5.0

NC309 F-T 1 oz. C.S.

This mace holder has a PVC insert to aid in preventing accidental discharge

AVAILABLE IN OPEN TOP. PLEASE SPECIFY WHEN ORDERING.



NC121

BALLISTIC NYLON EXPANDABLE BATON HOLDER Rigid construction for durability. Available with closed or open bottom. Sewn down belt loop, to fit a 2 1/4" belt. Specify Baton.



NSBC321-D

Holds two pair of surgical gloves in separate pockets, drop down pouch. Sewn down belt loop fits 2 1/4" belt.





ND422 MK9

BALLISTIC NYLON RIOT MANAGEMENT OC

The design has a 2" wide Velcro adjustable strap. Two directional snaps make it easy and secure, snap on the belt. A rigid center bent at the bottom to support weight of the riot control management.



Rig is made of 2" web and thigh straps with quick release buckles. The cylinder type pocket with flap is of 600 denier nylon with reinforcement so as to keep its shape, making it easier to re-holster. Ideal for quick, fast riot control management.

Note: Also, available for the MK9X





NUNIVERSAL

RADIO HOLDER This holder will adjust to fit most hand held radios. Velcro closure. Sewn down belt loop to fit a 2 1/4" belt.



ND.H.

BALLISTIC NYLON RADIO HOLDER

The ND.H. radio holder is of rigid construction for durability. Sewn down belt loop, to fit a 2 1/4" belt. Also available as a Swivel Style. Fits 2 1/4" belt.

Order item A to fit the Motorola® and similar sizes. $4"(H) \times 2 \ 7/8"(W) \times 1 \ 3/8"(D)$

Order item B to fit the Motorola® XTS5000, XT3000, HT1000 $4"(H) \times 2 \ 1/2"(W) \times 1 \ 3/4"(D)$

Order item C to fit the Motorola® Sabre II high battery capacity. $5"(H) \times 2 7/8"(W) \times 1 1/4"(D)$

Order item E to fit the Motorola® HT750 4" (H) x 2 1/2" (W) x 1 1/2" (D)

Order item F to fit the Motorola® Astro Saver $4" (H) \times 2 \frac{1}{2}" (W) \times 1 \frac{1}{4}" (D)$



ND422-MS

BALLISTIC NYLON
ADJUSTABLE RADIO HOLDER
This design has a Velcro®
adjustable strap. Sewn down belt
loop, to fit a 2 1/4" belt. A rigid
center bent at bottom end to support radio.



ND106-M

BALLISTIC NYLON FLASHLIGHT HOLDER

Rigid construction for durability. Sewn down belt loop, to fit a 2 1/4" belt.

| REFERENCE CHART | |
|-----------------|-----------------------------|
| D106-M-1 | Streamlight Scorpion |
| D106-M-2 | Sure-Fire 6P, Sure-Fire 6Z |
| | Sure-Fire 6R |
| D106-M-4 | Streamlight Stinger, |
| | Sure-Fire 8X, ASP Tac Light |
| D106-M-5 | Streamlight Stinger XT |
| | Streamlight Polystinger |
| D106-M-6 | Streamlight TL2 & TL3 |
| D106-M-7 | Streamlight Strion |
| D106-M-10 | Streamlight Task 3AA |
| D106-M-11 | Streamlight LED Stinger |
| D106-M-15 | Pentagon X2 |
| | |



ND111F

BALLISTIC NYLON

FLASHLIGHT HOLDER

Rigid construction for durability. Sewn down belt loop, to fit a 2 1/4" belt.

| REFERENCE CHART | |
|-----------------|-------------------------|
| D111-A | ASP Tac Lite |
| D111-1-F | Sure-Fire 8X |
| | Sure-Fire 6R |
| D111-2-F | Sure-Fire 6P |
| | Sure-Fire 6Z |
| D111-PS-F | Streamlight Polystinger |
| | Streamlight Stinger XT |
| D111-S-F | Streamlight Stinger |
| D111-7-F | Streamlight Strion |
| D111-8-F | Streamlight Strion TL2 |
| D111-9-F | Streamlight Strion TL3 |
| D111-10-F | Streamlight Task 3AA |
| D111-11-F | Streamlight LED Stinger |
| D111-15-F | Pentagon X2 |
| | |

AVAILABLE IN OPEN TOP.
PLEASE SPECIFY WHEN ORDERING.



NB125 BALLISTIC NYLON TROUSER BELT VELCRO® CLOSURE

1 1/2" width. Smooth inside of Ballistic Nylon. Belt closure of Velcro Hook and Loop. Edges have a binding to prevent fraying and to give a finished look.



NB125 FV BALLISTIC NYLON TROUSER

BELT VELCRO® LINED

1 1/2" width. Lined with Velcro hook, designed to use with full Velcro lined duty belts. Belt closure of Velcro Hook and Loop. Edges have a binding to prevent fraying and to give a finished look.



NRB FV

BALLISTIC NYLON DUTY BELT 2 1/4" width. Lined with Velcro Loop. Rigid construction for durability and holster support. Easy release buckle. Each end has an elastic sliding keeper. Edges have a binding to prevent fraving and give a finished look.



NRB

BALLISTIC NYLON DUTY BELT 2 1/4" width. Rigid construction for durability and holster support. Easy release buckle. Each end has an elastic sliding keeper. Edges have a binding to prevent fraying and to give a finished look.

SM 28" -32", MD 34"-38", LG 40"-44". XL 46"-50", XXL 52"-56" NOTE: Duty Belts have an additional two inches added for size.



NS501 MOLDED

Nylon webbing reinforced so as not to stretch and will conform to the belt. Double snap will fit a 2 1/4" belt..



NS502-1-M NYLON SILENT KEY holder. Sewn belt loop

to fit a 2 1/4" belt.



NS504 NYLON SILENT KEY holder. Sewn belt loop to fit a 2 1/4" belt.



NS503 NYLON KEY HOLDER Sewn down belt loop fits 2 1/4" belt.



NS505-D BATON OR FLASHLIGHT COMBINATION C OR D CELL Baton or Flashlight Combination C or D cell. Constructed of 1"

webbing. Will fit a 2 1/4" belt.



NS505-B NYLON WEBBING FLASHLIGHT D **CELL HOLDER** Constructed of 1" web. Will fit a 2 1/4" belt.



NS505 NYLON WEBBING NIGHT STICK/ FLASHLIGHT C CELL HOLDER Constructed of 1" web. Will fit a 2 1/4" belt.



All belts on this page available in sizes:



NS508 NYLON WEBBING Constructed of 1" web with a shatter resistant PR 24 ring. Will fit a 2 1/4" belt.



NS502-1 NYLON WEBBING **DOUBLE SNAP KEEPER** Constructed of 1" web. Will fit a 2 1/4" belt.



NS502-4 NYLON WEBBING Constructed of 1 5/8" web. Will fit a 2 1/4" belt.



500 26th Street NW • Miami, OK 74354

1-800-331-2686

www.donhume.com

Fax: 918-542-4340 • info@donhume.com

A Division of Oklahoma Leather Products, Inc.

Made with Pride in the USA