

NEW



GRACE INDUSTRIES

JULY 2014

PRICE LIST

NON-TELEMETRY

PRODUCTS

CALL 724-962-9231

SALES@GRACEINDUSTRIES.COM




LITE TRACKER®



Lite Tracker Demonstration Images			LITE TRACKER - G Series	LITE TRACKER - G Series- NOT UL LISTED	Lens Color	LED Color	Pattern	Model XX-Specify Clip Style
 GC-Std Grip Clip Add \$0			Lite Tracker G	Flash only 3-amber LEDs - Includes 2- AAA Batteries- ≥160 hours of operation	Green	Amber	Flash Only	LTG-XX
	Amber LED Lite Tracker	Red LED Lite Tracker	Lite Tracker G1	Flash only 3-red LEDs- Includes 2- AAA Batteries- ≥160 hours of operation	Red	Red	Flash Only	LTG1-XX
			Lite Tracker G2	Flash only 3-green LEDs- Includes 2- AAA Batteries - ≥96 hours of operation	White	Green	Flash Only	LTG2-XX
			Lite Tracker G3	Flash only 3-blue LEDs- Includes 2- AAA Batteries- ≥96 hours of operation	White	Blue	Flash Only	LTG3-XX
 MG-Magnetic - Add \$6			LITE TRACKER - 2000 UL Listed Series		Lens Color	LED Color	Pattern	Model -XX SPECIFY CLIP
	Green LED Lite Tracker	Blue LED Lite Tracker	Lite Tracker 2004	2-Red, 1-blue LED, Intrinsically safe- Includes 2- AAA Batteries- ≥50 hours of operation	White	Red/Blue/Red	Alternating	LT2004-XX
			Lite Tracker 2005	2-Red, 1-blue LED (starburst), Intrinsically safe- Includes 2- AAA Batteries- ≥40 hours of operation	White	Red/Blue/Red	Starburst	LT2005-XX
			Lite Tracker 2006	1-Red, 1-white, 1-blue LED (All American), Intrinsically safe- Includes 2- AAA Batteries- ≥50 hours of operation	White	Red/White/Blue	Alternating	LT2006-XX
 SC-Swivel Clip - Add \$6			Lite Tracker 2008	3-Red LEDs - glow, flash or strobe, Intrinsically safe- Includes 2- AAA Batteries- ≥160 hours of operation	Red	Red	Glow/Flash/Strobe	LT2008-XX
	2 Red 1 Blue LED Lite Tracker	All American Lite Tracker	Lite Tracker 2009	3-Amber LEDs - glow, flash or strobe, Intrinsically safe- Includes 2- AAA Batteries- ≥160 hours of operation	Amber	Amber	Glow/Flash/Strobe	LT2009-XX
			Lite Tracker 2012	3-Green LEDs - glow, flash or strobe, Intrinsically safe- Includes 2- AAA Batteries- ≥160 hours of operation	White	Green	Glow/Flash/Strobe	LT2012-XX
			Lite Tracker 2013	3-Blue LEDs - glow, flash or strobe, Intrinsically safe- Includes 2- AAA Batteries - ≥96 hours of operation	White	Blue	Glow/Flash/Strobe	LT2013-XX
			Lite Tracker 2016A	Water activated, Coast Guard compliant, 3-amber LEDs,- Includes 2- AAA Batteries - ≥96 hours of operation	Amber	Amber	Glow	LT2016A-XX
			Lite Tracker 2017A	Push button, Coast Guard compliant, 3-amber LEDs,- Includes 2- AAA Batteries - ≥96 hours of operation	Amber	Amber	Glow	LT2017A-XX
 FC-Flex Clip - Add \$0			MSHA Certified		Lens Color	LED Color	Pattern	Model -XX SPECIFY CLIP
	LT2016 USCG approved Push Button Unit	LT2017 USCG approved Water Activated Unit	Lite Tracker 2000 M	Flash only 3-amber LEDs- Includes 2- AAA Batteries- ≥160 hours of operation	Green	Amber	Flash Only	2000M-XX
			Lite Tracker 2001 M	Flash only 3-red LEDs- Includes 2- AAA Batteries- ≥160 hours of operation	Red	Red	Flash Only	2001M-XX
			Lite Tracker 2002 M	Flash only 3-green LEDs- Includes 2- AAA Batteries - ≥96 hours of operation	White	Green	Flash Only	2002M-XX
			Lite Tracker 2003 M	Flash only 3-blue LEDs- Includes 2- AAA Batteries - ≥96 hours of operation	White	Blue	Flash Only	2003M-XX
 BI-Bike MT - Add \$6	 NEW HELMET BAND Lite Tracker® by Grace Industries, Inc.		Lite Tracker 2004 M	2-Red, 1-blue LED produce an alternate pattern- Includes 2- AAA Batteries- ≥50 hours of operation	White	Red/Blue/Red	Alternating	2004M-XX
			Lite Tracker 2005 M	2-Red, 1-blue LED produce a flash and pulse pattern- Includes 2- AAA Batteries- ≥40 hours of operation	White	Red/Blue/Red	Flash/Pulse	2000M-XX
			Lite Tracker 2006 M	1-Red, 1-white, 1-blue LED produce an alternating pattern- ≥50 hours of operation	White	Red/White/Blue	Alternating	2006M-XX
			Lite Tracker 2008 M	3-Red LEDs - glow, flash or strobe- Includes 2- AAA Batteries- ≥160 hours of operation	Red	Red	Glow/Flash/Strobe	2008M-XX
			Lite Tracker 2009 M	3-Amber LEDs - glow, flash or strobe- Includes 2- AAA Batteries- ≥160 hours of operation	Green	Amber	Glow/Flash/Strobe	2009M-XX
			Lite Tracker 2012 M	3-Green LEDs - glow, flash or strobe- Includes 2- AAA Batteries- ≥96 hours of operation	White	Green	Glow/Flash/Strobe	2012M-XX
			Lite Tracker 2013 M	3-Blue LEDs - glow, flash or strobe- Includes 2- AAA Batteries- ≥96 hours of operation	White	Blue	Glow/Flash/Strobe	2013M-XX
			Lite Tracker 2018 M	3-White LEDs - glow, flash or strobe- Includes 2- AAA Batteries- ≥96 hours of operation	White	White	Glow/Flash/Strobe	2018M-XX
Model- XX-Specify Clip Style GC/SC/MG/FC/BI			Helmet Band	Use with miner's safety cap or any standard safety helmet			NEW	LTHB-1




GLOW BATON®


GLOW-FLASH-STROBE-MULTI-COLOR		GLOW-FLASH-STROBE-MULTI-COLOR		LED Color	Tube Color	Pattern	Model		
	Red	Glow Baton 100HD	Red LEDs glow, flash and strobe with red tube-HEAVY DUTY REDESIGN- uses (2) C Sized Cells- 144 Flash/Strobe Mode- 72 hours Glow Mode	Red	Red	Glow/Flash/Strobe	GB100HD	NEW	
	Red and Green	Glow Baton 400HD	Red and green LEDs glow, flash and strobe with white tube-HEAVY DUTY REDESIGN- uses (2) C Sized Cells- 144 Flash/Strobe Mode- 72 hours Glow Mode	Red/Green	White	Glow/Flash/Strobe	GB400	NEW	
	Red, Blue, and Green	Glow Baton 500HD	Red, blue and green LEDs glow, flash and strobe with white tube-HEAVY DUTY REDESIGN- uses (2) C Sized Cells- 144 Flash/Strobe Mode- 72 hours Glow Mode	Red/Blue/Green	White	Glow/Flash/Strobe	GB500	NEW	
	GLOW ONLY ~SINGLE COLOR		GLOW ONLY ~SINGLE COLOR		LED Color	Tube Color	Pattern	Model	
	Red	Glow Baton GR	Glow Only Red LEDs with red tube-HEAVY DUTY REDESIGN- uses (2) C Sized Cells- 72 hours Glow Mode	Red	Red	Glow Only	GB100-G-R	NEW	
	Blue	Glow Baton GB	REDESIGN- uses (2) C Sized Cells- 72 hours Glow Mode	Blue	White	Glow Only	GB100-G-B	NEW	
Green	Glow Baton GG	Glow Only Green LEDs with white tube--HEAVY DUTY REDESIGN- uses (2) C Sized Cells- 72 hours Glow Mode	Green	White	Glow Only	GB100-G-G	NEW		
Amber	Glow Baton GA	Glow Only Amber LEDs with white tube-- uses (2) C Sized Cells- 72 hours Glow Mode	Amber	White	Glow Only	GB100-G-A	NEW		
Green Amber Red Blue	GLOW ONLY-MULTI-COLOR		GLOW ONLY~ TWO-COLOR		LED Color	Tube Color	Pattern	Model	2014 MSRP
	Red and Green	Glow Baton GRG	Glow Only Red and Green LEDs with white tube-uses (2) C Sized Cells- 72 hours Glow Mode	Red/Green	White	Glow Only	GB-G-R-G	NEW	
	GLOW ONLY-MULTI-COLOR		GLOW ONLY ~ THREE COLOR		LED Color	Tube Color	Pattern	Model	2014 MSRP
Green, Amber, and Red		Glow Baton ASN 300	Green, Amber and Red LEDs glow only with white tube-uses (2) C Sized Cells- 72 hours Glow Mode	Green/Amber/Red	White	Glow Only	GBASN300	NEW	
GLOW BATON ACCESSORIES		GLOW BATON ACCESSORIES		GLOW BATON ACCESSORIES		Model		2014	
		NEW	Magnetic Screw On Base for Glow Baton- Order separate used with all Glow Baton Models				NEW	GBMAG	
		NEW	Heavy Duty Rubber Stand Up Base for Glow Baton Order separate used with all Glow Baton Models				NEW	GBBASE	

INTRINSICALLY SAFE PASS Alarms

SUPER PASS 3		SUPER PASS 3	
	Super Pass 3-H	Intrinsically Safe PASS , motion and temperature sensing auto on activation- 4-AA Batteries - 200 hours of operation 10-12 hours in Full Alarm-	SP3-H-A
	Super Pass 3-M	Intrinsically Safe PASS , motion sensing auto on activation- - 4-AA Batteries - 200 hours of operation 10-12 hours in Full Alarm	SP3-M-A


SUPER PASS 2		SUPER PASS 2		Specify-XXX Timing 30/60/90/120 SEC
	Super Pass 2-H	Motion and temperature sensing, auto on activation intrinsically safe-9 V Battery up to 100 hours of operation- 4-6 Hours in Full Alarm	SP2-H-A-XXX	
	Super Pass 2-H	Motion and temperature sensing, manual activation intrinsically safe-9 V Battery up to 100 hours of operation- 4-6 Hours in Full Alarm	SP2-H-MAN-XXX	
	Super Pass 2-H-ATEX	Motion and temperature sensing, ATEX approved, auto on activation, intrinsically safe-9 V Battery up to 100 hours of operation- 4-6 Hours in Full Alarm	SP2-H-EX-A-XXX	
	Super Pass 2-M	Motion sensing only, auto on activation intrinsically safe-9 V Battery up to 100 hours of operation- 4-6 Hours in Full Alarm	SP2-M-A-XXX	
	Super Pass 2-M	Motion sensing only, manual activation intrinsically safe-9 V Battery up to 100 hours of operation- 4-6 Hours in Full Alarm	SP2-M-MAN-XXX	
	Super Pass 2-M-ATEX	Motion sensing only, ATEX approved, auto on activation intrinsically safe-9 V Battery up to 100 hours of operation- 4-6 Hours in Full Alarm	SP2-M-EX-A-XXX	


M-R-A® MINE RESCUE ALARM		MSHA APPROVED MINE RESCUE ALARM	
	M-R-A® Mine Rescue-A	MSHA Approved , auto on activation motion and temperature sensing- 40 hours of use - 4-6 hours in full alarm	MRA-A-H
	M-R-A® Mine Rescue-MAN	MSHA Approved , manual activation motion and temperature sensing- 40 hours of use - 4-6 hours in full alarm	MRA-MAN-H
	M-R-A® Mine Rescue-A	MSHA Approved , auto on activation, motion sensing only- 40 hours of use - 4-6 hours in full alarm	MRA-A-M
	M-R-A® Mine Rescue-MAN	MSHA Approved , manual activation, motion sensing only- 40 hours of use - 4-6 hours in full alarm	MRA-MAN-M
	M-R-A® Mine Rescue-AB	MSHA Approved Audio Beacon Alarm manual activation no motion sensing- 72 hour in Full Alarm Operation	MRA-MAN-AB


Super PASS® 2 & 3		REPLACEMENT PARTS	
	SuperPASS® 2 Accountability Key	For use with SP2, TP2, TP3 and Mine Rescue	AKS2T3
	SuperPASS® 3 Accountability Key	For use with SP3 and TP4	AKS3T4
	SuperPASS® 2 Back Plate	Back Plate for SP2 includes grip clip	BPS2
	M-R-A® Back Plate	Back Plate for Mine Rescue includes grip clip	BPMRA
	SuperPASS® 3 Battery cover S3T4	Battery cover for SP3 includes O-ring	BCS3T4
	SuperPASS® 3 Vitor O-ring	Replacement O-ring for SP3	S3T4OR
	SuperPASS® 3 Screws	Stainless steel screws for SP3 battery cover	S3T4SSS
	SuperPASS® 3 Battery Release	Battery release strap for SP3	S3T4BRS1
	SuperPASS® 3 Alternate Wire Clip	Replacement attachment clip for SP3	S3T4WC1
	SuperPASS® 3 Wire Clip	Secondary wire attachment clip for SP3 -alternate attachment	S3T4WC2
SuperPASS® 3 Protective Cover	Replacement silicone protective cover for SP3	SPCS3	


Arson Investigation and Gas Detection Equipment


PART NUMBER

	Haz Alert	Detects 125 toxic/combustible gases or vapors -see manual for list of gases-		HA-G
	Haz Alert-w/temp sensor	WARNING - HAZ-ALERT should not be used to detect carbon monoxide.		HA-GT


	Model 850 Non-Calibrated	Metered, noncalibrated, purge, rechargeable, mute-For Detection of Hydrocarbons, Accelerants, Petroleum Volatiles and Various Gases a ruggedly constructed gas detection and field survey tool. This unit will detect the presence of hydrocarbons that may be present at the fire scene and is equally effective as a general purpose gas detector.		M850
--	-----------------------------	--	--	------

	Model 851 Calibrated	Metered, calibrated, purge, rechargeable, mute-Calibrated, precision instrument designed epecially for detecting petroleum volatiles, hydrocarbons and natural gas. The detector features two modes of operation: a High Sensitivity search mode for locating very small gas leaks and a Calibrated mode of operation that indicates 0% to 100% of the lower explosive limit (LEL), with methane used as the test gas.		M851
--	-------------------------	--	--	------

	Model C Non-Calibrated	Noncalibrated, purge, rechargeable, mute- non-calibrated detector used primarily for arson investigation and where it is desirable to detect trace amounts of hydrocarbons.		MC
--	---------------------------	---	--	----

	Model C+ Calibrated	Calibrated, purge, rechargeable, mute features both a High Sensitivity and Calibrated mode of operation. Model C+ is used when it is desirable to know if a gas is explosive. In the "Calibrated Mode", the detector will only annunciate if a gas has exceeded a preset level, 20% of the lower explosive limit methane used as test gas).		MC+
--	------------------------	---	--	-----

Gas Detection Accessories

	Probe	Telescoping Probe for models C and C+	#G-TPC	#G-TPC
	Charger - 12 volt DC	Universal 12VDC vehicle charger for all rechargeable detectors	#G-U12VDC	#G-U12VDC
	Charger - 120VAC	120VAC charger for use with models 850 & 851, 6 volts @ 500Ma	#G-850-120VAC	#G-850-120VAC
	Charger - 120VAC	120VAC charger for use with models C & C+, 6 volts @ 200Ma	#G-C-120VAC	#G-C-120VAC
	Sensor	Replacement sensor for models C, C+, 850 and 851	#G- SU	#G- SU
	Extension	10 foot extension with sensor for models 850, and 851	#G-S-EXT	#G-S-EXT

ORDER INSTRUCTIONS

- PLEASE EMAIL ALL ORDERS TO: SALES@GRACEINDUSTRIES.COM
- YOU WILL RECEIVE AN ORDER RECEIPT WITHIN 24 HOURS
- YOU WILL RECEIVE AN ORDER ENTRY CONFIRMATION WITH SHIP DATE WITHIN 24 HOURS OF ORDER RECEIPT
- PLEASE ADVISE AT TIME OF ORDER YOUR DESIRED METHOD OF SHIPMENT WITH SHIPPING ACCOUNT INFORMATION
- LEAD TIME ON GRACE PRODUCTS IS 2-3 WEEKS TYPICAL- PLEASE SET THE PROPER EXPECTATION WITH YOUR CUSTOMER
- PLEASE CALL FOR LEAD TIMES ON GRACE NON-TELEMETRY PRODUCTS
- ALL PRICING IS IN US DOLLARS

THINGS THAT SLOW SHIPMENTS

- PURCHASE ORDERS WITHOUT MOTION TIMINGS OR PANIC DELAY TIMINGS INDICATED
- PURCHASE ORDERS WITHOUT REQUIRED END USER DROP SHIP CONTACT INFORMATION-NAME/TELEPHONE/EMAIL
- DROP SHIP ORDERS WITHOUT YOUR CUSTOMER'S PO NUMBER

Tele. 724-962-9231
sales@graceindustries.com
305 Bend Hill Road
Fredonia, PA 16124

GRACE
INDUSTRIES, INC.

GRACE WARRANTY

Grace Industries, Inc. warrants, your unit to be free from defects in workmanship and materials for a period of one (1) year from the date of original purchase. Grace Industries will repair or replace at their option the entire unit free of charge. Send all returned merchandise, prepaid and accompanied by proof of purchase that states date and location of purchase to: Grace Industries Inc., 305 Bend Hill Road, Fredonia, PA 16124, U.S.A. Customer is responsible for return shipping and handling. The product is warranted providing defect or damage was not due to repairs or parts replacement that were made or attempted by other than Grace Industries personnel. GRACE INDUSTRIES, INC. SHALL NOT BE LIABLE FOR ANY DIRECT, INCIDENTAL OR CONSEQUENTIAL LOSS OR DAMAGE ARISING OUT OF THE FAILURE OF THE DEVICE TO OPERATE.

The sole and exclusive remedy under all guarantees or warranties, expressed or implied, strictly limited to the repair or replacement as herein provided. ALL IMPLIED WARRANTIES INCLUDING BUT NOT LIMITED TO WARRANTIES OF FITNESS AND MERCHANTABILITY, ARE HEREBY LIMITED IN DURATION TO A PERIOD OF (1) YEAR FROM THE DATE OF PURCHASE. The warranty and liability set forth in the prior paragraphs are in lieu of all other warranties, expressed or implied, in law or in fact, including warranties of merchantability and fitness for a particular purpose. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state.

Tele. 724-962-9231
sales@graceindustries.com
305 Bend Hill Road
Fredonia, PA 16124

GRACE
INDUSTRIES, INC.

Feb-14

GRACE WARRANTY

Grace Industries, Inc. warrants, your unit to be free from defects in workmanship and materials for a period of one (1) year from the date of original purchase. Grace Industries will repair or replace at their option the entire unit free of charge. Send all returned merchandise, prepaid and accompanied by proof of purchase that states date and location of purchase to: Grace Industries Inc., 305 Bend Hill Road, Fredonia, PA 16124, U.S.A. Customer is responsible for return shipping and handling. The product is warranted providing defect or damage was not due to repairs or parts replacement that were made or attempted by other than Grace Industries personnel. GRACE INDUSTRIES, INC. SHALL NOT BE LIABLE FOR ANY DIRECT, INCIDENTAL OR CONSEQUENTIAL LOSS OR DAMAGE ARISING OUT OF THE FAILURE OF THE DEVICE TO OPERATE.

The sole and exclusive remedy under all guarantees or warranties, expressed or implied, strictly limited to the repair or replacement as herein provided. ALL IMPLIED WARRANTIES INCLUDING BUT NOT LIMITED TO WARRANTIES OF FITNESS AND MERCHANTABILITY, ARE HEREBY LIMITED IN DURATION TO A PERIOD OF (1) YEAR FROM THE DATE OF PURCHASE. The warranty and liability set forth in the prior paragraphs are in lieu of all other warranties, expressed or implied, in law or in fact, including warranties of merchantability and fitness for a particular purpose. Some states do not allow limitations on how long an implied warranty lasts, so the above limitation may not apply to you.

This warranty gives you specific legal rights, and you may also have other rights which may vary from state to state.

Tele. 724-962-9231
sales@graceindustries.com
305 Bend Hill Road
Fredonia, PA 16124



Feb-14