



Quest Fire Apparel Inc.

# Product Catalog



# When It Is Your LIFE...

## UL & NFPA Certified Hoods

### 2E HOODS



Style Number	Fabric	NFPA Rating	Colors
ULNOH2E-13	100% Nomex	TPP 25.0	☐ ■
ULFRNOH2E-13	20% Nomex / 80% FR Lenzing	TPP 23.3	☐ ■ ■ ■
ULPBH2E-13	20% PBI/ 80% FR Lenzing	TPP 25.0	■
ULCBXH2E-13	84% Oxidized Polyacrylonitrile 16% Para-Aramid Technora *Arc Rating 2 layer - 23.3	TPP 27.0	■

### FACTS!

All of our Hoods are assembled with 100% Nomex Thread.  
We use a Flat Lock Machine so the seams on our hoods never dig into your head.  
Our material is very soft and stretchy.

### 2B2E HOODS



Style Number	Fabric	NFPA Rating	Colors
ULNOH2B2E-13	100% Nomex	TPP 25.0	☐ ■
ULFRNOH2B2E-13	20% Nomex / 80% FR Lenzing	TPP 23.3	☐ ■ ■ ■
ULPBH2B2E-13	20% PBI/ 80% FR Lenzing	TPP 25.0	■
ULCBXH2B2E-13	84% Oxidized Polyacrylonitrile 16% Para-Aramid Technora *Arc Rating 2 layer - 23.3	TPP 27.0	■

\*This style also comes with a shoulder vent if required.\*

# ..and Only The BEST Will Do

## UL & NFPA Certified Hoods

### TRI HOODS



<u>Style Number</u>	<u>Fabric</u>	<u>NFPA Rating</u>	<u>Colors</u>
ULNOH2E-13-TRI	100% Nomex	TPP 25.0	<input type="checkbox"/> <input type="checkbox"/>
ULFRNOH2E-13-TRI	20% Nomex / 80% FR Lenzing	TPP 23.3	<input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/> <input type="checkbox"/>
ULPBH2E-13-TRI	20% PBI/ 80% FR Lenzing	TPP 25.0	<input type="checkbox"/>
ULCBXH2E-13-TRI	84% Oxidized Polyacrylonitrile 16% Para-Aramide Technora *Arc Rating 2 layer - 23.3	TPP 27.0	<input type="checkbox"/>

\*This hood has a triangle insert in back.\*

### XSH HOODS

Extra Wide Shoulder



<u>Style Number</u>	<u>Fabric</u>	<u>NFPA Rating</u>	<u>Colors</u>
ULNOH2B2E-13-XSH	100% Nomex	TPP 25.0	<input type="checkbox"/>

\*Available in Black Nomex upon request\*

# Liners & Caps



## Beanie Caps

Custom One Color Embroidery Included!

Get either your name, ladder number, engine number or any other writing you want!

Min. 50pcs



## Hard Hat Liner

Flame Resistant Hard Hat Tube Liner

Meets ASTM F 1506 | APTV Rated 15cal/cm



## Hard Hat Full Face Liner

Flame Resistant Hard Hat Full Face

Tube Liner

Meets ASTM F 1506 | APTV Rated 15 cal/cm

# Undergarments & Socks



## 100% Nomex Waffle Weave Long Underwear Top

Long sleeve turtleneck top

Sizes Available: Sm, Med, Lg, XL, XXL

Color: Natural



## 100% Nomex Waffle Weave Long Underwear Bottoms

Long legged with elastic waist and fly

Sizes Available: Sm, Med, Lg, XL, XXL

Color: Natural



## 100% Nomex Socks

Sizes Available:

Small (6-8)	Medium (8-9.5)
Large (9-11)	XLarge (10-13)

# Quest Fire Apparel Inc.

## Industrial Hoods

We offer a wide range of hoods for all types of industrial applications. These hoods come in a 6oz Nomex but other options are available.



**NOH1E**  
One Ply Throughout



**NOH1B1E**  
One Ply Top, One Ply Bib



**NOH2B1E**  
Two Ply Top, One Ply Bib



**NOH2B2E**  
Two Ply Top, Two Ply Bib



**NOH2E + 2"**  
Two Ply Throughout Plus Two Inches



**NOH2E + 4"**  
Two Ply Throughout Plus Four Inches



**NOH1B1-H**  
One Ply Top, One Ply Bib  
With Eye Holes



**NOH1B1-HM**  
One Ply Top, One Ply Bib  
Eye & Mouth Holes

---

### What Sets Us Apart

Our Hoods have better coverage because they are longer than many of our competitors for similar styles

Our lead times are some of the shortest in the Industry

There is great attention given to customer needs

Woman Owned & Operated for 25 years

Made in the U.S.A.