### fire and safety catalog by turtle plastics™






All dura crib<sup>™</sup> products feature Working Load Limit tag and lanyard safety colors to meet your environmental, health and safety goals.







Turtle Plastics is proudly used by Extrication Trainers and Specialists across the globe. Every year, we support various extrication training events, competitions and fire academies. Our extensive line of dura crib<sup>™</sup> and dura stat<sup>™</sup> Stabilization Tools provides multi-use applications ranging from single vehicle stabilization to urban search and rescue operations. Experienced instructors recognize the benefits of using our dura crib and dura stat tools and have been an integral component in our product research and development over the years. The feedback provided by professionals in the field using our products has helped us bring to you a premium product designed with your safety in mind. We welcome your comments and suggestions as well. Please contact us at fireinfo@turtleplastics.com to share your thoughts.

### table of contents

Three Environmental, Health & Safety Principles2
Turtle Plastics Cribbing Essentials
Visual Alert System for Workplace Safety Products
Choosing the Right Tool for Repairs or Storage5
<i>Kits</i>
Auto X Tool Kits7,8
Urban Search and Rescue Kits9,10
Protection Pad Kits11
Stabilization Tool Kits for First Responders12
COG Step Chock Combo Kits
Crib Toter Kit
dura crib <sup>™</sup> Product Line15
Step Chocks
The Slab <sup>™</sup> and The Half Slab <sup>™</sup> 17
Black Diamond Crib <sup>™</sup> and Profile Crib <sup>™</sup>
Prime Crib™
Super Crib and Super Crib XL™
Hybrid Crib™ and Hybrid Crib XL™
Turtle Lock Block22
dura stat™ Product Line
Hose Bridge <sup>™</sup> and Accessories24-26
Rizer Systems
dura stat™ Engineered Blocking
Specialty Products
Wedges
The Turtle Tube™
Protection Pads
Wheel Chocks
Fleet Maintenance Bay Service Kit
Towing Accessories
Turtle Tiles
Modular Tiles
Compartment Matting40-41
In-Station Matting
Superior Coatings
All Hands Working Charity 44
Turtle Plastics Limited Warranty 45



Thirty seven years ago, Tom Norton, founder and President of Turtle Plastics, was given a banner for his office with a caption that read, "The Turtle only makes progress when it sticks its neck out." The giver thought Tom spent a lot of time sticking his neck out in various business enterprises. When it came time to name the new company, "Turtle" seemed appropriate because of Tom's willingness to stick his neck out to create products from recycled plastic to focus on environmental health and safety concerns.

Today, we remain committed to our customers' environmental, health and safety challenges with innovative and sustainable re-engineered plastic products, while creating a spirit of peace, love and caring for the environment, our employees and our community.

Visit us at www.turtleplastics.com



## **E H S** Environment | Health | Safety



Turtle Plastics supports environmental responsibility by supplying products made from 100% recycled plastic. To complete the full sustainability component of recycling, we offer an end of product life take back program. This reduces landfill waste while increasing our customers return on investment.



Workforce health and welfare are at our forefront in product design. All of our products are washable, impervious to most common industrial chemicals and resistant to splintering. Ergonomic design is provided to deliver maximum worker comfort while using our products.



Our products are engineered with a repeatable and reliable formula providing superior performance which has been tested under lab conditions to ensure worker safety. We strive to create safety solutions for our customers through continuous product innovation.

### Turtle Plastics Environmental Practices

- Our products are made in the U.S.A. from 100% recycled post industrial PVC, PET, LDPE and HDPE plastics.
- As a company, we are centered on **environmental sustainability** at all levels throughout our company from our internal leadership to our value chain.
- Turtle Plastics' products support Corporate Social Responsibility initiatives while increasing our customers' return on investment.
- Turtle Plastics partners with all customers with a take back program for our products—reducing disposal and landfill costs and supports zero waste policies.
- We do not use wood in any of our products. Our cribbing products are a solution to the historical use of wood in many industries including manufacturing, agriculture, fire/rescue, transportation, mining and heavy equipment.
- Recycling is part of an ethic of resource efficiency—of using products to their fullest potential. When a recycled material, rather than a raw material, is used to make a new product, natural resources and energy are conserved.
- The results of using recycled plastic include cleaner air and water, less pollution, more forested land and open space, and reduced greenhouse gas emissions.



## Why Turtle Plastics' stabilizing tools are essential for vehicle and equipment stabilization.

Many types of materials are commonly stacked into a "cribbing" configuration and used in vehicle extraction and rescue operations, and often the crib stack is used in conjunction with other stabilization equipment, such as pneumatic or hydraulic shoring. Expressions such as "lift an inch, crib an inch" and "pack as you jack" are used to remind rescuers of the importance of cribbing to safely secure and protect both the victim and rescue worker.

Historically wood has been used for cribbing or material storage. We know wood cribbing is not tested. Wood absorbs liquids and pathogens leading to a dangerous work environment.


Turtle Plastics' line of dura crib and dura stat are a safer and eco-friendly solution to crib or block in many industries including fire and rescue, agriculture, automotive, construction, mining, rail and transportation.

ATTRIBUTE	PLASTIC	WOOD
Absorption	Zero	Everything
Splitting	Zero	Yes
Knots	None	Yes
Stability	Very	No
Warranty	50 Years	None
Lab Tested*	Yes	None
Stabilization Time	Very Fast	Slow
Environmentally Sound	Yes	Poor
P.S.I.*	Variable†	Variable
Consistency**	± 5%	0
Predictability**	± 5%	0

#### PLASTIC -VS- WOOD

\*Results of independent lab testing. Copies available. \*\*Manufacturer's data.

+Turtle Plastics profile cribbing tests at 800 P.S.I. on average.



#### **Dura Crib - OSHA Safety Compliance**


"When used correctly, dura crib brand of products can create a compliant and safer work environment by providing technicians who repair equipment with a proper 'lock out tag out' of stored energy. This type of hazardous energy is created when hoisted or jacked equipment is not given a secured platform. Wood cribbing does not interlock, is not tested and is subject to unseen degradation via environmental factors or absorption of fluids. All these factors create an unsafe and unpredictable work surface that cannot contain stored energy... Under 29 CFR 1910.147 LOTO, for stored energy not being controlled and 'locked-out' can also be used as the basis of a citation."

—Angelique Bracer, COHC, SHS



### Visual Labeling Can Save Your Life

Turtle Plastics is leading the way in workplace safety by labeling our composite dura crib brand tools to identify Working Load Limit with color coded lanyards and safety identification tags. No more guessing on the strength of a crib block. In fact, we reference our dura crib brand products as tools because of their strength and reliability in getting a job done. Our dura crib tools are independently lab tested.





Choose the right Turtle Plastics tool for extrication, repairs or storage.



### **Extrication Stabilization**



**dura crib** (Multiple Layer Application)

Engineered interlocking composite plastic cribbing has raised pyramid and blocking profiles designed for multiple layer applications. Offered in a variety of Working Load Limits and sizes.

#### ACTIVE LOAD



Use dura crib tools for **multiple layers** during repairs.


Storage



#### **dura stat** (Single Layer Application)

Engineered smooth surface composite block designed for single layer applications. Sizes range from a 2<sup>°</sup>x2<sup>°</sup> profile up to a 6<sup>°</sup>x8<sup>°</sup> profile. Lengths up to 12<sup>°</sup>.

#### STATIC LOAD



Use dura stat tools for **single layer** application such as outdoor storage of materials.

Turtle Plastics dura crib interlocking cribbing is recommended for any stabilization above a single layer. Always refer to your training resources for stabilization specifications. **Use Turtle Plastics dura stat for single layer applications only.** 



Always avoid point source load with dura crib and dura stat. DO NOT MIX DURA CRIB AND DURA STAT CRIBBING TOGETHER OR WITH WOOD ANYTIME. **Kits** 

**Blackheart Extrication Team** Miami Dade Fire Department

CONTACT US: 1-800-756-6635

100

## Auto X Tool Kits New!

Turtle Plastics has upgraded our Crib Tool Kits to include our newest and most innovative products. We've renamed our old Crib Tool Kits to Auto X Tool Kits. These kits contain additional FREE ModPad cribbing top/bottom plate(s) as the bonus item(s):

#### **Auto X Tool Kit A**

#### Auto X Tool Kit B

#### Auto X Tool Kit C

Part #	Included Component	s Total Kit Wgt	Part #	Included Components	Total Kit Wgt	Part #	Included Components	Total Kit Wgt
Auto X Tool	(6) 24-18 Pyramid Cri	b 116.5 kg./	Auto X Tool	(12) 24-18 Pyramid Crib	232.9 kg./	Auto X Tool	(24) 24-18 Pyramid Crib	550.8 kg./
Kit A	(2) 2/4-12 Wedge	257 lbs.	Kit B	(4) 2/4-12 Wedge	513.5 lbs.	Kit C	(8) 2/4-12 Wedge	1,214.5 lbs.
	(9) 44PL-18 Hybrid Cr	ib		(18) 44PL-18 Hybrid Crib			(36) 44PL-18 Hybrid Crib	
	(2) 4/4-20 Wedge			(4) 4/4-20 Wedge			(12) 4/4-20 Wedge	
	(1) 3W Wedge			(3) 67SC-24 Super Crib			(9) 67SC-24 Super Crib	
	(1) 6W Wedge			(2) 6/7-24 Super Wedge			(4) 6/7-24 Super Wedge	
	(1) 1B Turtle Lock Blog	ck		(2) 3W Wedge			(4) 3W Wedge	
	(1) 2B Turtle Lock Blog	ck		(2) 6W Wedge			(4) 6W Wedge	
	(1) 3B Turtle Lock Blog	ck		(2) 1B Turtle Lock Block		(3) 1B Turtle Lock Block		
	(2) SC-1 Standard Ste	ep Chock	(2) 2B Turtle Lock Block (3) 2B		(3) 2B Turtle Lock Block			
	(1) WC-2 Double Wheel Chock		) WC-2 Double Wheel Chock (2) 3B Turtle Lock Block			(3) 3B Turtle Lock Block		
	(1) CTP1818-1.5 Mod	CTP1818-1.5 ModPad(2) SC-1 Standard Step ChockTBP Top Bag Pad(2) WC-2 Double Wheel Chock		iock		nock		
	(1) TBP Top Bag Pad			(2) SC-2 Medium Step Chock		ock		
	(1) CB Carrying Bag (	optional)		(2) CTP1818-1.5 ModPac	l		(4) WC-2 Double Wheel C	hock
	(1) CT Crib Toter (opti	ional)		(2) TBP Top Bag Pad			(3) CTP1818-1.5 ModPac	l
				(2) CB Carrying Bag (opti	onal)		(2) 67HDC10 Little Black	Diamond Crib
	Bonus Includes:			(2) CT Crib Toter (optiona	I)		(2) S612-12 The Half Slab	
-							(2) SC-COG-1 COG Step Chock	
Qty	Part # Do	escription	Very CDCC D	anna la dudan			(2) TBP Top Bag Pad	
1	СТР2424-2 М	odPad		onus Includes:			(4) CB Carrying Bag (opti	onal)

CTP2424-2	174-7	ModPad	IVUITA	Tour FREE Donus Includes.			
CI12-		Mourau	Qty	Part #	Description		
			1	CTP2424-2	ModPad		
			1	CTP1818-1.5	ModPad	You	

Your FREE Bonus Includes:					
Qty	Part #	Description			
2	CTP2424-2	ModPad			
1	CTP1818-1.5	ModPad			

(4) CT Crib Toter (optional)

Auto X Tool Kit A

## Auto X Tool Kits New!

Appropriate for heavy rescue and multi-car extrication.

#### Auto X Tool Kit D

#### **Auto X Tool Kit E**

Part #	Included Components	Total Kit Wgt	Part #	Included Components	Total Kit Wgt
	•			· · ·	<b>y</b>
Auto X Tool	(24) 24-18 Pyramid Crib	620.7 kg./	Auto X Tool	(48) 24-18 Pyramid Crib	1,050 kg./
Kit D	(8) 2/4-12 Wedge	1,368.5 lbs.	Kit E	(16) 2/4-12 Wedge	2,315 lbs.
	(36) 44PL-18 Hybrid Crib			(81) 44PL-18 Hybrid Crib	
	(12) 4/4-20 Wedge			(20) 4/4-20 Wedge	
	(12) 67SC-24 Super Crib			(18) 67SC-24 Super Crib	
	(4) 6/7-24 Super Wedge			(6) 6/7-24 Super Wedge	
	(4) 3W Wedge			(6) 3W Wedge	
	(4) 6W Wedge			(6) 6W Wedge	
	(4) 1B Turtle Lock Block			(4) 1B Turtle Lock Block	
	(3) 2B Turtle Lock Block			(4) 2B Turtle Lock Block	
	(3) 3B Turtle Lock Block			(4) 3B Turtle Lock Block	
	(4) SC-1 Standard Step Cho	ock		(8) SC-1 Standard Step Ch	ock
	(2) SC-2 Medium Step Cho	ck		(4) SC-2 Medium Step Cho	ck
	(4) WC-2 Double Wheel Ch	ock		(4) WC-2 Double Wheel Ch	iock
	(3) CTP1818-1.5 ModPad			(6) CTP1818-1.5 ModPad	
	(4) 67HDC10 Little Black D	iamond Crib		(4) 67HDC10 Little Black D	iamond Crib
	(4) S612-12 The Half Slab			(6) S612-12 The Half Slab	
	(2) SC-COG-1 COG Step Cho	ock		(4) SC-COG-1 COG Step Ch	ock
	(2) TBP Top Bag Pad			(2) TBP Top Bag Pad	
	(4) CB Carrying Bag (optio	inal)		(5) CB Carrying Bag (option	onal)
	(4) CT Crib Toter (optional			(10) CT Crib Toter (optiona	

#### **Auto X Tool Kit F**

nrt #	Included Components	Total Kit Wgt
ıto X Tool	(48) 24-18 Pyramid Crib	1,069.5 kg./
t F	(16) 2/4-12 Wedge	2,358 lbs.
	(81) 44PL-18 Hybrid Crib	
	(20) 4/4-20 Wedge	
	(24) 67SC-24 Super Crib	
	(8) 6/7-24 Super Wedge	
	(6) 3W Wedge	
	(6) 6W Wedge	
	(4) 1B Turtle Lock Block	
	(4) 2B Turtle Lock Block	
	(4) 3B Turtle Lock Block	
	(8) SC-1 Standard Step Cho	ck
	(4) SC-2 Medium Step Choo	ck
	(2) SC-3 Giant Step Chock	
	(4) WC-2 Double Wheel Ch	ock
	(6) CTP1818-1.5 ModPad	
	(4) 67HDC10 Little Black Di	amond Crib
	(8) S612-12 The Half Slab	
	(4) SC-COG-1 COG Step Cho	ck
	(2) TBP Top Bag Pad	
	(5) CB Carrying Bag (optio	nal)
	(10) CT Crib Toter (optiona	I)

Your FREE Bonus Includes:		Your FRE	Your FREE Bonus Includes:			Your FREE Bonus Includes:		
Qty	Part #	Description	Qty	Part #	Description	Qty	Part #	Description
2	CTP2424-2	ModPad	2	CTP2424-2	ModPad	2	CTP2424-2	ModPad
1	CTP1818-1.5	ModPad	2	CTP1818-1.5	ModPad	2	CTP1818-1.5	ModPad



## Improved!

### **Urban Search and Rescue Kits**

Turtle Plastics has upgraded our Urban Search and Rescue Kits to include our newest and most innovative products. We've added kits and renamed the former USAR Kits. We've expanded our kit offering to help insure the most stable configurations for safety search and rescue operations.

#### **USAR Kit A Gen 2**

Part #	Included Components	Total Kit Wgt		
USAR Kit A Gen 2	(27) 44PL-18 Hybrid Crib 134 kg./			
	(12) 4/4-20 Wedge	295.5 lbs.		
	(12) 24-18 Pyramid Crib			
	(12) 2/4-12 Wedge			
	(1) WC-2 Double Wheel Ch	ocks		
	(1) CB Carrying Bag (Optional)			
	(3) CT Crib Toters (Optional	)		

#### **Your FREE Bonus Includes:**

Qty	Part #	Description
1	CTP1818-1.5	ModPad

#### **USAR Kit B Gen 2**

#### **USAR Kit C Gen 2**

Part #	Included Components	Total Kit Wgt	Part #	Included Components	Total Kit	
USAR Kit B Gen 2	(27) 44PL-18 Hybrid Crib	575.1 kg./	USAR Kit C Gen 2	(27) 44PL-18 Hybrid Crib	904 kg./	
	(12) 4/4-20 Wedge	1,268 lbs.		(12) 4/4-20 Wedge	1,993 lbs.	
	(12) 24-18 Pyramid Crib			(12)24-18 Pyramid Crib		
	(12) 2/4-12 Wedge			(12) 2/4-12 Wedge		
	(2) WC-2 Double Wheel Cl	hocks		(4) WC-2 Double Wheel Cl	hocks	
	(4) SC-1 Standard Step Ch	ock		(4) SC-1 Standard Step Ch	lock	
	(2) SC-2 Medium Step Cho	ock		(2) SC-2 Medium Step Cho	ock	
	(1) HBS Hose Bridge Set-4	lpcs.		(2) SC-3 Giant Step Chock		
	(2) CTP1818-1.5 ModPad	(2) HBS Hose Bridge Set-4pcs.				
	(9) 67SC-24 Super Crib			(2) CTP1818-1.5 ModPad		
	(2) 6/7-24 Super Wedge			(18) 67SC-24 Super Crib		
	(2) 44-SCH-BLK Shoring C	rib		(2) 6/7-24 Super Wedge		
	(2) S612-24 The Slab			(2) 44-SCH-BLK Shoring C	rib	
	(2) S612-12 The Half Slab	1		(4) S612-24 The Slab		
	(1) LB-K Turtle Lock Block	Kit-3 pcs.		(2) S612-12 The Half Slab		
	(1) TBP Top Bag Pad			(3) 67HDC10 Little Black [	Diamond Cr	
	(2) CB Carrying Bag (Optio	onal)		(6) 67HDC30 Black Diamo	nd Crib	
	(3) CT Crib Toters (Optiona	l)		(2) LB-K Turtle Lock Block	Kit-3 pcs.	
				(2) TRP Top Bag Pad		

#### Your FREE Bonus Includes:

Qty	Part #	Description
2	CTP2424-2	ModPad

USAR Kit A Gen 2

(12) 4/4-20 Wedge	1,993 lbs.
(12)24-18 Pyramid Crib	
(12) 2/4-12 Wedge	
(4) WC-2 Double Wheel Ch	ocks
(4) SC-1 Standard Step Cho	ck
(2) SC-2 Medium Step Choo	:k
(2) SC-3 Giant Step Chock	
(2) HBS Hose Bridge Set-4	OCS.
(2) CTP1818-1.5 ModPad	
(18) 67SC-24 Super Crib	
(2) 6/7-24 Super Wedge	
(2) 44-SCH-BLK Shoring Cri	b
(4) S612-24 The Slab	
(2) S612-12 The Half Slab	
(3) 67HDC10 Little Black Di	amond Crib
(6) 67HDC30 Black Diamon	d Crib
(2) LB-K Turtle Lock Block	(it-3 pcs.
(2) TBP Top Bag Pad	
(2) CB Carrying Bag (Option	nal)
(3) CT Crib Toters (Optional	)

Included Components Total Kit Wgt

### Your FREE Bonus Includes:

Qty	Part #	Description
3	CTP2424-2	ModPad
1	LB-K	Lock Block Kit-3 pcs.
2	6W	6" x 8.5" Wedge
2	3W	3″ x 8.5″ Wedge



New!

### **Urban Search and Rescue Kits**

Rescuers worldwide agree that there is no such thing as being over-prepared for USAR Operations. According to Instructor Billy Leach, "Cribbing is one of the most frequently used and essential tools during rescue operations and is considered to be among the strongest means of support." Buildings are taller, vehicles are larger, machinery

#### **USAR Kit D Gen 1**

Part #	Included Components	Total Kit Wgt
USAR Kit D Gen 1	(27) 44PL-18 Hybrid Crib	1,163.2 kg./
	(12) 4/4-20 Wedge	2,564.5 lbs.
	(12) 24-18 Pyramid Crib	
	(12) 2/4-12 Wedge	
	(4) WC-2 Double Wheel Cho	ocks
	(4) SC-1 Standard Step Cho	ck
	(2) SC-2 Medium Step Choo	:k
	(2) SC-3 Giant Step Chock	
	(1) HBS Hose Bridge Set-4p	cs.
	(2) CTP1818-1.5 ModPad	
	(24) 67SC-24 Super Crib	
	(5) 6/7-24 Super Wedge	
	(2) 4-SCH-BLK Shoring Crib	
	(6) S12-24 The Slab	
	(6) S612-12 The Half Slab	
	(6) 67HDC10 Little Black Di	amond Crib
	(6) 67HDC30 Black Diamon	d Crib
	(3) LB-K Turtle Lock Block K	it-3 pcs.
	(2) TBP Top Bag Pad	
	(3) CB Carrying Bag (Option	nal)
	(3) CT Crib Toters (Optional)	)

#### Your FREE Bonus Includes:

Qty	Part #	Description
3	CTP2424-2	ModPad
3	6W	6″ x 8.5″ Wedge
3	3W	3″ x 8.5″ Wedge

is heavier and the need for reliable cribbing that can withstand even the heaviest loads is crucial. These new larger USAR Kits are appropriate for:

- Overturned vehicles.
- Passenger rail.
- Debris within collapsed buildings.
- Heavy industry rescue operations.

#### **USAR Kit E Gen 1**

Part #	Included Components	Total Kit Wgt
USAR Kit E Gen 1	(27) 44PL-18 Hybrid Crib	1,880.3 kg./
	(12) 4/4-20 Wedge	4,145.5 lbs.
	(12) 24-18 Pyramid Crib	
	(12) 2/4-12 Wedge	
	(4) WC-2 Double Wheel Cho	cks
	(4) SC-1 Standard Step Choc	k
	(4) SC-2 Medium Step Chock	(
	(4) SC-3 Giant Step Chock	
	(1) HBS Hose Bridge Set-4pc	S.
	(1) HBS68 Super Hose Bridge	e Set-брсs.
	(2) CTP1818-1.5 ModPad	
	(24) 67SC-24 Super Crib	
	(5) 6/7-24 Super Wedge	
	(2) 44-SCH-BLK Shoring Crib	)
	(12) S12-24 The Slab	
	(6) S612-12 The Half Slab	
	(6) 67HDC10 Little Black Dia	amond Crib
	(18) 67HDC30 Black Diamor	nd Crib
	(4) LB-K Turtle Lock Block Ki	t-3 pcs.
	(2) TBP Top Bag Pad	
	(3) CB Carrying Bag (Optiona	al)
	(3) CT Crib Toters (Optional)	

Your FREE Bonus Includes:			
Qty	Part #	Description	
3	CTP2424-2	ModPad	
3	6W	6″ x 8.5″ Wedge	
3	3W	3″ x 8.5″ Wedge	
4	4/4-PDU-18	4″ x 4″ x 18″ Wedge	

### **Protection Pad Kits**

#### modpad application kits

- ModPad Application Kits, for light duty applications in stabilization, light duty trucks, trailers.
- Kits available for different height and weight lifting requirements.
- Provides extra stability on uneven surfaces.

#### modpad lifting bag kit

- Use only under an air lifting bag for smaller lifting bag protection.
- For light duty applications in auto repair shops, light duty trucks, trailers.
- Provides extra protection for lifting bags in outdoor settings.

Part #	Product Name	Included Components	Total Kit Wgt	E = -
MODPAD-9-S	9″ Box Crib Kit	(2) CTP1818-1.5W/L ModPad (3) 44PL-18 Hybrid Crib (2) 4/4-20 Wedge	25.40 kg./56 lbs.	ModPad (Part #CTP2424-2W)
MODPAD-21-S	21″ Box Crib Kit	(2) CTP1818-1.5W/L ModPad (18) 44PL-18 Hybrid Crib (2) 4/4-20 Wedge	41.73 kg./92 lbs.	
MODPAD-57-S	57″ Box Crib Kit	<ul> <li>(2) CTP1818-1.5W/L ModPad</li> <li>(27) 44PL-18 Hybrid Crib</li> <li>(2) 4/4-20 Wedge</li> </ul>	131.54 kg./200 lbs.	

#### light duty modpad kits

APPLICATION 1 Stabilizing plate for top and bottom of crib stacks.

#### medium duty modpad kits

Part #	Product Name	Included Components	Total Kit Wgt
MODPAD-10M	10″ Box Crib Kit	(2) CTP2424-2W/L ModPad (3) 67SC-24 Super Crib (2) 6/7-24 Wedge	76.66 kg./169 lbs.
MODPAD-28-M	28″ Box Crib Kit	(2) CTP2424-2W/L ModPad (12) 67SC-24 Super Crib (2) 6/7-24 Wedge	170.55 kg./376 lbs.

#### modpad lifting bag kit (Lifting bag not included in kit)

Part #	Product Name	Included Components	Total Kit Wgt
MODPAD-10-TBP	ModPad Lifting Bag Kit	(2) CTP2424-2W/L ModPad (3) 67SC-24 Super Crib (2) 6/7-24 Wedge (1) TBP Top Bag Pad	61.69 kg./136 lbs.



APPLICATION 2 Use under an air bag.

	CRIB TOP PLATE	
PF	OFILE CRIBBING (3	
PROFIL CRIBBIN		ROFILE IBBING
	CRIB TOP PLATE	
	WE	DGE

APPLICATION 3 Use as an outrigger pad.

### Stabilization Tool Kits for First Responders

### stabilization tool kits for first responders

Now featuring kits for the unsung FIRST responders, such as ambulance, sheriff, state highway patrol, local police, and citizen emergency response teams.



#### quick response tool kits

Part #	Product Name	Included Components	Total Kit Wgt
QR-2 Kit	Quick Response Tool Kit	<ul> <li>(2) SC-1 Standard Step Chock</li> <li>(2) 3W Stepped Wedge</li> <li>(1) 1B Turtle Lock Block</li> </ul>	19.0 kg./42 lbs.
		(1) 2B Turtle Lock Block (1) WC-2 Double Wheel Chock (1) Carrying Bag 25″ x 15″ x 6″	-

#### B.A.S.K. 1 (Basic Auto Stabilization Kit)

Part #	Product Name	Included Components	Total Kit Wgt
B.A.S.K. 1	Basic Auto	(4) 44PL-18 Hybrid Crib	24.9 kg./55 lbs.
	Stabilization Kit	(4) 4/4-20 Wedge	
		(1) WC-2 Double Wheel Chock	
		(1) Carrying Bag 24" x 17" x 6"	

#### B.A.S.K. 2 (Basic Auto Stabilization Kit)

Part #	Product Name	Included Components	Total Kit Wgt
B.A.S.K. 2	Basic Auto Stabilization Kit	<ul> <li>(4) SC-1 Standard Step Chock</li> <li>(4) 4/4-20 Wedge</li> <li>(1) WC-2 Double Wheel Chock</li> <li>(2) Carrying Bag 24" x 17" x 6"</li> </ul>	41.2 kg./91 lbs.

### **COG Step Chock Combo**

#### COG step chock combo


- Wedge and incline lock together for maximum stability.
- Flip and it's a standard step chock quick set up and leveling.
- Works like the cog incline railroad... a simple design that works!
- Compatible with Turtle Lock Block.

bo	NEW easy-grip handle	<u>)</u>
6		
		3

Product Name	Dimensions	Wgt
COG Step Chock Combo	Base 24 <sup>3</sup> /8" Width 6 <sup>5</sup> /8"	10.8 kg./24 lbs.
	COG Step	

#### COG step chock kits

cog step chock kit A		cog	step cho	ock kit B	cog step chock kit C		cog step chock kit D				
<ul><li>(2) Cog Step Chock</li><li>(3) Turtle Lock Block Kit</li><li>(2) Carrying Bag</li></ul>		(4) Cog Step Chock (6) Turtle Lock Block Kit (4) Carrying Bag		(8) Cog Step Chock (12) Turtle Lock Block Kit (8) Carrying Bag		(16) Cog Step Chock (24) Turtle Lock Block Kit (16) Carrying Bag					
Total Kit Wgt 45.3 kg./100 lbs.		Total Kit Wgt 90.7 kg./200 lbs.		Total Kit Wgt 181.4 kg./400 lbs.		Total Kit Wgt 362.8 kg./800 lbs.					
Tour	FREE DONUS	sincludes:	Tour	FREE DONUS	sincludes:	Tour	FREE DONUS	sincludes:	Tour	FREE DONU	s includes:
Qty	Part#	Description	Qty	Part#	Description	Qty	Part#	Description	Qty	Part#	Description
(1)	CTP1818	18″ ModPad	1	CTP1818	18" ModPad	2	CTP1818	18" ModPad	4	CTP1818	18" ModPad
			1	TBP	Top Bag Pad	2	TBP	Top Bag Pad	4	TBP	Top Bag Pad



Scan this QR code to read the entire article in *Fire Apparatus* & *Emergency Equipment,* September 2013 issue.



"The combination of the incline of the cogged ramp and the wedge effectively creates a system that captures and secures the vehicle..."

#### CONTACT US: 1-800-756-6635



#### crib toter kit

- Keeps Hybrid Crib (44PL-18) organized; carry 9 per toter.
- Ergonomic features reduce injuries.
- Ideal for storage in compact spaces.
- Weather-resistant nylon bag.

Part #	Product Name	Total Kit Wgt
CT44PL-18	Crib Toter Kit (2) Toters, plus (18) Hybrid Crib	58.06 kg./128 lbs.
СТ	Crib Toter Only	.45 kg./1 lb.



Stand up straight and see where you're going! It's easier on your back (and safer) to carry two equal loads at your sides.

#### dura crib

### dura crib product line





### **Step Chocks**



#### step chocks

- Fastest way to stabilize.
- Ensures stability.
- Work faster against the golden hour.

#### standard step chock

- Quickly stabilize passenger vehicles.
- Lightweight.
- Built-in hand hold.

Part #	Base	Width	Hgt	Wgt
SC-1	24 <sup>1</sup> /2″x5 <sup>3</sup> /4″	33/4″	103/4″	7.71 kg./
				17 lbs.

#### medium step chock

- Quickly stabilize trucks and SUV's.
- Stable footprint.
- Built-in hand hold.

Part #	Base	Width	Hgt	Wgt
SC-2	29 <sup>1</sup> /2″x9″	41/2″	17 <sup>1</sup> /4″	16.7 kg./
				37 lbs.

#### giant truck/bus step chock

- Quickly stabilize large vehicles.
- Built-in hand hold.

Part #	Base	Width	Hgt	Wgt
SC-3	31 <sup>1</sup> /2″ x 11″	5″	22″	28.5 kg./
				63 lbs.


#### CONTACT US: 1-800-756-6635

### The Slab & The Half Slab

#### the slab


- Used in fleet maintenance, aerial truck repair, construction and agricultural repair or rescue, and USAR applications.
- Our largest heavy duty block.
- Pyramid design on two sides securely locks.
- Rapid stacking and instant stabilization.
- Lanyard on both sides of the block.

The S Series line of dura crib brand tools are designed as slabs to create an incredibly strong, stable and versatile large surface area platform for stabilizing equipment.



Orange lanyard indicates Heavy Working Load Limit.

Part #	Product Name	Dimensions	Wgt	WLL
S612-24	The Slab	6″ x 12″ x 24″	24.9 kg./55 lbs.	110,000 kg./242,508 lbs.
S612-12	The Half Slab	6″ x 12″ x 12″	12.02 kg./26.5 lbs.	55,000 kg./121,254 lbs.



#### the half slab

- Half the size of The Slab in a molded one-piece block.
- A heavy duty crib for smaller spaces.
- Used in fleet maintenance, aerial truck repair, construction and agricultural repair or rescue, and USAR applications.
- Pyramid design on two sides securely locks.
- Lanyards on both sides of the block.



6"x 12" x 12" Orange lanyard indicates Heavy Working Load Limit.



### **Black Diamond Crib**

#### black diamond crib

- A gem of a workhorse in our dura crib line.
- Creates a completely interlocking base.
- Your first choice whenever a tall box crib configuration is needed.
- Pyramid design on all four sides securely lock.
- Heavy duty construction.
- Multiple industry use.
- Lanyard on two sides of block.

The D Series line of dura crib brand tools feature interlocking pyramids on all four sides.



6"x 7" Orange lanyard indicates Heavy Working Load Limit.

#### little black diamond crib


• Smaller cousin of the Black Diamond Crib is ideal for limited spaces.



### **Profile Crib**

#### profile crib

- Pyramid design on all four sides securely lock.
- Lanyard on one side of block.




Orange lanyard indicates Heavy Working Load Limit.

Part #	Product Name	Dimensions	Wgt	WLL
67HDC-30	Black Diamond Crib	6″ x 7″ x 30″	18.14 kg./40 lbs.	71,600 kg./157,850 lbs.
67HDC-10	Little Black Diamond Crib	6″ x 7″ x 10″	7.25 kg./16 lbs.	23,700 kg./52,249 lbs.
44HDC-30	Profile Crib	4″ x 4″ x 30″	7.71 kg./17 lbs.	50,800 kg./111,994 lbs.

### **Prime Crib**

#### prime crib

- Two working surfaces in one block.
- Locking "lincoln log" style sides allow for additional stability and multiple stacking configurations.
- Versatile, affordable blocking solution.
- Used in heavy equipment, construction, transportation, rail and surface mining.
- Lanyard on two sides of block.



6″x 7″

Slip-resistant pyramid locking surface creates a strong, more stable base than wod.

Orange lanyard indicates Heavy Working Load Limit.

Part #	Product Name	Dimensions	Wgt	WLL
67PC-24	Prime Crib	6″ x 7″ x 24″	12.24 kg./27 lbs.	58,800 kg./129,631 lbs.






### **Super Crib**

#### super crib

- Most popular medium duty block.
- Pyramid design securely locks.
- Locking "lincoln log" style sides allow for additional stability and multiple stacking configurations.
- For use in rail, heavy rescue, fleet maintenance and facility management.
- Lanyard on both sides of block.
- Kits section starts on page 6.



6"x 7" Blue lanyard indicates Medium Working Load Limit.

Part #	Product Name	Dimensions	Wgt	WLL
67SC-24	Super Crib	6″ x 7″ x 24″	5	49,900 kg./ 110,010 lbs.

### Super Crib XL

#### super crib XL

- Two surfaces in one crib.
- Longer length than the Super Crib when wider crib stack is required.
- Locking "lincoln log" style sides allow for additional stability and multiple stacking configurations.
- For use in light industrial, automotive and facility management.



Part #	Product Name	Dimensions	Wgt	WLL
66SC-36	Super Crib XL	6″ x 6″ x 36″	5	78,400 kg./ 172,842 lbs.






Orange lanyard indicates Heavy Working Load Limit.



### **Hybrid Crib**

#### hybrid crib

- The new standard in light application cribbing/blocking.
- Two surfaces in one crib.
- Pyramid design securely locks.
- Locking "lincoln log" style sides allow for additional stability and multiple stacking configurations.
- Lanyard on one side of block.



Light Working Load Limit.





Part #	Product Name	Dimensions	Wgt	WLL
44PL-18	Hybrid Crib	4″ x 4″ x 18″	2.72 kg./6 lbs.	20,500 kg./45,194 lbs.

### Hybrid Crib XL

#### hybrid crib XL

- Two surfaces in one crib.
- For use in light industrial, automotive and facility management.
- Lanyard on both sides of block.

ļ	~~~~~	
	4″ x 4″	
		indicates oad Limit.

Part #	Product Name	Dimensions	Wgt	WLL
44SC-36	Hybrid Crib XL	4″ x 4″ x 36″		53,200 kg./ 117,285 lbs.





### **Turtle Lock Block**


#### turtle lock block


- Create a stable platform on many surfaces.
- Versatile stackable blocks.
- Unique square peg surfaces interlock with each other.
- Available in three sizes.
- Use as spacers or dunnage.
- Lightweight, easy to carry.



Part # 2B (bottom)

Part #	Product Name	Dimensions	Wgt	WLL
1B	Turtle Lock Block	9″x 9″x 1″	1.36 kg./3 lbs.	31,000 kg./68,343 lbs.
2B	Turtle Lock Block	9″x 9″x2″	2.26 kg./5 lbs.	31,000 kg./68,343 lbs.
3B	Turtle Lock Block	9″x 9″x 3″	3.17 kg./7 lbs.	31,000 kg./68,343 lbs.











hose bridge




#### standard hose bridge


- 4 piece kit.
- Openings: Two 5" / Two 4" / Two 3"
- Supports up to 14,000 lbs. per axle.
- Each component weighs only 60 lbs.
- Easy to assemble.
- Patented design.



Standard Hose Bridge (Part # HBS68) (4 piece kit)



Hose Bridge Extender (Part # HBS-E237-24) (2 piece set)



CONTACT US: 1-800-756-6635

**Total Kit Wgt** 

108.86 kg./ 240 lbs. super hose bridge





Super Hose Bridge (Part # HBS68) (6 piece kit)

#### super hose bridge

- Openings: accepts 6", 8" and 10" O.D.
- Ideal protection for large diameter hoses.
- Create passage for driving over hoses.
- Larger hose openings than our Standard Hose Bridge.
- Wide ramps for easy access.
- Available with yellow reflective striping and side reflectors.
- Patented design.

- Useful when temporary protection of hose or crossing is required.
- 6 piece kit.
- Puzzle piece shapes.
- 14,000 lbs. per axle load capacity.

Part #	Product Name	Dimensions	Total Kit Wgt
HBS68	Super Hose Bridge	126″ x 49″ x 12¼″	244.94 kg./
	-		540 lbs.



### Ideal accessory.

Hose Bridge Extender (Part # HBS-E237-24) (2 piece kit)



#### pedestrian hose bridge

- Reduce trip hazards by creating a pedestrian bridge anywhere.
- One person can carry and assemble.
- Open grid grit top for dry, slip-resistant footing.
- Available as a half bridge model for curb access and optional holes for securing bridge to the ground.
- Compatible with our Standard Hose Bridge. Not available for Super Hose Bridge.



Part #	Product Name	Wgt
HBS-1/2S	Half Bridge	27.21 kg./60 lbs.
HBS-1/2	(2) Half Bridges for curb ramps	54.42 kg./120 lbs.
WSHBS	Grit Top Walking Surface	5.89 kg./13 lbs.
PB-R	Single Handrail	6.12 kg./13.5 lbs.




#### rizer systems

- Indispensable ramp safety systems for track vehicles, forklifts, lo-boys, auto transport, vehicle inspection.
- Inexpensive repair tool for indoor/outdoor use.
- Over a dozen sizes to choose from.
- Ergonomically designed, durable and portable.
- Lighter weight than steel ramps.
- Customizable options include lanyards and slip-resistant bottoms and ramps.



other dura stat rizers



Options: Lanyard | Slip-Resistant Bottom | Slip-Resistant Ramp

### **Dura Stat Engineered Blocking**

#### dura stat

- · Composite re-engineered plastic blocks.
- Smooth profile on all four sides.
- Replaces metal framing and wood timbers for storing raw materials.
- Superior performance to railroad timber profiles.
- For single layer indoor/outdoor storage.
- Ideal alternative to wood on tractor trailers during material transportation (dunnage).
- Easy to clean, won't rot, split or absorb moisture.
- Customized configurations to meet your indoor/outdoor storage criteria.
- All lumber sizes are nominal and weights are approximate.

#### non-stackable square blocking

Part # & Dimensions	Wgt
2″ x 2″ x 6′	2.72 kg./6 lbs.
2″ x 2″ x 12′	5.44 kg./12 lbs.
4″ x 4″ x 6′	14.06 kg./31 lbs.
4″ x 4″ x 8′	18.59 kg./41 lbs.
4″ x 4″ x 12′	27.66 kg./61 lbs.



Ideal spacers for easy forklift access.



**CREOSOTE FREE** 

#### non-stackable rectangular blocking

Part # & Dimensions	Wgt
2″ x 3″ x 6′	4.53 kg./10 lbs.
2″ x 3″ x 12′	8.61 kg./19 lbs.
2″ x 4″ x 6′	5.89 kg./13 lbs.
2″ x 4″ x 8′	8.16 kg./18 lbs.
2″ x 4″ x 12′	11.79 kg./26 lbs.
2″ x 6″ x 6′	9.07 kg./20 lbs.
2″ x 6″ x 8′	11.79 kg./26 lbs.
2″ x 6″ x 12′	17.69 kg./39 lbs.
2″ x 8″ x 6′	11.79 kg./26 lbs.
2″ x 8″ x 8′	15.42 kg./34 lbs.
2″ x 8″ x 12′	23.13 kg./51 lbs.
2″ x 10″ x 6′	16.32 kg./36 lbs.
2″ x 10″ x 8′	21.11 kg./48 lbs.
2″ x 10″ x 12′	32.65 kg./72 lbs.
3″х 4″х б′	9.63 kg./21 lbs.
3″ x 4″ x 8′	12.70 kg./28 lbs.
3″ x 4″ x 12′	19.05 kg./42 lbs.
3″ x 10″ x 6′	26.30 kg./58 lbs.
3″ x 10″ x 8′	34.47 kg./76 lbs.
3″ x 10″ x 12′	52.16 kg./115 lbs.
4″ x 6″ x 12′	35.83 kg./79 lbs.
6″ x 6″ x 8′	35.83 kg./79 lbs.
6″ x 8″ x 8′	49.89 kg./110 lbs.

### specialty products by turtle plastics

Turtle Plastics has partnered with leading experts to introduce innovative, lifesaving products to on-site rescue workers with rapidly deployable products to assist an emergency worker in entrapment situations where response time is critical. Our hope is to provide safe working environments.

# health rescue

## community

## quick response.

## customers

Sare


### Wedges

#### stepped wedges

- 3" high stepped top surface slopes downward for improved grip.
- Convenient lanyard optional.

Part #	Dimensions	Wgt
3W	3″ x 8.5″	0.68 kg./1.5 lbs.
6W	б″ x 8.5″	1.36 kg./3 lbs.
12W	12″ x 8.5″	2.72 kg./6 lbs.
24W	24″ x 8.5″	5.44 kg./12 lbs.







#### door wedges

• Smooth surface.

Part #	Dimensions	Wgt
2/4-12	2″ x 4″ x 12″	0.68 kg./1.5 lbs.
1.5W	1.5″ x 8.5″	0.34 kg./.75 lbs.
3W	3″ x 8.5″	0.68 kg./1.5 lbs.



#### pyramid face wedges

- dura crib interlocking surface offers aggressive contact with vehicle or underlayment for secure anchoring or leveling.
- Pyramid wedge can be placed either up or down. Works great with D or G Series.
- Convenient lanyard.

Part #	Dimensions	Wgt
4/4-PDU	4″ x 4″ x 18″	1.58 kg./3.5 lbs.
6/7-PDU	6″ x 7″ x 24″	12.24 kg./27 lbs.



#### standard wedges

- Convenient lanyard.
- Smooth surface.

Part #	Dimensions	Wgt
2/4-12	2″ x 4″ x 12″	0.68 kg./1.5 lbs.
4/4-20	4″ x 4″ x 20″	1.81 kg./4 lbs.
6/7-24	6″ x 7″ x 24″	5.44 kg./12 lbs.



#### mini and sprinkler wedges

Part #	Dimensions	Wgt
WIT-Y	5.75″ x 1.7″ x .7″	0.09 kg./.2 lbs.
Lanyard	Hole	Gripper Edge

### **The Turtle Tube**



http://turtleplastics.com/wp-content/uploads/GrainBinRescueTube\_Rev-1.mp4



#### Why wait until you need one?

"Over the past 50 years, more than 900 cases of grain engulfment have been reported, and the fatality rate is 62%."



Read the full story by the Nebraska Corn Board as it appears on the Ohio Farmer website.



Part #	Product Name	Wgt
TUTU-1	The Turtle Tube	8.16 kg./18 lbs.

#### the turtle tube grain bin rescue sleeve

At Turtle Plastics, we feel that even just one silo accident is too many. We believe that The Turtle Tube is the best rescue sleeve available today.

- Developed specifically for use in grain handling at food processing plants, breweries, elevators and grain transport vehicles.
- Designed, developed, tested and built by farmers and firefighters, working together to better save lives.
- Rapid deployment.
- One-piece construction.
- 15<sup>"</sup> storage diameter.
- Carrying bag included.
- Weighs only 18 lbs.
- Priced well below competitors.
- Training available.
- Patented design\*



\*The Turtle Tube™ U.S. Pat. No. D809,210

### **Protection Pads**

#### modpad


- Multi-use interlocking stabilizing plate for top and bottom of G Series crib stacks.
- Use on top of crib stack to provide a level, uniform top, and on bottom of crib stack, with wedges, to achieve optimum level. See page 11 for kit.
- Use under an air lifting bag. See page 11 for kit.
- Built-in level.


1.5

- Two sizes: 18" x 18", or 24" x 24".
- Patented design\*.

18







ModPad (Part #CTP1818-1.5W/L)

ModPad not advisable for use with the **S or P Series** blocking products.



#### top bag pad

• Flexible rubber plate used to protect lifting airbags from unseen objects.

Part #	Product Name	Dimensions	Wgt	WLL
CTP1818 -1.5W/L	ModPad	18″ x 18″ x 1.5″	6.80 kg./15 lbs.	54,431 kg./120,000 lbs.
CTP2424 -2W/L	ModPad	24″ x 24″ x 2″	17.23 kg./38 lbs.	102,058 kg./225,000 lbs.
TBP	Top Bag Pad	18″ x 18″	5.89 kg./13 lbs.	N/A

\*ModPad<sup>™</sup> U.S. Pat. No. D804,768



CONTACT US: 1-800-756-6635

### **Protection Pads**

#### prime crib stackpad

- Stabilizing Plate created specifically for the Prime Crib.
- Distributes weight over crib to best support lifting/jacking operations.
- 2″ x 24″ x 24″.
- Cushioned lanyard.

### Prime Crib StackPad (Part #PCSP)

New!

#### slabpad and half slabpad


- Stabilizing plate created especially for The Slab and The Half Slab.
- Distributes weight over heavy duty crib stacks, for use with the S Series line.
- Helps reduce risk of point source load failures.
- Two sizes: 12" x 12", or 12" x 24".
- Cushioned lanyard.



Half SlabPad (Part #SP12)



SlabPad (Part #SP24)



Part #	Product Name	Dimensions	Wgt	WLL	
PCP24	Prime Crib StackPad	2″ x 2″ x 24″	18.14 kg/40 lbs.	3,000 PSI	
SP12	Half SlabPad	1.5″ x 12″ x 12″	2.72 kg./6 lbs.	3,000 PSI	
SP24	SlabPad	1.5″ x 12″ x 24″	5.44 kg./12 lbs.	3,000 PSI	



### Wheel Chocks



"Oops-proof" lanyard reminds you to chock both front and back of tire!

Double Wheel Chock (Part #WC-2)

#### wheel chocks

- Prevents accidental movement onto workers.
- Use at both front and back of tire for extra security.
- Also used in aerospace, transportation, rolling equipment repair. Versatile for use in airports and fire departments
- Very affordable.

Part #	Product Name	Dimensions	Wgt
WC-1	Single Wheel Chock	9 <sup>1</sup> /2 <sup>"</sup> L x 5 <sup>7</sup> /8 <sup>"</sup> W x 3 <sup>5</sup> /8 <sup>"</sup> H	2.72 kg./6 lbs.
WC-2	Double Wheel Chock	$9^{1/2''}$ L x $5^{7/8''}$ W x $3^{5/8''}$ H	5.44 kg/.12 lbs.

Bottom grit surface available.



### **Fleet Maintenance Bay Service Kit**

# fleet maintenance bay service kit

This kit is great for fleet maintenance and repair facilities. The dura stat products in these kits were designed specifically for mast support up to 4,200 pounds or single layer/storage applications. Never stack smooth profile (static) cribbing.

### fleet maintenance bay service kit

t for fleet	Part #	Product Name	Included Components	Total Kit Wgt
and repair dura stat	FMBS	Fleet Maintenance	(1) Carrying Bag	571.52 kg./1,260 lbs.
ese kits were		Bay Service Kit	(2) 2B Turtle Lock Block	
		-	(2) 4"x4"x22" (true) dura stat	t
cifically for			(2) 4"x4"x48" (true) dura stat	t
up to 4,200			(2) RZ-68-1-10 Rizer	
le layer/storage			(2) Bessey Clamp	
Never stack			(2) 67HDC-10 Little Black Diamond Crib	
e (static)			(2) SC-2 Medium Step Choc	k
			(2) WC-1 Wheel Chock	
			(4) WC-2 Double Wheel Cho	ock
			(4) S612-12 The Half Slab	
			(6) S612-24 The Slab	
			(12) 67PC-24 Prime Crib	
		New	Plastic Gribbing & Grocking	

Fleet Maintenance Bay Service Kit (Part #FMBS)







Tire Skate (Part # TS-1W) Tire Skate (Part # TS-2W)



Tire Skate (Part # TS-4W)



Jack Rabbit Base (Part # JRB92017 w/L)

### towing accessories

- Tire skates in three sizes with lanyards.
- Rollover stick with lanyard.

Part #	Product Name	Dimensions	Wgt
TS-1W	Tire Skate	171/4" x 31/4" x 4"	1.36 kg./3 lbs.
TS-2W	Tire Skate	171/4″ x 61/2″ x 4″	2.72 kg./6 lbs.
TS-4W	Tire Skate	17 <sup>1</sup> /4″ x 13″ x 4″	5.44 kg./12 lbs.
44-48PS	<b>Rollover Stick</b>	4″ x 4″ x 48″	8.16 kg./18 lbs.

### jack rabbit base

- Stabilize jacks on uneven surfaces.
- Pyramid surface pairs with our cribbing where additional height is needed.

Part #	Product Name	Wgt
JRB92017 w/L	Jack Rabbit Base	3.17 kg./7 lbs.





Rollover Stick (Part # 44-48PS)

### **Turtle Tiles**

## one simple tile does it all

Turtle Tiles<sup>™</sup> are the cushion tiles from the original modular matting people.

We have the best and most versatile selection of safety flooring solutions.



ALL TURTLE PLASTICS PRODUCTS

FROM RECYCLED PLASTICS



### turtle tiles

Part #	Product Name	Dimensions	Wgt
1212	Standard Tile	12″x12″x3/4″	0.74 kg./1.65 lbs.
1212-C	Color	12″x12″x3/4″	0.74 kg./1.65 lbs.
1212-H	Hard	12″x12″x3/4″	0.74 kg./1.65 lbs.
1212-SS	Super Soft Black	12″x12″x3/4″	0.74 kg./1.65 lbs.
1212-S-SS	Solid Super Soft	12″x12″x3/4″	0.74 kg./1.65 lbs.
1212-G	Grit Top	12″x12″x3/4″	0.81 kg./1.8 lbs.
1212-S	Solid Surface	12″x12″x3/4″	0.90 kg./2 lbs.
1212-1/2	1⁄2″ Black Tile	12"x12"x1/2"	0.61 kg./1.35 lbs.

### standard ramps 21/2"

Part #	Product Name	Dimensions	Wgt
AM/AF	Male/Female Edge Black	12″x2 ½″x3/4″	0.22 kg./.5 lbs.
AM-C/AF-C	Male/Female Edge Color	12″x2 ½″x3/4″	0.22 kg./.5 lbs.
BM/BF	Male/Female Corner Black	14″x2 ½″x3/4″	0.22 kg./.5 lbs.
BM-C/BF-C	Male/Female Corner Color	14"x2 ½"x3/4"	0.22 kg./.5 lbs.

### wide ramps 6"

Part #	Product Name	Dimensions	Wgt
612M/F	Male/Female Edge Black	12″x6″x3/4″	0.45 kg./1 lb.
612M-C/F-C	Male/Female Edge Color	12″x6″x3/4″	0.45 kg./1 lb.
612C	Universal Corner Black	6″x6″x3/4″	0.22 kg./.5 lbs.
612C-C	Universal Corner Color	6"x6"x3/4"	0.22 kg./.5 lbs.

• G–add for Grit

GS-add for Grit Stripe

Call us for our full line of Turtle Tiles.

WE TAKE BACK OUR TILES AT END-OF-LIFE. ZERO

15 Colors Available



## **Modular Tiles**

### turtle tiles

- Turtle Tiles are 12"x12" interlocking modular tiles that are ½" or ¾" and are made of 100% recycled PVC.
- The original interlocking modular tile.
- Provides maximum drainage of fluids.
- Allows air circulation to keep equipment, floors, and tiles dry.
- Resistant to many industrial chemicals.
- Hygienic, no odor.
- 1/2" Black Tile used for compartment lining in trucks and buckets.






Ramps

WASTE






3/4″ turtle tile™ Part # 1212

1/2" red ambulance tile

Part # 1212-1/2-C



3/4" fluid resistant tile Part # 1212-FR

#### turtle tiles compartment matting

- Protects vehicle compartments and equipment.
- Excellent for decks, battery compartments, bottle bumpers.
- Resists water, gas, fluids, and oils.
- No-scrunch style stays in place.
- 12" x 12" x 3/4" grid or 12" x 12" x 1/2" grid.
- Made in the U.S.A. from recycled plastic.



Part #	Product Name	Dimensions	Wgt
1212	Standard Tile Black	12″ x 12″ x <sup>3</sup> /4″	0.74 kg./1.65 lbs.
1212-C	Standard Tile Color	12″ x 12″ x <sup>3</sup> /4″	0.74 kg./1.65 lbs.
1212- <sup>1</sup> /2″	1/2″ Red Tile	12″ x 12″ x <sup>1</sup> /2″	0.61 kg./1.35 lb.
AM/AF	Male/Female Edge Black	2.5″ x 12″	0.22 kg./.5 lbs.
AM/AF-C	Male/Female Edge Color	2.5″ x 12″	0.22 kg./.5 lbs.

VOLUME DISCOUNTS! CALL 800-756-6635 FOR DETAILS!

### **Compartment Matting**

#### ezMat

- ezMat<sup>™</sup>one-piece custom compartment matting using genuine Turtle Tiles can be cut and assembled to your specifications. Choose stapled or sonic welded.
- Mount brackets directly to compartment matting.
- Conveniently removes in one piece... simply hose off and re-install.
- Heavy duty industrial grade.
- 3/4" or 1/2" thick profile won't scratch compartment paint.
- No reassembly needed saving time and cost.
- Available in 15 colors, see page 39.

### one-piece compartment matting makes cleaning a breeze!





# **Small Compartment Matting**

#### small compartment matting

- The thin solution for tight spaces.
- Use Thin Tile for tilt drawers on fire trucks and smaller compartments in ambulances.
- Heavy duty 12" x 12" x 1/2" grid.
- Made in the U.S.A. from recycled plastic.
- Easy to cut!
- · Available in red or black only.








### **In-Station Matting**

### in-station matting

For safety's sake, use Turtle Tiles<sup>™</sup> on any station surface where drainage and traction are essential. Made of recycled plastic, these durable interlocking tiles convert to any size area. Slip resistant, easily cleaned, and mounts to existing floor.

- Jump-down areas.
- SCBA rooms.
- Station floors.
- Workout areas.



• Shower rooms.













### **Superior Coatings**




#### superior coatings

Part #	Product Name	Wgt
DC-Gallon	Polyurethane Coating	4.53 kg./10 lbs.
	Indoor or Outdoor	
DC-Quart	Polyurethane Coating	1.02 kg./2.25 lbs.
	Indoor or Outdoor	
1212-G	Grit Top Tile	.81 kg/1.8 lbs

- Perfect for tanker tops, top decks, aerial platforms, steps, running boards, floors and anywhere a slip-resistant surface is needed.
- Dura Coat product is easily applied over most surfaces or Turtle Tiles.
- Easy application with brush, roller or sprayer.
- Bonds to wood, fiberglass, concrete, plastics, rubber, linoleum and primed metal.
- Similar to bed liner coatings.
- Dura Grit coating available in tile form only.
- Dura Coat Paint available in gallon or pint.

all hands working charity



"In a cooperative fund raising effort between Turtle Plastics and All Hands Working, we provided a full gym and floor to a fire department in West Chester, Pennsylvania. This fire department is a volunteer department and serves a large response area. Captain Chris Good passed in the line of duty due to a heart attack. In his honor, the flooring and gym equipment was donated and installed. Turtle Plastics has been a partner of the All Hands Working Charity for five years, and together they have outfitted fire departments with much needed flooring and equipment. The All Hands Working Charity works hard to prevent death and injury due to job-related injuries and illnesses. With partners like Turtle Plastics we are able to accomplish our goals."

> —Joe Gordon, Founder All Hands Working Charity

www.Allhandsworking.org

### Turtle Plastics Limited Warranty On dura crib and dura stat

- 1. Turtle Plastics (hereinafter "Company") warrants to the original purchaser at retail of its Products (hereinafter "Product") that:
- A. For five (5) years from the date of the original purchase at retail, Company will provide a replacement Product for any Product that breaks for any reason other than obvious abuse or damage due to misapplication or improper installation.
- B. For ten (10) years from the date of the original purchase at retail, Company will provide a replacement on any Product that is sagging for any reason other than damage due to misapplication or improper installation.
- C. For fifty (50) years from the date of the original purchase at retail, Company will provide a replacement Product for any Product that becomes defective as a result of rot, termite infestation or corrosion.
- D. A Product shall be deemed broken or defective when it lacks the capacity to perform the primary function for which it was manufactured.
- 2. TO OBTAIN PERFORMANCE UNDER THIS WARRANTY, the original purchaser at retail must return the broken or defective Product to Company postage paid, with a copy of the invoice documenting the date of purchase. Any Product returned for replacement under this warranty must be clearly marked with a "warranty return authorization code", which the original purchase at retail may obtain from Company. Company will ship a replacement Product to the original purchaser at retail, postage due, within ten (10) days of receiving the broken or defective Product. Company reserves the right to challenge any warranty claim for failures resulting from obvious abuse or damage due to misapplication or improper installation.
- 3. ANY EXPRESS WARRANTY NOT PROVIDED HEREIN, AND ANY REMEDY FOR BREACH OF CONTRACT WHICH BUT FOR THIS PROVISION MIGHT ARISE BY IM-PLICATION OF OPERATION OF LAW, IS HEREBY EXCLUDED AND DISCLAIMED. THIS SALE IS MADE ON THE EXPRESS UNDERSTANDING THAT THERE IS NO IMPLIED WARRANTY THAT ANY PRODUCT SHALL BE FIT FOR ANY PARTICULAR PURPOSE OR AN IMPLIED WARRANTY THAT ANY GOODS SHALL BE MER-CHANTABLE. THE ORIGINAL PURCHASER AT RETAIL ACKNOWLEDGES THAT SAID PURCHASER IS NOT RELYING ON COMPANY'S SKILL AND JUDGEMENT TO SELECT OR FURNISH GOODS SUITABLE FOR ANY PARTICULAR USE.
- 4. UNDER NO CIRCUMSTANCES SHALL COMPANY BE LIABLE TO THE ORIGINAL PURCHASER AT RETAIL OR ANY OTHER PERSON FOR ANY SPECIAL OR CONSEQUENTIAL DAMAGES, WHETHER ARISING OUT OF BREACH OF WARRANTY, BREACH OF CONTRACT, OR OTHERWISE. COMPANY SHALL IN NO EVENT BE LIABLE FOR ANY BREACH OF WARRANTY IN AN AMOUNT EXCEEDING THE PURCHASE PRICE OF ANY PRODUCT.
- 5. COMPANY SHALL IN NO EVENT BE BOUND BY ANY STATEMENT OR REPRESENTATION AS TO THE QUALITY OR PERFORMANCE OF ANY PRODUCT, OTHER THAN AS CONTAINED IN THIS WARRANTY. TURTLE PLASTICS DOES NOT GUARANTEE THE ACCURACY OR COMPLETENESS OF ANY INFORMATION CONTAINED HEREIN AND IT IS THE CUSTOMER'S RESPONSIBILITY TO CONDUCT ITS OWN DETERMINATION REGARDING THE SUITABILITY OF SPECIFIC PRODUCTS FOR ANY GIVEN APPLICATION.
- 6. ANY ALTERATION OF THE ORIGINAL MANUFACTURER'S PRODUCT THAT IMPACTS PERFORMANCE OF THE PRODUCT OR ALTERS ORIGINAL QUALITY AND WORKMANSHIP OF THE PRODUCT WILL VOID THE WARRANTY.

### **Turtle Plastics Limited Warranty on Tile Products:**

- 1/2" and 3/4" Turtle Tile 1212 (black and color)
- 3/4 Super Soft Turtle Tile 1212SS (black and color)
- ¾" Ultra Soft Turtle Tile 1212US (black)
- 3/4 Solid Surface Turtle Tile 1212S (black and color)
- 3/4 Solid Super Soft Turtle Tile 1212-S-SS (black and color)
- Ramps AM/AF

#### A. WARRANTY DETAILS:

The materials and workmanship used in the construction of the Turtle Tile products above are backed by a five- year warranty under normal work place conditions.

If the purchaser discovers a defect in the materials or workmanship of a Turtle Tile modular tile, Turtle Plastics will, at its own discretion, either:

- i) repair the nonconforming product,
- ii) replace the product with the same or substantially similar product, or
- iii) reimburse the buyer for the purchase price of the nonconforming product based on the expected useful life of the product.

Turtle Plastics reserves the right to inspect the non-conforming tile(s) before repairing, replacing or reimbursing the buyer. Therefore, at the preference of Turtle Plastics., the tile(s) must be returned or available for on-site inspection. Modifying, coating or installing the tile(s) may void the warranty. The decision to void this warranty will be made at the sole discretion of Turtle Plastics. To the maximum extent permitted by law, Turtle Plastics' liability shall not exceed the purchase price of the product; Turtle Plastics shall not be liable for any incidental, consequential, special, and indirect or punitive damages (including without limitation, damages from lost business, profits or goodwill).

#### THE USER MUST BE FAMILIAR WITH THE U.S. ARMY CORP OF ENGINEERS GUIDE AND ONLY THE END USER CAN DETERMINE LOAD CAPACITY. ANY BENDING,

**DEFLECTION, SAGGING, BULGING OR DEFORMITY WILL NECESSITATE ADDITIONAL CRIBS.** As the use of our products under user's conditions are beyond our control, no warranty, expressed or implied, including but not limited to, merchantability or fitness for a particular use, is made concerning our products. DISCLAIMER: Under no circumstances shall company be liable to the original purchaser at retail or any other person for any special or consequential damages, whether arising out of breach of warranty, breach of contract, or otherwise. Company shall in no event be liable for any breach of warranty in an amount exceeding the purchase price of any product, nor will company be bound by any statement or representation to the quality or performance of any product.

# "no wood" safety zone

of our industry by keeping you say on top of our industry by keeping you say of the say



7400 Industrial Parkway Drive Lorain, OH 44053 (440) 282-8008 1 (800) 756-6635 1 (800) 437-1603 (fax) distributed by:



www.turtleplastics.com

printed on recycled paper | fire cribbing 6.0 MAR2018