


# Talon Infinity Batons . . . Simple and Strong



Background

High carbon steel tubing Precision machined Heat treated

#### **Specifications**

Retracted Length*		
40	7.25"	18.4 cm
50	8.57"	21.8 cm
60	9.8"	24.9 cm
*Cap is 0.1" (.25 cm) shorter than Button Release		
Expanded Length		
40	15.75"	40 cm
50	19.8"	50 cm
60	23.66"	60 cm
Weight (Steel)		
40	15.7 ounces	446 g
50	18.5 ounces	526 g
60	21.4 ounces	607 g
Weight (Airweight)		
40	9.4 ounces	267 g
50	11.1 ounces	314 g
60	12.7 ounces	359 g
Diameter	1.1"	28 mm

Disc Loc

# Steel Tubing

4140 49+ RC 150,000 PSI Tensile 120.000 PSI Yield

Locking System

## **Aluminum Tubing**

7075 T6 87 RB 83,000 PSI Tensile 73.000 PSI Yield

## Shafts

Airweight (A) Black Chrome (B) Electroless (E)

#### Locking Bushing

Hardened locking groove O-ring guide

# **Locking Lugs**

Hardened Coil spring activated

# Tube Stops

Hardened
O-ring dampened
No bounce back

#### **Extended Tip**

Two grooves Continuous tension release Positive lockup

# Grip

Foamed vinyl Injection molded Vector

## Lockup

Discs
Heat treated
Spring activated
Locking groove
Heat treated

#### Handl

Black Chrome Protective front collar

## Cap Release

Large surface Easily activated

# **Button Release**

Retention groove Machined into the cap Contoured for the little finger

#### Release

One hand

# Scabbards

Envoy Revolution



**ASP Talon Batons** are available in a variety of grip textures and shaft finishes.





Retract your Talon® Baton by depressing the release button. It is not necessary to strike the tip of the baton.



Revolution

# Scabbards Envoy and

Envoy and Revolution Scabbards rotate to 7 distinct positions on the duty belt. They will not rotate beyond horizontal or

compromise the security of a baton. A retracted Talon Baton may be rapidly presented, yet it is securely retained during dynamic confrontations.



Envoy



Designed for military or special operations, the rotating polymer scabbards will clip onto all modern equipment vests.

