



CMC PROSWIVEL™ PULLEYS



PATENTED.

The CMC ProSwivel Pulleys combine a swivel and pulley into one tool with a unique sideplate that opens while the pulley is still attached to the anchor. Teaming up with Rock Exotica, CMC now offers more swivel pulleys certified to NFPA standards. Our renamed and expanded ProSwivel line includes eight pulleys to choose from. You can pick the best CMC ProSwivel Pulley for the job, going bigger when you need more efficiency.

Expanding on the original, patented swivel pulley line by Rock Exotica, the CMC ProSwivel Pulleys are time-tested, Made in the USA, and brought to you by two companies committed to quality and service. Available in single and double sheave versions from 1.1" radius up to 2.6", these pulleys are an excellent option for Mechanical Advantage (MA) systems for hauling and ascending, and they work well in combination with high anchors, tripods, and redirects.

New Additions:

- 2.0" PMP Single Pulley – G-Rated, prusik minding, and up to 3% more efficient than 1.5"
- 2.0" PMP Double Pulley – G-Rated, prusik minding, and has integrated becket for MA
- 1.5" Single Pulley – G-Rated and lightweight with an aluminum sheave pulley
- 1.1" SwivaBiner – T-Rated, compact, and versatile pulley/swivel/carabiner combo

Features & Benefits

- New models certified to NFPA standards including a more efficient 2" option
- Patented, USA Made, time-tested, and proven as the original swivel pulleys
- Combined swivel & pulley reduces system length, allowing more travel
- Pivoting sideplate allows rope loading without disconnecting from anchor
- Double-action detent button prevents accidental opening of the sideplate
- Sheave is mounted on sealed ball bearings for maximum efficiency
- Rotating swivel aligns rope with the direction of pull
- Swivel can be secured using rope, web, or carabiners
- Ergonomic design for anchoring and loading with one hand
- CNC machined for optimal strength & weight
- Prusik minding options facilitate progress capture
- Compatible with rope up to 13 mm (1/2 in)
- 1.5" PMP SS Pulley is compatible with rope or wire cable
- Ideal for rescue, work at height, and tree care

CMC has issued a [Product Recall and Safety Notice](#) for certain lot numbers of Proswivel Pulleys. We have corrected this issue for current and future Proswivel Pulley production.

Option	1.1" PMP SwivaBiner Pulley
Item	300435

PRODUCT WEIGHT	200 G (7.0 OZ)
PULLEY TYPE	SINGLE SHEAVE
SHEAVE MATERIAL	ALUMINUM
HEIGHT X WIDTH	112 X 51 MM (4.4 X 2.0 IN)
PULLEY COLOR	BLACK
NFPA RATING	TECHNICAL USE
3 SIGMA MBS	23 KN (5,171 LBF)

Option 1.1" PMP Single Swivel Pulley

Item 300434

PRODUCT WEIGHT 147 G (5.2 OZ)

PULLEY TYPE SINGLE SHEAVE

SHEAVE MATERIAL ALUMINUM

HEIGHT X WIDTH 112 X 51 MM (4.4 X 2.0 IN)

PULLEY COLOR BRONZE / SLATE

NFPA RATING TECHNICAL USE

3 SIGMA MBS 20 KN (4,496 LBF)

Option 1.5" PMP SS Single Swivel Pulley

Item 300430

PRODUCT WEIGHT 331 G (11.7 OZ)

PULLEY TYPE SINGLE SHEAVE

SHEAVE MATERIAL STAINLESS STEEL

HEIGHT X WIDTH 148 X 76 MM (5.8 X 3.0 IN)

PULLEY COLOR BRONZE / SLATE

NFPA RATING GENERAL USE

3 SIGMA MBS 36 KN (8,093 LBF)

Option 1.5" Single Swivel Pulley

Item 300431

PRODUCT WEIGHT 261 G (9.2 OZ)

PULLEY TYPE SINGLE SHEAVE

SHEAVE MATERIAL ALUMINUM

HEIGHT X WIDTH	135 X 63 MM (5.3 X 2.5 IN)
PULLEY COLOR	BRONZE / SLATE
NFPA RATING	GENERAL USE
3 SIGMA MBS	36 KN (8,093 LBF)
<hr/>	
Option	1.5" Double Swivel Pulley
Item	300432
PRODUCT WEIGHT	415 G (14.6 OZ)
PULLEY TYPE	DOUBLE SHEAVE
SHEAVE MATERIAL	ALUMINUM
HEIGHT X WIDTH	160 X 63 MM (6.3 X 2.5 IN)
PULLEY COLOR	BRONZE / SLATE
NFPA RATING	GENERAL USE
3 SIGMA MBS	36 KN (8,093 LBF)
<hr/>	
Option	2.0" PMP Single Swivel Pulley
Item	300437
PRODUCT WEIGHT	349 G (12.3 OZ)
PULLEY TYPE	SINGLE SHEAVE
SHEAVE MATERIAL	ALUMINUM
HEIGHT X WIDTH	148 X 76 MM (5.8 X 3.0 IN)
PULLEY COLOR	BRONZE / SLATE
NFPA RATING	GENERAL USE
3 SIGMA MBS	36 KN (8,093 LBF)
<hr/>	
Option	2.0" PMP Double Swivel Pulley
Item	300438
PRODUCT WEIGHT	585 G (20.6 OZ)
PULLEY TYPE	DOUBLE SHEAVE
SHEAVE MATERIAL	ALUMINUM
HEIGHT X WIDTH	180 X 76 MM (7.0 X 3.0 IN)
PULLEY COLOR	BRONZE / SLATE
NFPA RATING	GENERAL USE
3 SIGMA MBS	36 KN (8,093 LBF)

Option	2.6" PMP Single Swivel Pulley
Item	300436
PRODUCT WEIGHT	841 G (29.7 OZ)
PULLEY TYPE	SINGLE SHEAVE
SHEAVE MATERIAL	ALUMINUM
HEIGHT X WIDTH	191 X 93 MM (7.5 X 3.6 IN)
PULLEY COLOR	BRONZE / SLATE
NFPA RATING	GENERAL USE
3 SIGMA MBS	78 KN (17,534 LBF)

1-800-235-5741

info@cmcpro.com

cmcpro.com