

# The Phoenix Tall Cuff Glove

- Extra long Nomex<sup>®</sup> cuff extends 9" beyond wrist crease
- Wide opening for easy donning and doffing
- 3M FR reflective tape for extra visibility
- Sturdy, non-rusting stainless steel buckle
- Outer shell is durable woven Dupont Nomex<sup>®</sup>
- Lining is soft, non-pilling knit Nomex<sup>®</sup>
- Glove body is the well known Phoenix Glove:
  - Very dextrous glove that dries fast
  - Glove is not slippery, wet or dry
  - Sizes XXS to 4X in both regular and cadet size



**NEW!**

# The Phoenix Tall Cuff Glove

- Extra long Nomex<sup>®</sup> cuff extends 9" beyond wrist crease
- Wide opening for easy donning and doffing
- 3M FR reflective tape for extra visibility
- Sturdy, non-rusting stainless steel buckle
- Outer shell is durable woven Dupont Nomex<sup>®</sup>
- Lining is soft, non-pilling knit Nomex<sup>®</sup>
- Glove body is the well known Phoenix Glove:
  - Very dextrous glove that dries fast
  - Glove is not slippery, wet or dry
  - Sizes XXS to 4X in both regular and cadet size



**NEW!**



# The Phoenix Tall Cuff Structural Fire Glove

## SPECIFICATIONS

### I. Construction

- a. Extra long Nomex® cuff extends 9" beyond wrist crease
- b. Wide opening for easy donning and doffing
- c. 3M FR reflective tape for extra visibility
- d. Sturdy, non-rusting stainless steel buckle
- e. Outer shell is durable woven Dupont Nomex®
- f. Lining is soft, non-pilling knit Nomex®
- g. This five-fingered glove is constructed using a fourchette pattern with an inset thumb constructed from a single piece of leather.
- h. Outer shell: premium goat grain hide, treated to resist moisture and flame and to stay soft after repeated wet/dry cycles.
- i. Moisture barrier: Porelle® FR moisture barriers are used to provide durable protection against water, chemicals and blood-borne pathogens.
- j. Moisture barrier is independently certified by SEI to meet NFPA® standards.
- k. Moisture barrier inserts are securely attached to the shell to prevent inverting (pull-out).
- l. There is a protective leather patch across the knuckles for extra protection.
- m. All seams are lock-stitched, with 10 stitches per inch, using DuPont™ Kevlar® 30/3 spin yarn aramid thread for greater strength against heat and cut.
- n. Elastic snugger band is used on BOTH palm and back of glove to provide secure fit, utilizing zigzag stitch for greater stretch capability.
- o. This glove is available in eight sizes ranging from XXS to 3XL. Sizing allows the tips of user's fingers to extend to end of the glove for enhanced dexterity and safety.
- p. Each pair of gloves is individually poly-bagged, along with maintenance and inspection instructions.
- q. TPP rating exceeds 60.

### II. Catalog Number for The Phoenix Glove

- FC-P5000T
- Cadet sizes: Add "Cadet" to the style number (FC-P5000TCadet)

Specify sizes: XXS, XS, S, M, L, XL, 2XL, 3XL (larger sizes available upon request).

FireCraft® is a registered mark of FireCraft® Safety Products  
Porelle® is a registered mark of PIL Membranes Ltd  
Kevlar® and DuPont™ are registered marks of DuPont or its affiliates  
NFPA® is a registered mark of the National Fire Protection Association

Certified by SEI to comply with NFPA 1971, 2013 Edition, and/or Federal OSHA 29 CFR 1910.156(e)(4) effective 7-1-85 and California OSHA Title 8, GISO Section 3407, effective 5-4-85.